

MORTALITY FROM SMOKING IN DEVELOPED COUNTRIES 1950–2020

(see also www.deathsfromsmoking.net)

**Richard Peto, Alan D Lopez, Hongchao Pan
Jillian Boreham and Michael Thun**

2010: ALL DEVELOPED COUNTRIES

Annual death rates / 100,000 (zero denoted by -)										9th ICD/10th ICD categories		
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+NK			
253.1	335.4	512.6	796.1	1148.3	1589.0	2189.4	3450.2	5258.2	11472.4	M	ALL CAUSES	001-999/A00-Y89
106.4	153.4	236.4	368.4	535.5	778.1	1165.0	2025.2	3430.0	9797.2	F		
8.8	9.5	10.7	11.6	10.2	6.9	5.4	6.2	6.9	15.7	M	Tuberculosis	010-018, 137/A15-A19, B90
2.5	2.3	2.2	1.8	1.7	1.2	1.5	1.9	3.4	6.6	F		
8.6	9.0	11.4	13.6	16.9	19.2	25.4	34.7	63.3	152.9	M	Other infective and parasitic	Rest of 001-139,279.5&6/rest of A00-B99 excl A33,A34
3.7	4.1	4.8	6.3	8.3	10.7	16.2	23.8	45.5	127.3	F		
20.1	39.4	87.2	186.8	335.6	527.4	765.9	1072.6	1479.6	2227.6	M	ALL CANCER	140-208/C00-C97
26.8	48.4	85.1	145.6	214.2	312.4	423.5	572.1	767.5	1174.8	F		
0.8	2.2	5.8	12.8	19.6	22.8	23.9	24.9	25.6	29.0	M	Mouth and pharynx cancer	140-149/C00-C14
0.4	0.6	1.2	2.4	3.3	4.0	4.6	5.5	7.7	13.5	F		
0.4	1.3	3.8	9.0	16.3	24.8	32.3	37.6	43.7	52.2	M	Oesophagus cancer	150/C15
0.2	0.3	0.8	1.6	2.7	4.0	5.8	7.5	10.2	16.3	F		
1.8	3.6	6.9	13.8	23.8	37.7	52.9	83.0	107.9	149.1	M	Stomach cancer	151/C16
1.6	2.6	4.1	6.4	9.7	14.4	20.6	34.3	46.3	74.3	F		
2.0	4.0	8.1	16.6	31.2	53.6	82.0	122.0	171.7	263.5	M	Colorectal cancer	153, 154/C18-C21
1.9	3.5	6.9	12.8	20.3	31.2	44.1	69.5	97.9	176.9	F		
0.7	1.4	4.0	9.4	17.2	25.4	35.5	48.6	68.4	73.0	M	Liver cancer	155.0/C22 excl C221
0.3	0.6	1.2	2.3	4.0	6.5	10.1	17.1	26.3	34.5	F		
1.0	2.4	5.7	11.7	21.0	33.4	48.5	62.0	80.1	104.4	M	Pancreas cancer	157/C25
0.6	1.4	3.2	6.5	11.6	20.2	30.3	44.0	60.3	88.2	F		
0.2	0.6	2.0	4.9	8.6	11.0	12.7	14.9	16.2	18.5	M	Larynx cancer	161/C32
0.1	0.1	0.2	0.5	0.8	0.9	1.2	1.4	1.6	1.8	F		
2.3	7.0	20.9	53.8	101.5	159.5	233.2	306.4	392.6	471.7	M	Lung cancer	162/C33, C34
1.6	4.3	10.9	23.5	36.5	57.6	83.0	98.5	128.3	154.8	F		
1.0	1.5	2.2	3.1	4.7	6.9	8.9	11.3	15.4	23.1	M	Malignant melanoma	172/C43
0.8	1.2	1.6	2.3	2.8	3.7	4.4	5.4	7.2	11.1	F		
6.8	13.7	22.2	34.9	45.7	57.9	66.2	77.2	91.2	142.3	F	Female breast cancer	174/C50
3.7	5.0	6.3	7.9	8.1	7.9	7.7	9.8	10.3	11.1	F	Cervix cancer	180/C53
0.7	1.4	2.6	4.8	8.2	12.7	16.5	21.6	23.9	31.6	F	Other uterine cancer	179, 182/C54, C55
1.4	3.1	6.3	10.6	15.1	20.5	26.0	31.4	36.7	42.5	F	Ovarian cancer	183/C56, C570-C574
0.1	0.1	0.8	3.0	9.1	22.0	45.6	86.4	156.1	378.7	M	Prostate cancer	185/C61
0.1	0.5	1.3	3.1	7.1	13.5	23.0	37.7	61.3	126.9	M	Bladder cancer	188/C67
0.1	0.3	0.5	1.0	1.5	2.7	4.5	7.2	13.2	31.0	F		
6.7	10.8	19.4	34.8	57.5	86.0	118.2	163.8	226.3	354.5	M	Other and ill-defined cancer sites	Rest of 140-199/rest of C00-C80, C97
4.7	7.5	12.8	21.5	33.2	49.7	69.7	98.5	140.9	239.2	F		
0.3	0.3	0.4	0.5	0.6	0.7	1.1	1.4	2.2	2.8	M	Hodgkin's disease	201/C81
0.2	0.2	0.2	0.2	0.3	0.4	0.6	0.9	1.4	1.9	F		
1.2	1.9	3.3	5.8	10.4	17.5	27.2	40.4	62.9	102.5	M	Myeloma and non-Hodgkin lymphomas	200, 202-203/C82-C90, C96
0.7	1.1	1.9	3.4	5.9	10.6	17.0	25.1	38.9	62.3	F	Leukaemia	204-208/C91-C95
1.4	1.9	2.8	4.5	6.9	12.7	20.8	32.1	49.4	77.9	M		
1.1	1.4	2.1	3.0	4.5	7.3	11.2	17.1	25.4	41.6	F		
2.0	3.5	6.5	10.8	18.8	29.1	43.4	62.8	103.1	202.9	M	Diabetes	250/E10-E14
1.3	2.0	3.3	6.2	11.0	18.4	28.7	46.0	78.1	185.7	F		
49.5	84.2	154.7	266.8	405.0	590.2	830.8	1483.5	2255.0	5014.8	M	ALL VASCULAR DISEASE	390-459/I00-I99
17.5	30.0	52.9	90.8	151.1	247.6	430.1	957.9	1732.2	5074.0	F		
0.5	0.7	1.2	1.7	1.9	2.3	2.9	4.7	6.6	15.2	M	Rheumatic heart disease and fever	390-398/I00-I09
0.4	0.8	1.1	1.6	2.2	3.0	4.3	6.9	10.1	21.9	F		
1.8	3.7	7.3	12.8	19.5	27.1	40.9	62.2	101.8	256.4	M	Hypertensive disease	401-405/I10-I15
0.8	1.8	3.5	6.5	9.6	14.8	26.6	49.2	93.7	333.6	F		
18.4	37.0	77.0	141.4	219.0	322.9	437.0	771.9	1082.7	2155.6	M	Ischaemic heart disease	410-414/I20-I25
4.2	8.8	17.5	33.9	64.4	113.9	201.1	457.6	769.8	1948.2	F		
1.1	1.7	2.6	3.6	5.5	7.4	10.2	14.4	23.4	46.9	M	Pulmonary embolism and other venous	415.1, 451-453/126, 180-182
1.1	1.5	2.3	2.5	3.4	4.9	7.6	12.5	22.8	57.9	F		
7.5	13.9	25.8	47.1	78.2	121.9	186.2	370.7	579.5	1199.9	M	Cerebrovascular disease	430-438/I60-I69
4.1	7.5	14.5	25.6	40.9	67.2	119.9	286.0	518.9	1379.6	F		
20.3	27.3	40.8	60.2	81.0	108.5	153.5	259.6	461.0	1340.9	M	Other vascular disease	Rest of 390-459/rest of I00-I99
6.9	9.7	14.1	20.7	30.6	43.8	70.6	145.7	317.0	1332.9	F		
1.3	2.2	4.9	11.1	22.5	43.4	81.4	147.9	256.5	553.4	M	Chronic obstructive pulmonary disease	490-496/J40-J47, J67
0.9	1.6	3.3	6.9	12.3	23.6	44.1	69.9	120.9	264.5	F		
8.6	10.8	15.5	22.7	30.8	42.1	66.0	118.7	247.7	865.7	M	Other respiratory disease	Rest of 460-519/rest of J00-J98
3.4	4.2	5.8	8.1	11.3	16.0	27.3	49.9	109.1	540.0	F		
0.9	1.4	2.3	3.8	4.9	6.1	6.8	10.3	14.4	27.7	M	Peptic ulcer	531-533/K25-K27
0.3	0.4	0.7	1.0	1.5	2.2	2.8	5.0	8.6	23.5	F		
14.3	21.7	33.6	46.7	57.2	59.8	56.8	58.2	52.9	43.8	M	Liver cirrhosis (incl. some other digestive)	571/K70, K74
6.7	9.7	14.3	20.8	27.2	26.1	25.3	29.2	29.4	27.5	F		
1.8	2.0	3.2	5.2	8.8	13.3	22.5	40.9	77.8	248.2	M	Renal disease	580-590/N00-N19
1.4	1.6	2.3	4.0	5.5	8.3	14.9	27.5	51.1	184.3	F		
1.0	0.4	0.1	0.1	0.0	-	-	0.0	-	-	M	Pregnancy, birth	630-676/A34, O00-O99
1.0	1.0	1.2	1.6	1.9	2.0	1.6	1.6	2.1	3.8	F	Congenital and perinatal causes	740-779/A33, P00-P96, Q00-Q99
0.8	0.9	1.1	1.3	1.6	1.7	1.4	1.2	1.5	2.8	F	Ill-defined causes	780-799/R00-R99
13.8	17.4	23.2	31.5	38.3	43.2	47.6	73.5	118.3	442.1	M		
4.0	5.1	6.7	9.1	11.9	15.1	20.9	40.1	86.7	595.4	F		
19.2	26.2	38.3	53.6	71.5	94.8	133.9	215.7	424.5	1327.0	M	Other medical causes	Rest of 001-799/rest of A00-R99
10.3	14.4	20.7	29.9	41.3	59.8	90.6	149.9	318.3	1362.3	F		
103.2	106.9	120.0	130.2	125.9	111.5	102.0	123.8	156.0	346.9	M	ALL NON-MEDICAL CAUSES	E800-E999/V01-Y89
26.0	28.4	33.1	36.6	36.7	35.0	37.8	50.8	77.5	228.5	F		
12.3	11.9	12.5	12.6	11.9	10.9	11.7	12.8	16.9	23.1	M	Road traffic accidents	E810-E819, E826-E829/part of V01-V99, Y850
3.2	3.5	3.7	3.8	4.0	4.0	5.1	6.3	8.7	9.5	F		
1.9	2.3	3.0	3.8	3.9	3.7	3.3	3.9	4.2	6.9	M	Fire	E890-E899/X00-X09
0.6	0.7	0.9	1.1	1.3	1.3	1.4	2.0	2.9	4.8	F		
27.2	29.3	32.4	34.5	33.8	29.3	27.4	30.7	34.8	47.4	M	Suicide	E950-E959/X60-X84
6.6	7.2	8.1	8.9	8.3	8.3	8.7	8.8	9.7	10.9	F		
45868	45868	47410	44786	40464	34763	26103	23042	16410	18021	M	POPULATION	
45793	46032	48434	46903	43833	38533	30716	29772	23335	35542	F	(1000s; UN, 2015 revision)	

2010: EU15 (European Union - 15 countries)

Annual death rates / 100,000 (zero denoted by -)										9th ICD/10th ICD categories		
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
112.2	169.2	276.8	463.1	736.1	1078.9	1643.7	2597.5	4426.4	11095.6	M	ALL CAUSES	001-999/A00-Y89
57.3	94.0	154.6	251.8	375.5	550.8	846.5	1387.2	2606.4	9379.2	F		
0.2	0.3	0.4	0.5	0.6	0.7	1.1	1.9	3.6	9.5	M	Tuberculosis	010-018, 137/
0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.8	2.2	5.1	F		A15-A19, B90
3.4	6.1	8.8	9.6	11.0	14.4	21.3	35.1	64.6	162.9	M	Other infective	Rest of 001-139,279.5&6/
1.6	2.1	3.1	3.6	4.9	7.6	13.2	23.3	47.9	147.1	F	and parasitic	rest of A00-B99 excl A33,A34
17.6	34.0	77.1	168.3	307.2	483.9	733.7	1056.2	1527.7	2437.4	M	ALL CANCER	140-208/C00-C97
22.6	43.3	77.0	135.3	207.0	296.8	420.6	570.4	799.2	1314.0	F		
0.5	1.6	5.5	12.3	17.6	21.4	22.5	22.0	24.7	27.9	M	Mouth and	140-149/C00-C14
0.2	0.6	1.3	2.6	3.9	4.5	5.5	5.3	7.3	12.8	F	pharynx cancer	
0.4	1.2	3.9	9.3	16.2	22.9	28.4	35.5	42.1	53.3	M	Oesophagus cancer	150/C15
0.1	0.2	0.7	1.8	3.0	4.9	6.4	8.4	11.5	20.2	F		
1.1	2.0	4.1	8.1	13.5	21.0	31.6	50.2	74.3	118.8	M	Stomach cancer	151/C16
0.9	1.8	2.6	4.0	6.1	8.7	13.6	21.1	33.2	64.6	F		
1.6	2.8	6.9	14.7	29.1	48.3	78.7	120.1	181.3	305.6	M	Colorectal cancer	153, 154/C18-C21
1.3	3.0	6.1	10.9	18.1	26.8	41.0	63.5	97.2	200.7	F		
0.4	1.0	3.3	7.1	12.6	20.2	31.3	44.7	59.7	66.6	M	Liver cancer	155.0/C22 excl C221
0.1	0.4	0.5	1.3	2.4	4.0	6.1	12.1	19.7	28.0	F		
0.8	2.0	4.9	10.4	19.6	30.0	46.6	63.1	82.0	103.2	M	Pancreas cancer	157/C25
0.5	1.2	3.0	6.3	12.1	19.4	31.7	46.6	64.6	94.9	F		
0.1	0.4	1.5	3.7	6.5	8.7	10.8	12.6	16.0	22.9	M	Larynx cancer	161/C32
0.0	0.1	0.1	0.6	0.7	0.8	1.0	1.3	1.4	2.1	F		
2.2	6.5	18.7	50.2	96.1	150.6	224.5	296.1	394.5	464.9	M	Lung cancer	162/C33, C34
1.7	4.9	12.2	27.4	42.4	58.3	77.5	91.7	113.2	128.3	F		
1.2	1.7	2.4	3.3	4.7	6.7	9.0	11.9	15.6	21.9	M	Malignant melanoma	172/C43
1.1	1.5	2.0	2.4	2.9	3.9	4.8	5.7	8.0	13.3	F		
7.5	13.9	22.0	34.3	46.1	59.5	73.1	87.9	111.9	188.7	F	Female breast cancer	174/C50
1.6	2.6	3.2	4.0	4.2	4.3	4.8	5.8	6.6	8.8	F	Cervix cancer	180/C53
0.4	0.9	1.9	3.1	6.2	9.6	14.6	20.2	25.1	37.5	F	Other uterine cancer	179, 182/C54, C55
1.1	2.1	4.8	9.0	13.8	20.7	29.1	34.5	43.4	52.4	F	Ovarian cancer	183/C56, C570-C574
0.0	0.1	0.7	2.5	8.6	21.3	47.3	92.2	176.2	467.6	M	Prostate cancer	185/C61
0.2	0.4	1.2	3.2	7.0	13.7	24.0	39.3	70.4	156.0	M	Bladder cancer	188/C67
0.1	0.3	0.6	1.1	1.7	2.8	5.2	8.6	15.1	38.4	F		
6.5	10.5	18.0	33.6	59.1	89.4	129.0	186.1	263.7	424.9	M	Other and ill-defined	Rest of 140-199/
4.4	7.5	12.2	20.7	33.5	51.0	76.3	108.8	162.2	294.5	F	cancer sites	rest of C00-C80, C97
0.3	0.3	0.4	0.5	0.6	0.8	1.2	1.7	2.8	3.4	M	Hodgkin's disease	201/C81
0.2	0.2	0.2	0.3	0.3	0.5	0.7	1.1	1.7	2.6	F		
1.1	1.8	3.4	5.5	10.1	18.1	28.6	46.2	70.3	111.4	M	Myeloma and non-	200, 202-203/
0.5	1.0	1.9	3.2	5.9	10.8	17.9	29.6	47.7	73.8	F	Hodgkin lymphomas	C82-C90, C96
1.2	1.5	2.3	3.7	5.8	10.8	20.1	34.5	54.1	89.0	M	Leukaemia	204-208/C91-C95
0.9	1.1	1.7	2.4	3.9	6.5	11.2	18.2	29.5	52.3	F		
1.0	1.9	3.6	6.7	12.5	21.0	34.2	62.4	111.8	250.8	M	Diabetes	250/E10-E14
0.5	0.7	1.4	2.8	5.3	9.5	17.7	38.6	83.2	263.6	F		
16.1	31.2	58.2	104.3	171.8	264.6	437.5	762.0	1445.5	4332.3	M	ALL VASCULAR	390-459/I00-I99
6.5	11.8	21.0	34.3	54.3	90.9	173.4	374.4	875.7	4215.3	F	DISEASE	
0.1	0.2	0.2	0.6	0.9	1.4	2.3	4.9	8.8	20.5	M	Rheumatic heart	390-398/I00-I09
0.1	0.1	0.2	0.4	0.7	1.8	3.3	6.4	12.8	32.1	F	disease and fever	
0.4	1.0	2.0	3.8	7.2	11.2	19.6	34.2	71.4	289.4	M	Hypertensive disease	401-405/I10-I15
0.1	0.3	0.8	1.5	2.9	5.0	10.3	24.1	63.9	424.5	F		
6.3	14.4	30.1	56.2	91.1	138.6	215.1	356.4	618.8	1591.3	M	Ischaemic heart	410-414/I20-I25
1.4	3.2	6.4	11.5	18.7	33.1	64.1	130.0	280.9	1182.9	F	disease	
0.9	1.6	2.6	3.8	5.8	8.6	12.3	17.5	30.3	68.5	M	Pulmonary embolism	415.1, 451-453/
0.9	1.3	2.1	2.4	3.4	5.2	9.3	15.7	29.7	89.7	F	and other venous	126, 180-182
2.6	4.8	8.5	14.5	24.3	39.2	76.7	149.7	323.0	994.8	M	Cerebrovascular	430-438/I60-I69
1.9	3.4	6.4	9.8	14.2	21.4	41.2	96.6	240.2	1075.5	F	disease	
5.8	9.2	14.8	25.3	42.4	65.7	111.5	199.3	393.3	1367.7	M	Other vascular	Rest of 390-459/
2.1	3.4	5.1	8.7	14.4	24.4	45.2	101.6	248.4	1410.5	F	disease	rest of I00-I99
0.5	1.1	2.6	6.3	14.4	29.7	60.0	113.4	224.2	592.4	M	Chronic obstructive	490-496/
0.4	0.9	1.9	4.5	9.6	18.8	33.8	54.4	100.7	260.0	F	pulmonary disease	J40-J47, J67
2.5	3.2	5.5	9.3	15.9	26.1	49.4	98.1	208.0	767.2	M	Other respiratory	Rest of 460-519/
1.3	1.9	2.8	4.9	7.6	12.1	22.0	46.8	109.1	569.7	F	disease	rest of J00-J98
0.2	0.4	0.7	1.3	1.9	2.9	4.2	6.7	11.5	30.3	M	Peptic ulcer	531-533/K25-K27
0.1	0.1	0.3	0.5	0.8	1.5	2.4	3.9	7.6	27.4	F		
4.6	10.9	19.4	29.7	39.8	43.5	44.9	47.6	48.9	43.2	M	Liver cirrhosis	571/K70, K74
1.9	4.2	7.4	11.0	14.0	16.1	17.0	20.3	24.0	25.1	F		
0.4	0.5	0.8	2.1	3.9	6.6	12.6	28.1	58.5	221.2	M	Renal disease	580-590/N00-N19
0.3	0.3	0.6	1.1	2.0	3.6	7.3	16.8	38.9	165.9	F		
0.3	0.1	-	-	-	-	-	-	0.0	-	M	Pregnancy, birth	630-676/A34, O00-O99
1.0	1.0	1.3	1.9	2.6	2.7	1.8	1.7	1.8	2.9	F	Congenital and	740-779/A33,
0.8	0.8	1.2	1.5	2.2	2.3	1.5	1.4	1.7	2.4	F	perinatal causes	P00-P96, Q00-Q99
9.5	13.4	18.4	26.5	35.0	42.0	49.7	67.5	106.1	364.1	M	Ill-defined causes	780-799/R00-R99
3.4	4.7	6.4	9.1	12.1	16.1	22.4	34.2	67.5	437.5	F		
13.6	20.2	30.9	44.1	64.3	87.7	132.7	237.2	488.1	1542.2	M	Other medical causes	Rest of 001-799/
6.8	10.3	15.9	24.4	36.4	54.9	90.5	166.4	382.1	1680.5	F		rest of A00-R99
41.6	45.1	49.0	52.6	55.2	53.2	60.6	79.6	126.0	339.1	M	ALL NON-	E800-E999/V01-Y89
10.7	12.5	15.5	18.6	19.2	20.3	24.4	35.7	66.5	265.8	F	MEDICAL CAUSES	
8.8	7.8	7.8	7.8	6.9	6.1	7.5	9.1	12.8	18.3	M	Road traffic	E810-E819, E826-E829/
1.6	1.7	2.0	2.2	2.0	2.4	2.5	4.0	5.5	5.8	F	accidents	part of V01-V99, Y850
0.4	0.5	0.6	0.8	1.0	0.9	1.2	1.1	1.5	2.9	M	Fire	E890-E899/X00-X09
0.1	0.3	0.3	0.4	0.3	0.5	0.6	0.9	1.3	2.4	F		
16.6	20.0	22.1	23.1	22.4	19.6	18.8	22.5	28.5	45.2	M	Suicide	E950-E959/X60-X84
4.7	5.9	7.0	8.3	7.7	6.9	7.2	7.4	7.4	8.8	F		
14061	15429	15298	13611	12102	11533	9366	8323	6239	6938	M	POPULATION	
13933	15331	15288	13761	12445	12061	10126	9717	8188	13069	F	(1000s; UN, 2015 revision)	

2010: EU13 recent (European Union - 13 countries)
--

Annual death rates / 100,000 (zero denoted by -)										9th ICD/10th ICD categories		
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
219.2	377.1	636.6	1033.6	1547.8	2228.0	3178.4	4648.0	6987.9	13631.0	M	ALL CAUSES	001-999/A00-Y89
82.4	142.8	244.9	396.6	592.9	903.9	1400.8	2320.7	4243.9	11448.7	F		
3.4	6.2	8.0	9.6	10.1	9.5	8.5	9.3	10.8	12.3	M	Tuberculosis	010-018, 137/
0.7	0.8	1.5	1.1	1.1	1.0	1.5	1.6	3.2	5.0	F		A15-A19, B90
2.9	2.9	4.9	5.7	7.9	10.8	15.1	21.1	30.7	47.4	M	Other infective	Rest of 001-139,279.5&6/
1.1	1.1	1.6	2.6	3.3	6.2	8.8	14.0	22.1	42.3	F	and parasitic	rest of A00-B99 excl A33,A34
22.4	54.4	127.0	275.7	492.1	747.5	1052.3	1413.0	1729.5	2080.5	M	ALL CANCER	140-208/C00-C97
29.9	55.3	106.0	181.4	267.3	375.4	491.0	640.0	832.2	1123.0	F		
1.3	5.6	14.6	30.2	42.6	42.2	42.6	36.7	29.0	28.1	M	Mouth and	140-149/C00-C14
0.4	1.2	2.2	4.1	5.5	6.0	5.0	5.5	7.9	12.6	F	pharynx cancer	
0.6	1.3	4.8	11.0	17.5	22.5	25.1	26.8	22.6	22.5	M	Oesophagus cancer	150/C15
0.1	0.2	0.7	1.5	2.4	2.8	3.4	3.7	5.6	6.6	F		
1.5	4.4	8.7	17.6	29.4	45.6	67.8	104.1	128.9	156.5	M	Stomach cancer	151/C16
1.5	2.5	4.8	6.7	9.5	15.2	24.1	34.2	52.8	75.2	F		
1.8	5.2	10.2	22.1	45.7	83.0	135.8	192.8	265.4	334.9	M	Colorectal cancer	153, 154/C18-C21
2.5	3.7	6.8	14.8	24.8	39.9	61.5	87.5	130.1	191.7	F		
0.8	1.9	4.7	9.6	16.0	25.3	37.3	52.3	54.7	54.5	M	Liver cancer	155.0/C22 excl C221
0.3	0.8	1.5	3.0	5.5	8.3	12.5	19.5	26.3	35.0	F		
1.1	3.7	7.1	16.0	27.6	39.0	59.9	69.8	78.0	90.7	M	Pancreas cancer	157/C25
0.8	1.5	4.3	7.3	12.5	21.9	32.5	47.4	59.2	76.2	F		
0.3	1.4	5.3	13.2	21.1	25.7	28.3	29.2	27.1	23.8	M	Larynx cancer	161/C32
0.1	0.2	0.4	1.2	1.5	1.7	1.8	2.6	2.0	1.8	F		
2.8	11.1	33.1	89.2	169.4	262.4	339.8	426.5	445.5	381.3	M	Lung cancer	162/C33, C34
1.6	4.5	13.1	32.1	50.1	70.3	78.5	83.7	92.4	98.2	F		
1.1	2.0	2.4	3.4	5.5	7.3	10.1	13.8	17.9	23.8	M	Malignant melanoma	172/C43
1.1	1.3	1.6	2.7	3.3	3.9	5.2	7.3	9.7	14.8	F		
5.9	12.3	22.3	35.2	46.4	57.2	69.7	83.7	101.7	144.4	F	Female breast cancer	174/C50
5.3	9.0	14.6	17.5	19.1	19.0	17.6	20.9	22.3	24.6	F	Cervix cancer	180/C53
0.5	1.6	3.1	4.6	9.3	13.6	20.3	24.8	28.1	35.4	F	Other uterine cancer	179, 182/C54, C55
2.2	4.9	9.4	14.9	19.7	25.6	32.1	37.5	41.1	41.7	F	Ovarian cancer	183/C56, C570-C574
0.1	0.1	1.0	3.6	11.3	30.2	63.4	119.7	213.8	387.2	M	Prostate cancer	185/C61
0.1	0.8	2.1	4.8	12.6	23.9	39.4	65.8	92.8	138.9	M	Bladder cancer	188/C67
0.1	0.2	0.7	1.4	2.9	4.3	6.7	9.2	15.6	30.6	F		
8.1	12.9	26.0	43.8	72.5	109.2	150.7	199.2	250.9	318.3	M	Other and ill-defined	Rest of 140-199/
5.6	8.9	16.0	27.5	42.8	65.8	88.9	125.2	176.5	260.3	F	cancer sites	rest of C00-C80, C97
0.5	0.3	0.8	0.8	0.7	1.0	1.6	1.4	2.7	2.2	M	Hodgkin's disease	201/C81
0.2	0.2	0.4	0.2	0.4	0.6	0.7	1.0	1.2	1.4	F		
1.3	2.1	3.1	5.6	11.2	15.8	24.9	37.5	47.3	53.1	M	Myeloma and non-	200, 202-203/
0.8	1.1	1.9	3.2	6.1	10.8	17.5	25.4	33.2	35.0	F	Hodgkin lymphomas	C82-C90, C96
1.1	1.7	3.2	4.8	9.1	14.2	25.7	37.4	52.8	64.6	M	Leukaemia	204-208/C91-C95
1.1	1.2	2.2	3.5	5.4	8.6	13.1	20.9	26.8	37.3	F		
1.9	3.3	6.7	11.6	19.2	31.6	50.4	70.7	109.8	163.0	M	Diabetes	250/E10-E14
0.7	1.0	2.2	4.6	9.5	19.2	34.0	59.7	102.2	183.3	F		
41.5	96.3	186.3	334.7	542.6	874.7	1386.1	2275.1	3872.2	8858.3	M	ALL VASCULAR	390-459/I00-I99
13.2	29.3	51.9	95.4	163.9	310.4	606.1	1220.8	2640.6	8267.1	F	DISEASE	
0.2	0.3	0.9	1.2	1.5	2.6	4.8	7.8	9.9	16.4	M	Rheumatic heart	390-398/I00-I09
0.1	0.4	0.4	0.5	1.4	2.6	5.3	8.5	12.7	20.5	F	disease and fever	
1.6	4.3	10.6	20.5	36.6	60.0	102.8	194.2	322.7	720.8	M	Hypertensive disease	401-405/I10-I15
0.5	1.7	3.5	7.6	14.9	29.1	61.3	127.4	274.0	768.7	F		
14.4	38.1	78.8	147.2	237.4	378.3	577.4	886.8	1431.6	3181.4	M	Ischaemic heart	410-414/I20-I25
2.8	7.7	14.8	31.2	56.9	108.9	214.4	421.1	881.4	2846.1	F	disease	
1.6	2.9	4.8	6.9	11.4	19.1	26.6	35.1	56.3	90.9	M	Pulmonary embolism	415.1, 451-453/
1.2	1.9	3.1	3.9	5.6	10.1	15.3	23.7	43.9	88.3	F	and other venous	126, 180-182
7.1	16.7	30.6	60.0	107.4	191.8	337.4	603.1	1053.0	2093.7	M	Cerebrovascular	430-438/I60-I69
4.2	8.2	14.9	26.7	43.6	86.0	178.7	369.9	792.0	2017.7	F	disease	
16.7	34.0	60.7	98.9	148.2	222.9	337.0	548.0	998.8	2755.1	M	Other vascular	Rest of 390-459/
4.3	9.5	15.2	25.6	41.6	73.6	131.2	270.3	636.6	2525.8	F	disease	rest of I00-I99
1.0	2.8	6.0	14.0	27.7	49.2	87.2	149.1	260.2	451.8	M	Chronic obstructive	490-496/
0.6	1.1	2.1	5.0	9.7	17.8	25.8	44.9	73.3	165.2	F	pulmonary disease	J40-J47, J67
8.4	11.9	18.4	26.1	37.3	52.5	75.0	113.0	193.9	477.8	M	Other respiratory	Rest of 460-519/
3.2	4.3	5.7	8.7	12.6	16.9	26.5	48.0	92.6	295.4	F	disease	rest of J00-J98
1.1	1.5	3.5	6.0	7.6	10.8	12.1	17.1	25.9	45.2	M	Peptic ulcer	531-533/K25-K27
0.2	0.5	0.9	1.7	2.2	3.5	4.6	7.6	14.7	40.2	F		
16.3	31.9	55.5	81.5	103.3	111.6	119.1	106.6	88.1	63.1	M	Liver cirrhosis	571/K70, K74
5.0	9.9	17.2	28.4	36.5	39.7	45.3	44.9	40.4	31.9	F		
1.5	1.6	3.6	5.8	10.0	17.9	26.1	44.9	85.1	174.8	M	Renal disease	580-590/N00-N19
1.1	1.3	1.9	3.3	5.6	9.6	18.5	32.0	54.3	122.3	F		
0.5	0.2	0.0	-	-	-	-	-	-	-	M	Pregnancy, birth	630-676/A34, O00-O99
0.8	1.0	0.6	0.8	0.9	0.6	0.7	0.6	0.4	1.1	F	Congenital and	740-779/A33,
0.4	0.6	1.0	0.5	0.8	0.5	0.7	0.5	0.7	0.2	F	perinatal causes	P00-P96, Q00-Q99
15.5	25.2	38.8	51.9	62.9	69.3	66.0	78.1	107.5	395.0	M	Ill-defined causes	780-799/R00-R99
4.6	6.3	8.7	11.4	14.7	19.9	20.9	32.4	62.1	445.8	F		
16.3	26.7	40.5	55.9	72.0	95.8	132.3	192.3	301.9	559.7	M	Other medical causes	Rest of 001-799/
6.5	11.1	17.1	24.2	34.8	51.9	76.8	123.8	227.2	518.4	F		rest of A00-R99
86.4	111.4	136.8	154.3	154.2	146.3	147.4	157.2	172.0	301.1	M	ALL NON-	E800-E999/V01-Y89
14.6	20.1	26.9	28.2	30.9	31.8	40.4	50.4	78.3	208.5	F	MEDICAL CAUSES	
14.4	15.7	17.6	19.4	18.0	16.8	18.8	18.8	20.7	22.3	M	Road traffic	E810-E819, E826-E829/
2.6	3.7	4.3	3.8	4.6	3.9	6.7	7.8	9.7	9.1	F	accidents	part of V01-V99, Y850
1.2	2.2	2.9	4.4	4.2	4.2	4.2	3.5	6.2	8.8	M	Fire	E890-E899/X00-X09
0.4	0.5	0.8	0.7	0.8	0.9	1.3	2.0	3.1	5.7	F		
29.3	37.0	44.2	47.6	49.5	40.0	39.0	39.3	38.8	57.0	M	Suicide	E950-E959/X60-X84
4.2	5.7	7.9	8.4	8.2	8.3	9.7	8.3	9.4	11.1	F		
3991	3653	3409	3861	3704	2930	2015	1727	1311	1191	M	POPULATION	
3876	3581	3431	4047	4083	3458	2631	2582	2187	2576	F	(1000s; UN, 2015 revision)	

AUSTRIA: 2010

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	36692	1025	11863	676.7	59.1	692.2	103.9	6.2	9.8	53.2	91.3	69.3	80.4
	F	40507	462	6147	428.1	29.1	336.9	83.6	10.1	8.4	17.9	25.8	26.1	31.5
Tuberculosis	M	21	-	8	0.4	-	0.4	-	-	-	-	-	-	-
	F	17	2	5	0.3	0.1	0.3	0.5	-	-	-	-	0.4	-
Other infective and parasitic	M	279	17	145	5.6	1.0	7.8	3.0	-	0.4	0.8	0.4	0.4	2.3
	F	331	10	46	3.8	0.6	2.4	1.6	-	-	-	-	0.7	1.9
ALL CANCER	M	10462	69	4269	196.0	3.8	255.3	-	1.4	2.2	2.7	4.9	6.1	9.1
	F	9295	61	3142	125.3	3.5	172.6	2.1	4.0	0.5	2.0	3.1	5.4	7.6
Mouth and pharynx cancer	M	355	2	255	7.3	0.1	15.0	-	-	-	-	0.4	0.4	-
	F	126	1	73	2.0	0.1	4.0	-	-	-	-	-	0.4	-
Oesophagus cancer	M	258	1	153	5.1	0.1	9.1	-	-	-	-	-	-	0.4
	F	72	-	18	0.9	-	1.0	-	-	-	-	-	-	-
Stomach cancer	M	479	1	158	8.8	0.1	9.3	-	-	-	-	-	-	0.4
	F	378	1	92	4.6	0.1	4.9	-	-	-	-	-	0.4	-
Colorectal cancer	M	1117	6	398	20.6	0.3	24.3	-	-	0.4	-	0.8	-	1.1
	F	1029	3	254	12.3	0.2	14.2	-	-	-	-	-	-	1.1
Liver cancer	M	420	1	198	8.1	0.1	12.0	-	-	-	-	0.4	-	-
	F	147	1	48	2.0	0.1	2.7	0.5	-	-	-	-	-	-
Pancreas cancer	M	707	-	333	13.4	-	19.9	-	-	-	-	-	-	-
	F	781	-	238	10.1	-	13.2	-	-	-	-	-	-	-
Larynx cancer	M	95	-	67	1.9	-	3.9	-	-	-	-	-	-	-
	F	22	-	10	0.3	-	0.6	-	-	-	-	-	-	-
Lung cancer	M	2386	3	1250	46.4	0.2	75.1	-	-	-	-	-	0.4	0.8
	F	1266	-	627	19.7	-	35.1	-	-	-	-	-	-	-
Malignant melanoma	M	200	2	93	3.8	0.1	5.2	-	-	-	-	-	0.4	0.4
	F	176	4	68	2.5	0.2	3.5	-	-	-	-	0.4	0.4	0.8
Female breast cancer	F	1502	5	609	21.2	0.3	32.8	-	-	-	-	-	0.4	1.5
Cervix cancer	F	161	7	80	2.6	0.4	4.2	-	-	-	-	-	1.1	1.5
Other uterine cancer	F	248	1	78	3.3	0.1	4.4	-	-	-	-	-	-	0.4
Ovarian cancer	F	464	1	180	6.5	0.1	9.9	-	-	-	-	-	0.4	-
Prostate cancer	M	1125	-	173	19.2	-	10.9	-	-	-	-	-	-	-
Bladder cancer	M	346	-	88	6.0	-	5.5	-	-	-	-	-	-	-
	F	144	-	31	1.6	-	1.7	-	-	-	-	-	-	-
Other and ill-defined cancer sites	M	2119	32	847	39.7	1.7	49.8	-	0.5	0.4	1.2	2.7	3.6	3.8
	F	1956	26	568	25.8	1.6	31.2	1.6	3.5	0.5	1.2	1.6	1.8	1.1
Hodgkin's disease	M	10	-	5	0.2	-	0.3	-	-	-	-	-	-	-
	F	18	1	6	0.2	0.1	0.3	-	-	-	-	-	0.4	-
Myeloma and non-Hodgkin lymphomas	M	438	5	144	8.0	0.3	8.7	-	0.5	0.4	-	-	0.4	0.8
	F	469	3	100	5.7	0.2	5.5	-	-	-	-	0.4	0.4	0.4
Leukaemia	M	407	16	107	7.5	0.9	6.3	-	0.5	0.9	1.6	0.8	1.1	1.5
	F	336	7	62	3.9	0.4	3.4	-	0.5	-	0.8	0.8	-	0.8
Diabetes	M	1312	3	338	23.4	0.2	20.5	-	-	-	-	0.8	0.4	-
	F	1699	2	118	15.8	0.1	6.7	-	-	-	-	0.4	0.4	-
ALL VASCULAR DISEASE	M	13719	56	2868	238.2	3.1	170.3	2.0	0.5	-	1.9	3.0	4.3	9.9
	F	19477	31	1087	170.1	1.7	60.5	1.1	0.5	-	0.8	2.7	3.3	3.8
Rheumatic heart disease and fever	M	57	-	13	1.0	-	0.8	-	-	-	-	-	-	-
	F	118	1	5	1.0	0.1	0.3	-	-	-	-	-	-	0.4
Hypertensive disease	M	1092	-	145	18.4	-	8.9	-	-	-	-	-	-	-
	F	2544	-	77	20.6	-	4.4	-	-	-	-	-	-	-
Ischaemic heart disease	M	7185	14	1741	126.5	0.8	103.4	0.5	-	-	-	-	0.7	4.2
	F	7756	4	467	68.6	0.2	26.3	-	-	-	-	-	0.7	0.8
Pulmonary embolism and other venous	M	205	8	63	3.8	0.4	3.6	-	-	-	-	0.8	1.4	0.8
	F	336	5	44	3.5	0.3	2.4	-	-	-	-	0.4	-	1.5
Cerebrovascular disease	M	1869	10	336	32.2	0.5	19.9	-	-	-	0.8	0.4	0.7	1.9
	F	3274	6	276	30.5	0.3	14.9	-	-	-	-	1.2	1.1	-
Other vascular disease	M	3311	24	570	56.5	1.4	33.8	1.5	0.5	-	1.2	1.9	1.4	3.0
	F	5449	15	218	45.9	0.9	12.1	1.1	0.5	-	0.8	1.2	1.4	1.1
Chronic obstructive pulmonary disease	M	1473	1	354	25.9	0.1	22.0	-	-	-	-	-	-	0.4
	F	1213	2	207	12.7	0.1	11.8	-	-	-	0.4	-	0.4	-
Other respiratory disease	M	698	6	102	11.9	0.3	6.0	0.5	-	0.4	0.4	-	0.4	0.8
	F	832	4	37	7.2	0.3	2.1	1.1	-	0.5	-	-	0.4	-
Peptic ulcer	M	79	-	25	1.4	-	1.5	-	-	-	-	-	-	-
	F	93	-	11	0.9	-	0.7	-	-	-	-	-	-	-
Liver cirrhosis	M	1082	8	799	22.4	0.4	44.7	-	-	-	-	-	0.4	2.6
	F	389	6	228	6.7	0.3	12.2	-	-	-	-	-	0.7	1.5
Renal disease	M	409	2	53	6.8	0.1	3.3	-	-	-	-	0.4	0.4	-
	F	617	1	27	5.2	0.1	1.4	-	-	-	-	-	-	0.4
Pregnancy, birth	F	1	1	-	0.0	0.1	-	-	-	-	-	-	-	0.4
Congenital and perinatal causes	M	244	183	52	8.3	12.7	2.8	80.4	0.5	1.3	1.2	3.8	0.4	1.5
	F	192	132	48	6.5	9.6	2.5	60.0	1.0	1.9	0.4	1.6	1.1	1.5
Ill-defined causes	M	951	45	447	18.5	2.6	26.5	5.5	-	-	1.2	3.4	3.6	4.5
	F	978	22	131	10.3	1.5	7.4	6.8	0.5	0.5	-	-	1.4	1.1
Other medical causes	M	3248	173	1148	61.5	9.7	65.1	8.0	1.9	2.2	6.2	16.7	16.5	15.9
	F	3888	71	676	43.0	4.3	36.9	4.7	3.5	1.9	4.9	7.8	4.3	2.6
ALL NON-MEDICAL CAUSES	M	2715	462	1255	56.1	25.2	65.8	4.5	1.9	3.1	38.9	57.8	36.6	33.4
	F	1485	117	384	20.1	6.8	19.4	5.8	0.5	3.3	9.4	10.2	7.6	10.6
Road traffic accidents	M	381	145	159	8.6	7.9	7.8	0.5	1.0	-	19.0	19.4	8.6	6.8
	F	134	39	51	2.6	2.2	2.5	1.1	-	0.9	3.7	5.1	2.9	1.9
Fire	M	21	3	11	0.5	0.2	0.6	0.5	0.5	-	-	0.4	-	-
	F	18	2	5	0.3	0.1	0.3	0.5	0.5	-	-	-	-	-
Suicide	M	968	177	553	20.7	9.6	28.5	-	-	0.9	11.3	23.6	13.6	17.4
	F	293	40	167	5.5	2.2	8.3	-	-	0.5	3.2	2.3	3.6	5.7
POPULATION:			M=male		4089.2	1696.4	1990.2	200.3	208.4	225.1	257.4	262.9	278.6	263.7
(1000s; UN, 2015 revision)			F=female		4302.8	1643.4	2033.6	190.1	198.1	214.0	245.8	255.9	275.6	263.8

2010: AUSTRIA

Annual death rates / 100,000
(zero denoted by -)

9th ICD/10th ICD categories

35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK		
107.7	152.6	280.1	488.2	783.1	1266.7	1767.4	2645.8	4461.7	11250.9	M	ALL CAUSES 001-999/A00-Y89
55.8	79.9	152.8	232.0	375.6	624.3	838.1	1380.3	2656.5	9738.0	F	
-	0.3	0.3	0.7	0.4	1.4	-	3.1	3.6	3.1	M	Tuberculosis 010-018, 137/
-	-	0.3	0.3	-	0.8	0.4	0.5	2.0	2.1	F	A15-A19, B90
3.4	4.2	5.3	8.9	8.8	10.4	13.8	11.8	26.8	52.6	M	Other infective Rest of 001-139,279.5&6/
0.7	0.8	2.0	2.3	2.8	3.8	4.5	17.0	28.2	71.3	F	and parasitic rest of A00-B99 excl A33,A34
14.2	32.0	78.3	154.4	302.2	499.4	706.8	945.7	1399.6	2345.4	M	ALL CANCER 140-208/C00-C97
25.2	41.2	72.1	121.1	206.6	330.9	411.1	559.7	812.0	1350.2	F	
0.7	1.1	3.9	16.5	18.9	37.4	26.2	24.1	22.4	26.3	M	Mouth and 140-149/C00-C14
0.7	0.8	2.3	3.6	4.8	7.2	8.2	3.6	11.2	10.0	F	pharynx cancer
0.3	1.4	3.9	4.9	11.3	19.8	21.6	21.7	30.4	27.1	M	Oesophagus cancer 150/C15
-	-	-	0.3	2.4	1.7	2.9	5.1	7.2	11.8	F	
1.4	0.6	4.8	5.3	15.6	14.4	23.0	35.3	71.5	141.6	M	Stomach cancer 151/C16
1.3	2.8	2.6	3.3	6.9	7.6	9.8	15.4	42.7	68.1	F	
0.7	3.4	3.4	11.8	29.0	44.1	77.8	106.5	169.0	272.4	M	Colorectal cancer 153, 154/C18-C21
0.7	2.8	5.2	7.2	12.9	25.7	44.7	58.1	91.9	186.0	F	
-	0.3	3.6	7.2	13.0	26.6	33.1	53.2	48.3	62.7	M	Liver cancer 155.0/C22 excl C221
-	0.8	0.6	1.3	3.2	4.2	8.6	7.7	17.7	20.1	F	
0.7	2.2	8.4	10.5	23.1	37.8	56.1	66.2	102.8	117.6	M	Pancreas cancer 157/C25
0.7	2.6	4.6	8.5	11.7	22.7	41.8	54.0	72.9	117.2	F	
-	0.3	2.2	3.3	3.8	7.7	10.1	8.7	4.5	7.0	M	Larynx cancer 161/C32
-	-	0.3	0.3	0.4	1.7	1.2	1.5	1.3	2.5	F	
2.7	7.0	17.6	50.4	94.2	154.9	199.2	237.7	291.5	327.3	M	Lung cancer 162/C33, C34
1.0	4.5	10.6	22.9	48.8	78.7	79.2	84.4	105.0	112.9	F	
0.7	1.7	4.2	3.3	6.3	11.3	9.2	11.8	29.5	41.0	M	Malignant melanoma 172/C43
2.0	2.0	3.7	3.3	4.0	3.4	5.7	8.2	17.1	22.2	F	
8.4	13.1	15.7	24.9	40.8	59.4	67.7	91.1	91.2	205.0	F	Female breast cancer 174/C50
1.3	1.7	3.1	4.2	4.8	6.3	7.8	11.8	8.5	13.6	F	Cervix cancer 180/C53
0.7	0.3	0.9	2.6	6.5	9.7	10.3	15.4	20.4	38.7	F	Other uterine cancer 179, 182/C54, C55
1.3	1.1	4.6	6.9	12.1	19.4	24.2	31.9	38.1	58.4	F	Ovarian cancer 183/C56, C570-C574
-	0.3	0.8	2.3	8.8	20.7	43.7	86.7	169.9	481.3	M	Prostate cancer 185/C61
-	-	1.1	1.6	4.6	9.9	21.2	22.9	32.2	143.2	M	Bladder cancer 188/C67
0.7	0.3	0.9	1.3	0.8	3.4	4.5	5.1	10.5	31.2	F	
5.4	10.7	20.1	29.3	61.0	82.9	139.4	187.5	285.3	478.2	M	Other and ill-defined Rest of 140-199/
5.7	5.4	13.7	24.9	33.9	62.3	72.2	125.0	185.8	299.6	F	cancer sites rest of C00-C80, C97
-	0.3	-	0.3	0.4	0.5	0.5	0.6	2.7	0.8	M	Hodgkin's disease 201/C81
-	-	0.3	-	0.4	0.4	1.2	1.0	1.3	2.5	F	
1.0	1.7	2.2	2.6	7.6	18.9	27.1	40.2	72.4	110.7	M	Myeloma and non- 200, 202-203/
-	2.0	1.7	3.9	7.7	11.8	11.5	23.7	57.8	83.2	F	Hodgkin lymphomas C82-C90, C96
0.7	1.1	2.0	4.9	4.6	12.6	18.4	42.7	67.1	108.3	M	Leukaemia 204-208/C91-C95
0.7	0.8	1.4	1.6	4.4	5.5	9.4	16.5	31.5	67.0	F	
1.0	2.5	3.9	11.5	19.3	45.0	60.3	108.9	216.4	427.9	M	Diabetes 250/E10-E14
0.3	0.8	0.9	2.6	5.7	12.6	24.2	57.6	139.2	449.8	F	
16.9	26.4	54.9	116.2	167.3	313.9	496.9	873.9	1735.0	5759.3	M	ALL VASCULAR 390-459/I00-I99
6.7	11.7	21.4	32.4	53.3	106.5	191.6	421.9	1063.4	5705.9	F	DISEASE
-	-	0.6	0.3	0.4	1.4	2.8	2.5	9.8	22.4	M	Rheumatic heart 390-398/I00-I09
-	-	-	-	-	1.3	0.8	1.5	5.9	35.8	F	disease and fever
-	1.7	1.4	3.6	8.4	16.7	30.4	64.4	130.6	539.3	M	Hypertensive disease 401-405/I10-I15
-	0.3	0.3	1.6	4.4	8.4	16.0	28.8	109.0	804.7	F	
8.8	13.8	32.7	74.4	107.2	201.7	285.3	510.6	924.7	2763.2	M	Ischaemic heart 410-414/I20-I25
2.4	3.7	6.9	11.8	21.0	50.1	88.6	191.9	458.8	2226.9	F	disease
1.0	1.4	0.8	4.0	5.0	3.6	9.2	11.1	32.2	61.9	M	Pulmonary embolism 415.1, 451-453/
1.0	0.3	1.1	1.6	1.6	5.9	5.3	13.9	23.0	80.7	F	and other venous 126, 180-182
2.0	4.2	5.9	14.2	16.8	30.6	65.8	122.5	268.3	793.1	M	Cerebrovascular 430-438/I60-I69
1.7	4.8	8.0	12.1	14.1	20.6	43.1	88.5	216.6	892.5	F	disease
5.1	5.3	13.4	19.8	29.4	59.9	103.5	162.8	369.4	1579.3	M	Other vascular Rest of 390-459/
1.7	2.6	5.2	5.2	12.1	20.2	37.7	97.2	250.1	1665.3	F	disease rest of I00-I99
1.7	1.1	3.1	7.2	16.4	43.7	81.0	130.0	216.4	515.3	M	Chronic obstructive 490-496/
0.3	1.4	1.7	3.6	13.3	25.3	37.3	41.2	86.0	284.2	F	pulmonary disease J40-J47, J67
-	0.6	2.5	4.6	8.0	8.6	17.9	41.5	102.0	316.5	M	Other respiratory Rest of 460-519/
0.3	-	1.4	0.7	0.8	3.4	7.8	18.0	47.3	245.2	F	disease rest of J00-J98
-	0.3	0.3	0.7	2.5	2.2	4.6	5.0	15.2	22.4	M	Peptic ulcer 531-533/K25-K27
-	-	-	-	-	1.7	2.9	1.0	10.5	22.9	F	
7.1	10.9	30.5	45.1	64.3	82.4	72.2	74.3	65.3	63.5	M	Liver cirrhosis 571/K70, K74
1.0	2.6	8.0	13.4	15.7	26.9	18.1	24.2	26.9	24.0	F	
-	0.3	-	2.0	2.5	5.0	13.3	21.0	43.8	209.7	M	Renal disease 580-590/N00-N19
-	0.3	1.1	1.3	1.6	2.5	3.3	11.3	25.6	189.2	F	
1.7	0.6	3.1	1.6	5.9	3.1	3.7	0.6	4.5	2.3	M	Pregnancy, birth 630-676/A34,000-099
1.3	1.7	2.3	2.0	3.2	4.2	2.5	2.6	1.3	1.8	F	Congenital and 740-779/A33,
3.4	7.0	7.6	14.2	28.6	50.0	75.0	83.5	76.0	184.9	M	perinatal causes P00-P96, Q00-Q99
0.7	1.4	1.1	4.2	8.1	17.7	18.5	29.8	53.8	245.5	F	Ill-defined causes 780-799/R00-R99
15.9	18.5	34.4	56.3	80.3	117.1	133.4	215.4	362.2	908.4	M	Other medical causes Rest of 001-799/
6.7	7.7	19.4	26.2	44.0	63.6	90.7	142.5	271.1	878.5	F	rest of A00-R99
42.3	48.0	56.0	64.8	76.5	84.7	88.3	131.2	195.0	439.5	M	ALL NON- E800-E999/V01-Y89
12.4	10.2	20.9	21.9	20.6	24.4	25.4	53.0	89.3	267.0	F	MEDICAL CAUSES
7.1	9.3	8.4	9.2	8.4	6.3	6.0	21.0	10.7	24.0	M	Road traffic E810-E819, E826-E829/
1.3	3.4	2.6	2.3	1.6	3.8	2.5	4.6	6.6	9.0	F	accidents part of V01-V99, Y850
-	0.3	0.6	0.7	1.7	0.9	-	0.6	1.8	3.1	M	Fire E890-E899/X00-X09
0.3	-	-	0.3	0.4	-	0.8	-	0.7	3.6	F	
19.6	24.1	26.6	28.0	33.6	36.5	31.3	35.9	59.0	88.2	M	Suicide E950-E959/X60-X84
6.0	4.5	11.2	9.5	8.5	9.3	9.0	12.3	15.1	14.0	F	
295.3	356.5	357.4	303.8	237.9	222.1	217.3	161.6	111.8	129.2	M	POPULATION
297.7	351.6	349.6	305.6	247.9	237.5	243.8	194.4	152.3	279.0	F	(1000s; UN, 2015 revision)

BELGIUM: 2010

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	52066	1444	14911	693.0	61.1	698.1	105.1	10.8	14.0	39.6	76.8	89.4	92.3
	F	53086	713	8672	444.5	31.0	391.9	74.0	6.2	8.8	18.1	29.9	38.0	42.3
Tuberculosis	M	28	-	6	0.3	-	0.3	-	-	-	-	-	-	-
	F	29	1	3	0.2	0.0	0.1	-	-	-	-	-	-	0.3
Other infective and parasitic	M	1051	24	274	13.8	1.0	12.8	3.4	0.3	0.7	0.9	0.6	0.6	0.8
	F	1398	18	168	11.0	0.8	7.6	2.3	0.3	-	0.6	0.9	0.3	1.1
ALL CANCER	M	15378	118	5662	211.9	5.0	273.4	2.5	3.3	3.2	4.2	4.2	8.9	8.8
	F	11990	102	4001	127.1	4.3	180.8	1.9	1.4	1.4	1.6	3.9	7.1	12.7
Mouth and pharynx cancer	M	393	2	265	6.1	0.1	12.2	-	-	-	-	-	0.3	0.3
	F	128	1	75	1.7	0.0	3.3	-	-	-	-	-	0.3	-
Oesophagus cancer	M	540	-	274	7.8	-	12.8	-	-	-	-	-	-	-
	F	195	-	67	2.0	-	3.3	-	-	-	-	-	-	-
Stomach cancer	M	421	-	168	5.8	-	8.2	-	-	-	-	-	-	-
	F	302	3	77	2.9	0.1	3.6	-	-	-	-	-	0.6	0.3
Colorectal cancer	M	1583	5	489	21.2	0.2	23.9	-	-	-	-	0.3	0.9	0.3
	F	1361	5	283	12.3	0.2	13.1	-	-	-	-	0.3	0.3	0.8
Liver cancer	M	332	1	149	4.7	0.0	7.4	-	-	-	-	-	0.3	-
	F	200	1	44	1.9	0.0	2.1	-	-	-	-	0.3	-	-
Pancreas cancer	M	796	-	331	11.2	-	16.1	-	-	-	-	-	-	-
	F	806	-	219	8.1	-	10.2	-	-	-	-	-	-	-
Larynx cancer	M	175	-	98	2.6	-	4.5	-	-	-	-	-	-	-
	F	32	-	16	0.4	-	0.7	-	-	-	-	-	-	-
Lung cancer	M	4966	4	2069	70.1	0.2	101.2	-	-	-	-	-	0.3	0.8
	F	1754	2	858	21.7	0.1	38.6	-	-	-	-	-	-	0.6
Malignant melanoma	M	167	5	81	2.5	0.2	3.4	-	-	-	-	-	0.6	0.8
	F	149	8	59	1.8	0.3	2.5	-	-	-	-	0.3	0.9	1.1
Female breast cancer	F	2351	16	983	27.0	0.7	43.2	-	-	-	-	-	0.3	4.2
Cervix cancer	F	163	2	95	2.2	0.1	3.9	-	-	-	-	-	0.3	0.3
Other uterine cancer	F	372	2	109	3.8	0.1	5.1	-	-	-	-	-	0.3	0.3
Ovarian cancer	F	697	4	252	7.6	0.2	11.5	-	-	-	-	-	-	1.1
Prostate cancer	M	1515	-	211	18.3	-	11.1	-	-	-	-	-	-	-
Bladder cancer	M	674	-	148	8.6	-	7.5	-	-	-	-	-	-	-
	F	252	-	39	2.1	-	1.9	-	-	-	-	-	-	-
Other and ill-defined cancer sites	M	2579	73	1059	36.7	3.1	49.9	1.9	2.3	2.3	2.7	2.7	4.3	5.7
	F	2224	32	615	22.1	1.4	27.8	0.7	1.0	1.4	0.6	1.8	2.6	1.7
Hodgkin's disease	M	19	-	9	0.3	-	0.4	-	-	-	-	-	-	-
	F	17	3	6	0.2	0.1	0.3	-	-	-	0.3	-	-	0.6
Myeloma and non- Hodgkin lymphomas	M	664	10	180	8.8	0.4	8.6	0.3	-	-	0.3	0.9	1.1	0.3
	F	567	5	104	5.1	0.2	5.1	-	-	-	0.3	0.3	0.3	0.6
Leukaemia	M	554	18	131	7.3	0.8	6.3	0.3	1.0	1.0	1.2	0.3	1.1	0.6
	F	420	18	100	4.1	0.8	4.6	1.3	0.3	-	0.3	0.9	1.4	1.1
Diabetes	M	674	4	174	8.7	0.2	8.5	-	-	-	-	0.3	-	0.8
	F	949	2	104	7.2	0.1	4.9	-	-	-	-	-	0.6	-
ALL VASCULAR DISEASE	M	14681	55	3141	183.9	2.3	150.1	4.0	0.3	0.3	0.9	1.5	4.6	4.5
	F	17509	48	1437	124.8	2.0	67.3	1.6	0.3	1.7	0.6	2.1	2.9	5.1
Rheumatic heart disease and fever	M	73	-	10	0.9	-	0.5	-	-	-	-	-	-	-
	F	208	2	22	1.6	0.1	1.1	-	-	-	-	-	0.3	0.3
Hypertensive disease	M	301	1	58	3.7	0.0	2.7	-	-	-	-	-	-	0.3
	F	678	-	47	4.6	-	2.2	-	-	-	-	-	-	-
Ischaemic heart disease	M	5348	10	1406	68.9	0.4	66.6	-	-	-	-	-	1.4	1.4
	F	3962	5	443	30.2	0.2	21.0	-	-	0.3	-	-	0.3	0.8
Pulmonary embolism and other venous	M	349	3	111	4.7	0.1	5.2	-	-	-	-	-	0.3	0.6
	F	577	4	96	4.8	0.2	4.5	-	-	-	-	0.9	-	0.3
Cerebrovascular disease	M	2882	3	497	35.3	0.1	24.6	-	-	-	-	0.3	0.6	-
	F	4231	10	369	30.7	0.4	17.0	0.3	-	0.3	-	0.3	0.9	1.1
Other vascular disease	M	5728	38	1059	70.5	1.6	50.5	4.0	0.3	0.3	0.9	1.2	2.3	2.3
	F	7853	27	460	52.9	1.2	21.5	1.3	0.3	1.0	0.6	0.9	1.4	2.5
Chronic obstructive pulmonary disease	M	2901	1	569	36.3	0.0	29.1	-	-	-	-	-	-	0.3
	F	1654	3	323	14.4	0.1	15.3	-	0.7	-	-	-	-	0.3
Other respiratory disease	M	3093	11	436	37.1	0.5	21.7	1.5	0.3	-	0.3	-	0.6	0.6
	F	3224	13	199	22.2	0.6	9.4	1.6	-	-	1.2	0.9	-	0.3
Peptic ulcer	M	105	-	28	1.3	-	1.4	-	-	-	-	-	-	-
	F	126	-	15	0.9	-	0.7	-	-	-	-	-	-	-
Liver cirrhosis	M	744	4	557	11.8	0.2	24.0	-	-	-	-	-	0.6	0.6
	F	415	2	271	5.8	0.1	11.5	-	-	-	-	-	0.3	0.3
Renal disease	M	690	2	74	8.1	0.1	3.7	0.3	-	-	-	0.3	-	-
	F	940	1	54	6.5	0.1	2.6	-	-	0.3	-	-	-	-
Pregnancy, birth Congenital and perinatal causes	F	8	5	3	0.2	0.2	0.1	-	-	-	-	0.3	0.6	0.6
	M	260	211	37	5.9	9.3	1.5	60.1	1.0	1.0	1.5	0.6	0.6	0.3
	F	206	144	52	4.6	6.6	2.1	41.7	0.7	1.0	0.9	1.2	0.6	0.3
Ill-defined causes	M	2236	113	822	31.4	4.8	36.6	13.2	0.7	1.3	2.7	1.2	6.6	7.9
	F	2777	46	403	22.2	2.0	18.4	6.1	-	0.3	0.3	3.0	3.1	1.1
Other medical causes	M	6252	116	1263	78.7	5.0	58.6	11.1	1.3	2.3	2.7	4.2	6.6	6.5
	F	9183	85	829	67.6	3.8	38.1	11.9	1.4	2.0	2.2	1.8	2.6	4.5
ALL NON- MEDICAL CAUSES	M	3973	785	1868	63.7	32.8	76.5	8.9	3.6	5.2	26.4	64.0	60.3	61.1
	F	2678	243	810	29.7	10.3	33.1	6.8	1.4	2.0	10.6	15.7	20.0	15.8
Road traffic accidents	M	632	293	260	11.5	12.3	10.5	1.2	1.3	1.6	10.5	32.6	19.0	19.5
	F	205	78	75	3.4	3.3	3.1	1.3	1.0	0.7	4.1	6.6	6.3	3.4
Fire	M	45	6	26	0.7	0.3	1.1	-	0.3	-	-	0.6	0.9	-
	F	38	6	15	0.5	0.2	0.6	0.3	-	-	-	0.6	0.9	-
Suicide	M	1449	288	904	24.6	12.0	35.8	-	-	2.3	8.4	20.8	25.9	26.3
	F	562	84	378	9.2	3.5	15.1	-	-	0.7	3.8	6.0	7.7	6.5
POPULATION: (1000s; UN, 2015 revision)	M=male				5355.8	2308.7	2476.8	324.6	305.5	308.1	333.2	337.3	346.8	353.3
	F=female				5574.2	2251.5	2480.8	309.6	291.3	295.1	319.8	331.1	350.0	354.5

2010: BULGARIA

Annual death rates / 100,000 (zero denoted by -)										9th ICD/10th ICD categories		
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
200.0	378.4	678.6	1050.9	1659.6	2442.8	3345.9	4978.2	7985.6	16411.4	M	ALL CAUSES	001-999/A00-Y89
114.6	183.2	288.0	426.6	644.9	950.5	1537.0	2702.1	5320.4	13829.8	F		
2.1	4.2	6.4	6.9	11.8	10.3	7.1	6.9	9.3	12.5	M	Tuberculosis	010-018, 137/
0.8	-	0.4	0.4	1.1	1.4	1.7	0.5	4.4	3.8	F		A15-A19, B90
3.2	1.5	3.2	5.8	8.7	11.1	18.6	15.1	19.5	22.1	M	Other infective	Rest of 001-139,279.5&.6/
0.8	1.6	1.2	3.8	3.6	3.9	6.0	11.3	16.6	17.7	F	and parasitic	rest of A00-B99 excl A33,A34
24.9	55.2	133.6	241.5	452.6	643.2	818.6	1018.8	1205.2	1303.6	M	ALL CANCER	140-208/C00-C97
32.8	70.2	116.7	161.8	230.1	293.5	371.5	459.5	617.6	700.4	F		
1.1	2.6	12.0	13.9	21.2	22.3	19.1	21.2	18.7	14.4	M	Mouth and	140-149/C00-C14
0.8	2.0	0.8	2.6	3.3	1.1	0.9	3.4	6.6	5.9	F	pharynx cancer	
1.1	1.1	2.0	4.6	8.3	12.0	13.7	16.4	8.5	12.5	M	Oesophagus cancer	150/C15
-	-	1.2	0.8	1.8	1.8	1.7	3.0	5.5	3.8	F		
2.5	4.5	6.8	14.3	30.7	40.4	57.9	90.5	124.8	130.8	M	Stomach cancer	151/C16
1.9	3.2	6.5	8.7	10.9	15.4	24.1	33.9	60.2	73.9	F		
1.1	5.3	9.6	20.8	40.9	73.8	121.2	167.3	221.5	276.1	M	Colorectal cancer	153, 154/C18-C21
2.6	6.0	10.2	16.3	26.1	37.5	55.8	76.7	117.0	153.1	F		
1.8	4.2	8.0	15.4	22.4	27.2	38.2	49.4	48.4	43.3	M	Liver cancer	155.0, 155.1/C22
0.4	2.4	2.0	4.2	9.4	10.9	13.3	22.6	32.6	31.1	F		
1.8	4.2	7.2	18.1	31.1	37.1	48.6	63.1	89.1	62.5	M	Pancreas cancer	157/C25
0.4	1.6	4.5	4.5	15.2	21.4	18.9	36.4	37.0	45.5	F		
0.4	1.1	4.4	13.5	24.8	28.9	32.8	32.2	26.3	18.3	M	Larynx cancer	161/C32
-	0.8	0.4	2.6	0.7	1.1	1.3	3.4	2.2	2.7	F		
5.0	13.6	40.8	91.4	162.9	238.3	267.6	264.0	242.7	168.4	M	Lung cancer	162/C33, C34
1.9	2.8	9.0	19.3	22.1	31.2	33.9	42.8	46.9	40.2	F		
0.4	1.1	2.4	3.1	4.7	2.9	5.5	10.3	10.2	31.8	M	Malignant melanoma	172/C43
0.8	0.4	0.4	1.9	1.4	3.9	3.9	3.9	4.4	11.8	F		
4.9	10.4	24.1	35.6	45.7	54.6	67.4	63.4	82.2	99.1	F	Female breast cancer	174/C50
5.7	10.8	17.9	16.7	17.4	17.9	18.5	10.8	13.2	12.3	F	Cervix cancer	180/C53
2.3	6.8	7.3	8.0	10.9	15.1	22.8	25.6	34.2	32.1	F	Other uterine cancer	179, 182/C54, C55
3.0	8.0	10.2	12.1	18.5	20.7	23.6	24.6	23.7	24.1	F	Ovarian cancer	183.0/C56
-	-	0.8	2.7	11.4	29.7	41.0	89.8	158.7	268.4	M	Prostate cancer	185/C61
-	0.4	4.4	3.1	13.0	22.7	26.8	45.9	57.7	77.9	M	Bladder cancer	188/C67
0.4	0.8	1.6	1.1	2.2	3.5	4.7	8.4	12.7	18.2	F		
7.8	12.5	28.4	30.9	62.2	81.2	102.1	124.8	134.9	157.8	M	Other and ill-defined	Rest of 140-199/
5.3	11.6	16.7	23.5	34.8	41.3	59.3	73.2	99.9	122.6	F	cancer sites	rest of C00-C80, C97
0.7	0.8	0.4	-	0.4	1.6	2.2	2.1	5.1	1.9	M	Hodgkin's disease	201/C81
-	-	0.4	0.4	-	-	0.4	1.5	-	1.6	F		
-	2.6	4.0	4.6	9.4	14.0	18.6	26.1	22.1	7.7	M	Myeloma and non-	200, 202-203/
1.5	1.6	1.6	1.1	4.3	6.0	7.3	13.8	14.9	8.6	F	Hodgkin lymphomas	C82-C90, C96
1.4	1.1	2.4	5.0	9.1	11.1	23.5	15.8	36.5	31.8	M	Leukaemia	204-208/C91-C95
1.1	1.2	1.6	2.3	5.1	10.5	13.7	12.3	24.3	13.9	F		
3.2	4.2	9.2	13.5	16.9	37.5	60.6	83.6	150.2	142.4	M	Diabetes	250/E10-E14
0.8	2.4	4.5	6.1	17.1	26.3	42.5	81.6	124.7	174.0	F		
70.7	164.1	311.1	511.2	830.4	1304.9	1962.7	3212.1	5645.7	12717.0	M	ALL VASCULAR	390-459/I00-I99
36.6	64.7	101.2	169.3	291.8	509.6	928.5	1846.5	4040.9	11433.1	F	DISEASE	
-	-	-	-	0.8	0.4	1.1	0.7	1.7	-	M	Rheumatic heart	390-398/I00-I09
-	0.8	-	0.8	0.7	2.5	3.9	0.5	4.4	2.1	F	disease and fever	
2.8	7.2	20.0	40.5	76.3	115.4	170.4	303.0	535.5	1034.2	M	Hypertensive disease	401-405/I10-I15
0.8	2.4	9.0	13.6	24.7	53.9	92.3	190.2	437.1	1131.9	F		
19.9	45.7	89.6	148.5	210.2	321.6	415.0	630.8	1054.1	2137.8	M	Ischaemic heart	410-414/I20-I25
5.3	9.6	15.5	31.1	54.4	89.0	174.4	314.5	638.1	1753.0	F	disease	
4.3	6.0	11.2	17.4	26.8	47.0	65.5	89.8	132.4	218.4	M	Pulmonary embolism	415.1, 451-453/
3.8	5.2	9.0	9.5	12.7	16.8	30.1	58.5	86.1	155.3	F	and other venous	126, 180-182
9.2	29.9	50.0	103.0	182.2	324.5	567.9	986.6	1771.3	3818.6	M	Cerebrovascular	430-438/I60-I69
7.9	12.0	20.8	44.7	80.2	141.8	291.2	627.1	1358.9	3415.5	F	disease	
34.5	75.2	140.4	201.8	334.1	496.0	742.7	1201.2	2150.7	5508.0	M	Other vascular	Rest of 390-459/
18.8	34.7	46.9	69.7	119.0	205.6	336.7	655.6	1516.2	4975.3	F	disease	rest of I00-I99
2.1	2.6	6.0	10.8	19.3	39.6	60.1	83.0	135.8	240.5	M	Chronic obstructive	490-496/
-	0.4	0.8	1.9	6.2	3.1	16.8	28.5	32.6	101.2	F	pulmonary disease	J40-J47, J67
6.8	16.3	21.2	34.3	47.6	63.1	91.7	129.6	220.7	439.7	M	Other respiratory	Rest of 460-519/
4.9	6.0	6.9	9.8	16.7	22.4	28.3	53.1	106.5	255.9	F	disease	rest of J00-J98
1.8	0.4	2.0	3.1	5.9	9.9	4.4	16.4	23.8	38.5	M	Peptic ulcer	531-533/K25-K27
-	0.8	1.2	0.4	1.8	1.1	1.7	4.9	11.6	21.4	F		
11.4	24.6	46.0	58.3	77.1	84.5	72.6	59.6	60.3	38.5	M	Liver cirrhosis	571/K70, K74
3.0	4.8	5.3	11.7	11.2	16.1	22.8	20.6	24.8	19.8	F		
1.8	4.2	5.6	9.3	15.3	25.6	42.0	60.3	91.7	173.2	M	Renal disease	580-590/N00-N19
3.4	2.0	4.5	5.3	10.5	14.7	27.1	35.4	51.9	89.4	F		
0.8	-	-	-	-	-	-	-	-	-	M	Pregnancy, birth	630-676/A34, O00-O99
0.4	0.4	0.4	0.8	-	0.4	-	-	0.8	2.9	M	Congenital and	740-779/A33,
-	0.4	-	0.4	1.1	-	0.4	-	-	-	F	perinatal causes	P00-P96, Q00-Q99
10.3	21.2	24.8	35.5	35.8	46.6	40.4	60.3	105.2	723.5	M	Ill-defined causes	780-799/R00-R99
12.1	8.0	11.0	12.1	13.4	14.4	23.2	40.3	85.5	681.6	F		
8.9	21.2	28.4	35.1	50.4	82.0	89.6	137.1	203.7	359.8	M	Other medical causes	Rest of 001-799/
9.8	11.2	16.3	20.8	22.1	29.4	45.5	86.5	155.7	262.9	F		rest of A00-R99
52.6	58.6	80.8	84.9	87.8	84.1	77.5	95.3	113.7	197.2	M	ALL NON-	E800-E999/V01-Y89
9.0	10.8	17.9	22.7	18.1	14.7	21.0	33.4	47.5	68.5	F	MEDICAL CAUSES	
15.3	13.2	18.0	18.1	18.9	11.5	15.8	14.4	16.1	16.4	M	Road traffic	E810-E819, E826-E829/
1.9	2.0	4.9	3.8	4.7	2.1	8.6	4.4	6.1	9.6	F	accidents	part of V01-V99, Y850
0.7	0.8	1.2	1.5	2.4	2.5	1.6	2.1	3.4	5.8	M	Fire	E890-E899/X00-X09
-	0.4	-	-	0.4	0.7	-	2.5	1.7	5.9	F		
12.1	18.1	19.6	27.4	24.0	29.3	22.4	30.2	41.6	84.7	M	Suicide	E950-E959/X60-X84
3.4	4.8	4.5	9.5	5.4	6.3	7.7	11.3	13.8	18.7	F		
281.5	264.5	250.1	259.2	254.1	242.6	183.1	145.9	117.8	103.9	M	POPULATION	
265.3	250.6	245.1	264.0	275.6	285.5	232.9	203.5	181.2	186.8	F	(1000s; UN, 2015 revision)	

2010: CAUCASIA (3 countries)

Annual death rates / 100,000 (zero denoted by -)										9th ICD/10th ICD categories		
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+NK			
329.7	479.7	738.4	1158.6	2027.7	2726.4	4488.7	6377.6	9758.1	15711.7	M	ALL CAUSES	001-999/A00-Y89
127.4	188.6	303.8	491.4	927.8	1320.4	2409.9	4188.2	7720.7	14318.1	F		
13.3	9.7	10.5	15.0	14.5	16.1	16.6	16.7	14.0	11.2	M	Tuberculosis	010-018, 137/
1.8	1.4	1.8	1.1	1.5	2.0	1.9	4.5	1.1	2.5	F		A15-A19, B90
2.1	3.4	4.2	5.3	3.6	4.8	5.1	6.7	7.0	16.3	M	Other infective	Rest of 001-139,279.5&.6/
0.4	1.2	0.8	2.0	1.7	3.1	5.4	4.9	9.5	15.2	F	and parasitic	rest of A00-B99 excl A33,A34
24.9	49.1	96.2	181.2	334.8	428.4	674.1	804.0	910.4	951.0	M	ALL CANCER	140-208/C00-C97
32.1	57.9	98.6	137.0	205.8	238.4	302.2	376.1	507.4	509.1	F		
0.8	1.7	1.5	3.8	8.6	9.0	12.2	14.3	17.9	15.3	M	Mouth and	140-149/C00-C14
0.7	0.3	0.8	0.9	1.2	3.5	2.4	2.1	3.4	9.6	F	pharynx cancer	
-	1.1	2.0	4.3	10.0	11.4	19.2	18.6	25.7	23.4	M	Oesophagus cancer	150/C15
0.9	1.4	0.6	4.0	4.0	2.0	8.3	5.6	17.3	17.2	F		
1.9	5.5	11.4	19.0	27.8	45.6	76.2	94.0	131.5	120.0	M	Stomach cancer	151/C16
1.4	2.6	3.5	5.7	14.4	20.5	30.3	43.0	72.6	66.2	F		
0.8	1.7	4.2	7.7	14.2	18.1	35.2	47.3	62.2	62.0	M	Colorectal cancer	153, 154/C18-C21
1.6	3.6	4.3	6.3	13.1	18.1	21.0	30.8	33.5	37.4	F		
0.9	2.1	5.9	9.7	16.7	19.0	44.8	62.5	40.5	60.0	M	Liver cancer	155.0/C22 excl C221
1.1	0.9	4.1	4.7	7.9	9.8	20.5	28.3	35.2	51.6	F		
0.9	3.2	2.7	3.4	10.6	13.8	22.4	31.0	28.0	43.7	M	Pancreas cancer	157/C25
-	0.9	3.2	3.0	3.5	11.0	15.1	19.2	34.0	32.4	F		
0.6	0.4	3.5	4.9	11.7	14.7	16.6	17.7	24.9	20.3	M	Larynx cancer	161/C32
-	0.2	-	0.4	0.5	1.2	2.4	3.5	2.8	2.5	F		
3.4	10.2	19.8	42.9	89.9	114.0	163.9	183.3	171.2	147.5	M	Lung cancer	162/C33, C34
0.9	3.1	4.9	7.7	12.4	13.4	20.0	27.3	40.2	32.4	F		
-	0.2	0.3	-	0.8	1.4	0.6	0.5	3.9	1.0	M	Malignant melanoma	172/C43
-	0.2	-	0.2	0.7	0.4	-	0.7	1.1	1.0	F		
6.7	11.9	23.4	30.1	40.9	40.9	43.5	43.7	54.7	54.6	F	Female breast cancer	174/C50
2.5	5.2	6.4	7.2	9.9	9.4	4.4	5.6	8.9	7.6	F	Cervix cancer	180/C53
1.4	4.1	5.2	8.2	11.1	13.8	11.2	16.4	17.3	17.7	F	Other uterine cancer	179, 182/C54, C55
1.4	2.4	4.3	6.8	6.7	11.0	9.3	11.6	11.7	6.6	F	Ovarian cancer	183/C56, C570-C574
0.4	0.4	0.3	0.6	3.9	18.5	38.4	45.4	98.0	126.1	M	Prostate cancer	185/C61
-	-	1.3	4.0	6.1	14.7	23.7	42.5	45.9	61.0	M	Bladder cancer	188/C67
0.4	0.5	0.1	1.3	-	0.8	2.4	4.5	7.8	3.0	F		
12.7	18.0	37.3	73.5	120.0	127.3	199.7	226.8	244.3	242.1	M	Other and ill-defined	Rest of 140-199/
11.5	18.4	32.5	46.3	73.5	72.8	101.1	125.3	156.9	163.8	F	cancer sites	rest of C00-C80, C97
0.2	0.2	0.2	1.0	1.7	2.4	2.6	0.9	1.6	1.0	M	Hodgkin's disease	201/C81
0.2	-	0.8	0.5	-	0.4	1.0	1.1	1.1	-	F		
0.8	2.6	2.3	2.0	8.1	7.1	9.0	5.7	5.5	16.3	M	Myeloma and non-	200, 202-203/
0.2	0.9	2.3	0.9	1.5	4.3	3.4	2.1	1.1	2.0	F	Hodgkin lymphomas	C82-C90, C96
1.7	1.7	3.5	4.5	4.7	11.4	9.6	13.4	9.3	11.2	M	Leukaemia	204-208/C91-C95
1.1	1.6	2.1	2.9	4.5	5.1	5.9	5.2	7.8	3.5	F		
1.1	3.8	8.2	14.4	37.9	57.5	93.5	145.6	163.4	136.3	M	Diabetes	250/E10-E14
0.9	2.4	5.2	10.2	40.9	70.8	116.2	161.3	216.0	154.2	F		
87.5	140.3	263.9	446.4	834.4	1133.3	2049.1	3011.2	5059.2	8239.8	M	ALL VASCULAR	390-459/I00-I99
26.5	49.2	84.1	157.6	349.6	507.9	1155.1	2173.5	4351.9	7961.4	F	DISEASE	
0.2	0.2	1.5	1.0	1.4	4.8	3.8	3.8	2.3	15.3	M	Rheumatic heart	390-398/I00-I09
0.2	0.9	0.3	2.0	2.5	3.5	4.4	9.1	8.4	16.7	F	disease and fever	
0.8	1.3	1.7	4.9	14.2	23.3	54.4	93.6	187.5	266.5	M	Hypertensive disease	401-405/I10-I15
0.4	1.2	0.9	3.8	6.7	14.6	32.2	80.1	162.4	394.4	F		
30.3	55.7	110.0	186.5	293.1	423.7	665.1	942.0	1512.6	2594.7	M	Ischaemic heart	410-414/I20-I25
6.8	12.2	17.3	37.5	85.9	135.7	299.8	545.8	1149.4	2226.1	F	disease	
2.2	1.5	3.5	6.1	12.0	13.3	17.3	22.0	28.8	29.5	M	Pulmonary embolism	415.1, 451-453/
0.7	1.6	4.1	4.5	7.4	5.5	5.9	13.7	16.8	23.8	F	and other venous	126, 180-182
16.6	21.2	46.4	85.1	203.7	285.0	568.5	894.2	1587.3	2456.4	M	Cerebrovascular	430-438/I60-I69
5.4	14.3	26.6	52.2	115.6	164.5	418.9	828.2	1567.5	2519.8	F	disease	
37.4	60.3	100.9	162.8	310.0	383.3	740.0	1055.6	1740.6	2877.5	M	Other vascular	Rest of 390-459/
13.0	19.1	34.9	57.7	131.5	184.1	394.0	696.6	1447.5	2780.7	F	disease	rest of I00-I99
0.2	1.7	3.5	4.7	12.8	25.6	40.3	85.5	179.0	277.7	M	Chronic obstructive	490-496/
0.4	0.9	1.8	2.7	5.0	5.5	13.7	32.9	75.9	169.9	F	pulmonary disease	J40-J47, J67
11.0	14.2	18.7	27.1	46.2	47.0	106.9	176.7	333.8	528.9	M	Other respiratory	Rest of 460-519/
6.0	6.5	7.8	12.0	20.1	27.5	58.6	101.1	209.3	469.7	F	disease	rest of J00-J98
0.4	0.4	1.0	2.0	7.2	9.0	13.4	21.0	32.7	40.7	M	Peptic ulcer	531-533/K25-K27
-	0.2	0.3	0.2	1.7	2.8	2.9	8.1	12.8	26.8	F		
8.0	14.4	27.9	31.6	42.3	55.1	81.3	92.2	133.8	205.5	M	Liver cirrhosis (incl.	571/K70, K74
1.4	2.8	4.6	9.0	13.9	20.5	37.1	53.2	107.7	192.6	F	some other digestive)	
5.0	4.9	10.5	11.5	28.4	30.9	55.0	89.8	157.9	246.2	M	Renal disease	580-590/N00-N19
3.6	5.0	7.0	16.0	21.8	18.9	31.2	51.8	78.2	110.7	F		
2.7	0.3	0.1	-	-	-	-	-	-	-	F	Pregnancy, birth	630-676/A34, O00-O99
0.6	0.8	1.0	1.0	1.7	6.7	7.7	14.3	24.9	68.2	M	Congenital and	740-779/A33,
0.7	1.0	-	0.2	0.5	0.4	1.0	3.9	8.9	43.5	F	perinatal causes	P00-P96, Q00-Q99
75.1	113.8	166.2	273.6	467.6	705.4	1012.1	1493.4	2174.0	4261.8	M	Ill-defined causes	780-799/R00-R99
22.7	32.0	51.8	91.1	168.9	317.9	506.3	939.8	1708.2	4120.0	F		
27.1	43.8	51.2	75.3	127.7	134.4	246.5	324.2	459.9	563.5	M	Other medical causes	Rest of 001-799/
13.9	16.8	24.9	38.4	75.5	75.2	148.9	232.3	385.7	464.1	F		rest of A00-R99
73.5	79.4	75.1	69.5	68.7	72.2	87.1	96.4	108.2	164.8	M	ALL NON-	E800-E999/V01-Y89
14.4	11.0	15.0	14.0	21.1	29.5	29.3	44.8	48.0	78.4	F	MEDICAL CAUSES	
6.5	5.3	6.4	7.1	4.7	6.7	9.6	4.8	10.9	7.1	M	Road traffic	E810-E819, E826-E829/
2.7	0.9	1.5	0.7	1.2	3.1	1.9	4.5	3.4	4.5	F	accidents	part of V01-V99, Y850
0.2	0.2	0.5	0.6	0.3	0.5	0.6	-	3.1	2.0	M	Fire	E890-E899/X00-X09
-	0.2	-	0.2	-	1.2	-	0.3	0.6	1.5	F		
3.2	3.6	2.5	3.8	6.1	4.8	6.4	10.0	7.0	9.2	M	Suicide	E950-E959/X60-X84
0.5	1.0	0.9	0.4	0.7	0.8	1.5	2.1	3.4	1.0	F		
535.0	527.4	597.5	506.2	359.3	210.5	156.2	209.5	128.5	98.3	M	POPULATION	
555.0	581.8	654.3	557.7	403.9	254.2	204.8	285.8	179.1	197.8	F	(1000s; UN, 2015 revision)	

2010: CENTRAL ASIA (5 countries)

Annual death rates / 100,000 (zero denoted by -)										9th ICD/10th ICD categories		
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+NK			
599.9	831.9	1078.9	1591.8	2315.6	3801.3	7199.5	7947.7	13120.7	16438.9	M	ALL CAUSES	001-999/A00-Y89
241.7	349.4	466.6	699.1	1096.5	1862.6	4131.2	5023.0	9333.1	16307.3	F		
39.9	50.3	45.6	49.6	47.5	55.8	80.0	44.7	36.4	27.1	M	Tuberculosis	010-018, 137/A15-A19, B90
14.3	18.2	15.3	11.3	15.3	13.2	30.1	14.9	17.8	7.0	F		
7.5	8.5	7.8	6.2	9.3	8.3	18.8	9.8	8.1	7.8	M	Other infective and parasitic	Rest of 001-139,279.5&6/rest of A00-B99 excl A33,A34
3.0	3.7	3.5	3.8	3.1	5.1	11.0	8.6	9.6	6.3	F		
31.9	52.1	95.2	179.3	337.5	553.7	928.3	860.0	915.8	720.0	M	ALL CANCER	140-208/C00-C97
41.1	72.3	111.8	157.5	213.0	296.1	493.7	477.7	574.8	471.4	F		
1.4	2.5	4.9	7.9	16.3	19.5	36.2	30.6	30.1	15.1	M	Mouth and pharynx cancer	140-149/C00-C14
0.7	1.2	2.1	4.3	5.0	8.0	10.4	9.4	10.5	9.4	F		
0.8	1.6	4.1	8.2	20.3	38.6	85.7	69.1	83.2	67.2	M	Oesophagus cancer	150/C15
1.4	2.5	4.2	5.8	9.1	15.9	42.4	40.6	43.6	42.8	F		
5.3	9.1	18.1	36.9	60.2	109.8	191.0	175.0	181.7	151.2	M	Stomach cancer	151/C16
4.9	5.6	10.6	15.0	20.4	33.9	69.2	70.2	84.9	64.3	F		
2.0	3.8	4.7	8.1	20.3	31.0	62.8	61.8	70.6	70.9	M	Colorectal cancer	153, 154/C18-C21
1.5	3.1	5.6	10.0	14.4	25.5	42.8	46.6	72.5	54.2	F		
2.2	2.5	7.0	15.6	23.1	39.5	70.9	72.3	54.9	54.2	M	Liver cancer	155.0/C22 excl C221
1.6	2.4	5.1	7.5	9.1	22.1	39.3	32.6	34.0	29.5	F		
1.2	1.6	4.7	8.0	14.5	24.0	33.1	34.5	28.3	22.4	M	Pancreas cancer	157/C25
0.4	1.4	2.4	6.2	7.3	11.5	20.6	27.0	24.1	30.7	F		
0.5	0.8	2.3	5.1	9.6	20.3	32.0	23.1	30.1	18.2	M	Larynx cancer	161/C32
0.7	1.1	1.3	2.2	1.9	2.9	9.8	4.5	5.7	2.7	F		
3.4	7.0	17.1	45.1	87.4	143.1	205.8	193.7	188.5	105.3	M	Lung cancer	162/C33, C34
1.7	3.1	4.9	7.8	14.1	21.6	44.4	32.0	41.6	32.2	F		
0.3	0.3	0.6	0.7	1.2	3.7	4.4	7.8	5.4	5.7	M	Malignant melanoma	172/C43
0.2	0.4	0.4	0.7	1.8	1.2	3.0	2.2	6.5	5.8	F		
6.9	16.0	26.8	32.0	45.5	51.1	57.0	53.9	72.7	67.0	F	Female breast cancer	174/C50
7.6	14.0	16.8	20.6	19.9	18.5	28.5	27.4	32.8	18.1	F	Cervix cancer	180/C53
1.3	2.8	5.1	7.2	8.8	14.8	18.3	17.2	18.7	16.2	F	Other uterine cancer	179, 182/C54, C55
1.8	3.3	6.1	9.3	12.3	16.1	21.6	21.3	14.4	8.9	F	Ovarian cancer	183/C56, C570-C574
0.3	0.1	0.7	1.8	5.8	13.8	30.0	41.5	54.9	68.3	M	Prostate cancer	185/C61
0.1	0.8	2.0	2.6	6.7	14.0	21.6	25.8	36.4	34.9	M	Bladder cancer	188/C67
-	0.5	0.3	0.8	0.9	1.3	4.7	4.0	4.0	5.6	F		
9.2	15.7	22.0	29.7	57.0	75.3	127.1	99.5	129.1	91.8	M	Other and ill-defined cancer sites	Rest of 140-199/rest of C00-C80, C97
6.6	9.7	14.6	22.4	34.3	39.2	64.7	74.3	90.6	76.2	F		
0.2	0.5	0.6	0.7	1.0	1.8	1.8	1.8	0.9	0.5	M	Hodgkin's disease	201/C81
0.3	0.5	0.5	0.4	0.5	0.1	1.2	0.3	2.5	0.7	F		
1.9	1.5	1.7	3.3	5.9	6.7	9.9	8.9	10.3	5.7	M	Myeloma and non-Hodgkin lymphomas	200, 202-203/C82-C90, C91
0.9	1.1	1.6	2.0	2.9	4.7	7.3	6.4	3.7	4.1	F		
3.0	4.3	4.8	5.4	8.6	13.5	15.9	14.6	11.2	8.3	M	Leukaemia	204-208/C91-C95
2.5	3.6	3.4	3.2	4.6	7.6	8.6	8.0	12.2	2.9	F		
4.5	8.2	13.2	29.2	59.5	83.0	163.1	113.2	134.5	70.4	M	Diabetes	250/E10-E14
3.3	5.6	9.8	22.3	49.0	83.5	166.5	118.2	157.4	85.1	F		
142.1	257.7	426.5	747.6	1168.7	2163.0	4569.6	5432.4	9374.6	11628.5	M	ALL VASCULAR DISEASE	390-459/I00-I99
55.3	96.0	165.3	292.2	533.1	1084.0	2722.0	3611.2	6928.8	11977.0	F		
5.5	7.3	11.0	12.4	14.6	13.3	19.8	9.6	5.8	10.4	M	Rheumatic heart disease and fever	390-398/I00-I09
4.9	11.0	12.8	15.2	14.7	16.4	14.1	12.9	6.2	5.8	F		
6.6	15.9	35.4	76.0	125.7	243.7	617.5	556.8	901.9	640.2	M	Hypertensive disease	401-405/I10-I15
4.4	10.1	20.9	46.1	80.5	151.4	418.4	419.3	673.6	657.9	F		
51.9	112.0	189.8	323.6	533.0	1009.5	2228.9	2768.1	5091.9	6323.4	M	Ischaemic heart disease	410-414/I20-I25
14.1	26.8	45.6	89.3	193.8	454.6	1226.2	1702.5	3511.7	5849.2	F		
1.8	1.9	4.2	2.8	7.8	7.2	6.2	10.0	10.8	15.1	M	Pulmonary embolism and other venous	415.1, 451-453/126, 180-182
0.8	1.0	2.3	2.5	3.1	4.0	7.3	7.3	14.4	22.5	F		
23.2	50.7	94.5	186.4	305.9	592.8	1168.8	1378.9	2251.3	2916.4	M	Cerebrovascular disease	430-438/I60-I69
11.2	21.6	52.7	96.7	173.0	329.5	745.1	998.1	1845.6	3360.4	F		
53.1	69.8	91.5	146.5	181.7	296.5	528.4	709.0	1112.8	1723.0	M	Other vascular disease	Rest of 390-459/rest of I00-I99
19.8	25.5	31.1	42.3	68.0	128.2	310.9	471.1	877.4	2081.2	F		
9.1	9.8	20.5	37.9	62.1	145.4	307.7	416.2	694.5	859.2	M	Chronic obstructive pulmonary disease	490-496/J40-J47, J67
4.7	8.2	9.7	13.2	24.5	56.7	142.1	185.5	330.9	525.8	F		
16.6	23.7	28.0	37.7	51.1	70.8	139.4	125.7	214.6	244.5	M	Other respiratory disease	Rest of 460-519/rest of J00-J98
7.9	9.7	11.5	12.3	14.9	23.7	66.4	64.1	88.6	145.4	F		
3.5	6.7	7.8	11.5	17.1	25.5	33.4	28.3	53.1	33.9	M	Peptic ulcer	531-533/K25-K27
0.9	1.8	2.1	3.1	4.1	5.5	9.6	11.6	20.1	19.6	F		
48.3	76.1	96.1	127.5	175.9	218.4	306.9	249.2	280.2	169.4	M	Liver cirrhosis (incl. some other digestive)	571/K70, K74
23.1	34.1	38.2	66.8	93.5	125.5	196.5	164.6	192.4	144.4	F		
17.4	20.1	20.6	24.3	36.1	43.5	79.7	88.1	115.6	156.9	M	Renal disease	580-590/N00-N19
13.1	12.9	12.9	21.3	19.9	21.9	54.0	47.1	82.9	139.3	F		
5.5	2.3	0.2	-	-	-	-	-	-	-	M	Pregnancy, birth	630-676/A34, O00-O99
0.7	1.7	1.6	1.0	1.5	1.8	0.5	3.0	0.9	0.5	F	Congenital and perinatal causes	740-779/A33, P00-P96, Q00-Q99
0.7	0.7	0.7	0.8	1.4	1.3	2.2	1.8	1.1	-	F	Ill-defined causes	780-799/R00-R99
20.6	25.6	26.1	41.1	40.8	54.8	94.1	212.2	884.8	2165.1	M		
3.4	5.6	6.0	7.4	9.3	16.1	40.5	137.9	694.2	2575.8	F		
38.4	52.9	66.9	71.7	96.4	131.6	211.3	176.8	202.4	152.2	M	Other medical causes	Rest of 001-799/rest of A00-R99
27.2	34.1	37.2	42.6	57.9	70.4	126.8	112.5	138.7	119.0	F		
219.5	238.4	223.2	227.2	212.0	245.8	266.8	188.0	205.1	203.3	M	ALL NON-MEDICAL CAUSES	E800-E999/V01-Y89
38.2	44.5	42.3	44.5	57.6	59.5	69.8	67.4	95.7	91.2	F		
38.2	37.8	34.4	29.4	22.0	30.6	44.3	29.9	36.0	25.0	M	Road traffic accidents	E810-E819, E826-E829/part of V01-V99, Y850
6.4	8.5	8.1	6.8	8.5	8.3	14.4	9.1	17.6	10.2	F		
3.0	3.9	3.3	4.7	3.5	6.3	7.3	7.5	9.0	5.2	M	Fire	E890-E899/X00-X09
1.8	1.4	2.0	1.3	2.1	1.9	2.2	2.1	3.4	2.7	F		
31.8	35.3	33.3	33.0	28.1	31.0	34.6	27.1	31.9	37.0	M	Suicide	E950-E959/X60-X84
5.8	6.3	5.0	4.7	5.2	4.4	6.5	6.7	8.5	11.4	F		
2000	1759	1740	1413	982	600	384	438	222	192	M	POPULATION	
2095	1884	1904	1582	1164	750	491	629	353	413	F	(1000s; UN, 2015 revision)	

CROATIA: 2010

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	25683	601	9305	989.5	64.3	1104.4	114.9	15.9	12.1	41.2	79.4	89.9	97.1
	F	26413	277	4387	583.9	32.7	465.6	92.4	7.9	11.9	29.3	30.0	23.6	33.6
Tuberculosis	M	53	-	20	2.0	-	2.2	-	-	-	-	-	-	-
	F	29	1	4	0.7	0.1	0.4	-	-	-	-	-	0.7	-
Other infective and parasitic	M	127	5	57	5.2	0.6	6.3	2.7	-	-	-	0.7	-	0.7
	F	128	2	33	3.1	0.3	3.3	1.9	-	-	-	-	-	-
ALL CANCER	M	7751	64	3430	295.9	6.9	410.5	6.2	5.6	2.4	7.4	5.0	11.4	10.0
	F	5731	44	2103	152.0	4.7	218.7	2.8	2.0	-	4.3	6.0	5.6	12.3
Mouth and pharynx cancer	M	256	1	195	10.3	0.1	21.7	-	-	-	-	-	0.7	-
	F	70	-	38	2.1	-	3.9	-	-	-	-	-	-	-
Oesophagus cancer	M	165	-	93	6.3	-	10.3	-	-	-	-	-	-	-
	F	37	-	14	1.0	-	1.3	-	-	-	-	-	-	-
Stomach cancer	M	500	4	207	19.0	0.4	25.3	-	-	-	-	0.7	2.0	-
	F	339	1	94	8.2	0.1	9.8	-	-	-	-	-	-	0.7
Colorectal cancer	M	1139	4	416	42.8	0.4	51.7	-	-	-	0.8	-	1.3	0.7
	F	792	3	226	19.3	0.3	24.2	-	-	-	-	-	-	2.1
Liver cancer	M	276	-	144	10.6	-	17.8	-	-	-	-	-	-	-
	F	142	1	27	3.2	0.1	2.9	-	-	-	-	-	0.7	-
Pancreas cancer	M	352	-	159	13.5	-	18.8	-	-	-	-	-	-	-
	F	318	-	94	7.8	-	10.2	-	-	-	-	-	-	-
Larynx cancer	M	200	-	125	7.8	-	14.8	-	-	-	-	-	-	-
	F	15	-	6	0.4	-	0.6	-	-	-	-	-	-	-
Lung cancer	M	2118	1	1131	80.8	0.1	131.9	-	-	-	-	0.7	-	-
	F	650	2	329	18.9	0.2	33.7	-	-	-	-	-	0.7	0.7
Malignant melanoma	M	104	3	45	4.1	0.3	5.4	-	-	-	-	-	0.7	1.3
	F	98	2	41	2.8	0.2	4.1	-	-	-	-	-	-	1.4
Female breast cancer	F	983	1	426	27.5	0.1	43.6	-	-	-	-	-	-	0.7
Cervix cancer	F	132	3	72	4.2	0.3	7.0	-	-	-	-	-	-	2.1
Other uterine cancer	F	222	-	82	5.8	-	8.3	-	-	-	-	-	-	-
Ovarian cancer	F	292	1	154	8.8	0.1	15.8	-	-	-	-	-	-	0.7
Prostate cancer	M	723	-	98	26.6	-	13.9	-	-	-	-	-	-	-
Bladder cancer	M	261	-	78	9.7	-	9.8	-	-	-	-	-	-	-
	F	105	-	24	2.4	-	2.6	-	-	-	-	-	-	-
Other and ill-defined cancer sites	M	1194	28	556	46.5	3.2	67.1	4.5	4.7	1.6	3.3	2.2	2.0	4.0
	F	1106	19	352	28.5	2.1	37.2	1.9	1.0	-	2.6	3.8	3.5	2.1
Hodgkin's disease	M	10	-	8	0.4	-	0.9	-	-	-	-	-	-	-
	F	13	3	3	0.4	0.3	0.3	-	-	-	-	0.8	-	1.4
Myeloma and non-Hodgkin lymphomas	M	241	10	103	9.3	1.0	12.2	0.9	-	-	-	0.7	2.7	2.7
	F	242	4	79	6.3	0.4	8.8	0.9	-	-	-	0.8	0.7	0.7
Leukaemia	M	212	13	72	8.2	1.4	8.9	0.9	0.9	0.8	3.3	0.7	2.0	1.3
	F	175	4	42	4.4	0.5	4.3	-	1.0	-	1.7	0.8	-	-
Diabetes	M	631	2	206	23.8	0.2	25.9	-	-	-	-	-	-	1.3
	F	793	2	111	16.9	0.2	12.4	-	-	-	-	-	-	1.4
ALL VASCULAR DISEASE	M	10929	40	3085	413.1	4.0	375.5	-	1.9	0.8	1.6	3.6	8.1	12.0
	F	14702	17	1226	290.8	1.8	135.3	0.9	-	1.7	0.9	2.2	2.8	4.1
Rheumatic heart disease and fever	M	22	-	3	0.8	-	0.4	-	-	-	-	-	-	-
	F	44	-	6	0.9	-	0.7	-	-	-	-	-	-	-
Hypertensive disease	M	519	-	161	19.9	-	19.8	-	-	-	-	-	-	-
	F	1119	-	78	21.7	-	8.9	-	-	-	-	-	-	-
Ischaemic heart disease	M	5115	5	1657	194.5	0.5	199.0	-	-	-	-	-	1.3	2.0
	F	6149	-	524	121.7	-	57.7	-	-	-	-	-	-	-
Pulmonary embolism and other venous	M	63	2	24	2.4	0.2	2.8	-	-	-	-	-	-	1.3
	F	120	-	22	2.7	-	2.3	-	-	-	-	-	-	-
Cerebrovascular disease	M	3206	5	733	118.8	0.5	92.2	-	-	-	-	0.7	1.3	1.3
	F	4404	6	405	88.5	0.6	44.8	-	-	0.8	-	-	2.8	0.7
Other vascular disease	M	2004	28	507	76.7	2.8	61.3	-	1.9	0.8	1.6	2.9	5.4	7.3
	F	2866	11	191	55.4	1.2	20.9	0.9	-	0.8	0.9	2.2	-	3.4
Chronic obstructive pulmonary disease	M	943	-	174	34.8	-	22.7	-	-	-	-	-	-	-
	F	582	2	67	12.0	0.2	7.3	-	-	-	-	-	0.7	0.7
Other respiratory disease	M	248	4	81	9.7	0.4	9.6	0.9	-	-	-	-	-	2.0
	F	184	2	33	4.2	0.3	3.5	0.9	-	-	0.9	-	-	-
Peptic ulcer	M	112	-	39	4.3	-	4.4	-	-	-	-	-	-	-
	F	128	-	15	2.6	-	1.5	-	-	-	-	-	-	-
Liver cirrhosis	M	937	8	663	37.6	0.8	75.0	-	-	-	-	-	-	5.3
	F	295	-	162	8.9	-	16.5	-	-	-	-	-	-	-
Renal disease	M	242	-	47	9.1	-	5.7	-	-	-	-	-	-	-
	F	348	-	42	7.2	-	4.7	-	-	-	-	-	-	-
Pregnancy, birth	F	4	4	-	0.2	0.4	-	-	-	-	-	0.8	0.7	1.4
Congenital and perinatal causes	M	119	106	12	8.0	13.3	1.1	89.1	-	-	0.8	1.4	0.7	1.3
	F	112	90	20	7.5	11.9	1.9	75.4	2.0	0.8	2.6	0.8	1.4	0.7
Ill-defined causes	M	190	16	47	7.8	1.8	5.3	7.1	-	-	0.8	-	2.7	2.0
	F	319	2	17	6.1	0.2	1.8	-	-	-	0.9	-	-	0.7
Other medical causes	M	1564	35	527	60.5	3.8	61.6	3.6	1.9	3.2	3.3	4.3	7.4	2.7
	F	1927	28	318	42.9	3.3	34.2	5.7	1.0	3.4	3.5	4.5	2.8	2.1
ALL NON-MEDICAL CAUSES	M	1837	321	917	77.7	32.6	98.6	5.3	6.6	5.6	27.2	64.2	59.7	59.9
	F	1131	83	236	28.8	9.3	24.1	4.7	3.0	5.9	16.4	15.8	9.0	10.3
Road traffic accidents	M	349	126	174	15.8	12.9	18.2	2.7	1.9	3.2	12.3	26.7	22.8	20.6
	F	97	33	34	3.8	3.6	3.5	1.9	-	2.5	5.2	8.3	4.2	3.4
Fire	M	16	-	7	0.6	-	0.7	-	-	-	-	-	-	-
	F	12	1	-	0.3	0.1	-	-	1.0	-	-	-	-	-
Suicide	M	585	84	357	24.8	8.4	38.2	-	-	-	7.4	22.4	15.4	14.0
	F	192	21	103	6.7	2.4	10.4	-	-	0.8	7.8	3.0	1.4	3.4
POPULATION:														
(1000s; UN, 2015 revision)			M=male		2080.6	902.7	969.7	112.3	106.6	124.5	121.5	138.5	149.1	150.3
			F=female		2235.8	863.8	1018.9	106.1	100.8	118.0	116.1	133.2	143.8	145.8

CYPRUS*: 2010

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	3137	171	978	575.6	52.4	522.1	57.6	12.4	8.3	31.8	99.5	83.9	73.3
	F	2697	67	471	380.6	25.9	245.2	75.2	13.2	-	27.4	13.7	23.1	28.5
Tuberculosis	M	1	-	-	0.2	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic	M	35	-	7	6.4	-	3.4	-	-	-	-	-	-	-
	F	28	-	1	3.6	-	0.4	-	-	-	-	-	-	-
ALL CANCER	M	756	9	308	142.3	2.7	174.5	-	3.1	-	-	6.0	5.5	4.2
	F	552	12	227	88.8	4.0	117.9	-	-	-	7.5	2.3	8.4	9.5
Mouth and pharynx cancer	M	8	-	5	1.6	-	3.3	-	-	-	-	-	-	-
	F	4	-	-	0.5	-	-	-	-	-	-	-	-	-
Oesophagus cancer	M	4	-	4	0.8	-	2.3	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
Stomach cancer	M	34	-	16	6.6	-	9.2	-	-	-	-	-	-	-
	F	19	-	5	2.9	-	2.5	-	-	-	-	-	-	-
Colorectal cancer	M	60	-	24	11.2	-	14.4	-	-	-	-	-	-	-
	F	52	2	19	8.0	0.6	9.4	-	-	-	-	-	2.1	2.4
Liver cancer	M	15	-	5	2.9	-	2.4	-	-	-	-	-	-	-
	F	7	-	4	1.2	-	2.4	-	-	-	-	-	-	-
Pancreas cancer	M	39	-	23	7.4	-	12.7	-	-	-	-	-	-	-
	F	29	-	8	4.4	-	4.3	-	-	-	-	-	-	-
Larynx cancer	M	10	-	5	1.9	-	2.8	-	-	-	-	-	-	-
	F	1	-	-	0.1	-	-	-	-	-	-	-	-	-
Lung cancer	M	178	-	87	34.1	-	49.6	-	-	-	-	-	-	-
	F	43	1	21	7.1	0.3	11.4	-	-	-	-	-	-	2.4
Malignant melanoma	M	13	-	9	2.5	-	5.3	-	-	-	-	-	-	-
	F	5	1	1	0.7	0.3	0.7	-	-	-	-	-	2.1	-
Female breast cancer	F	118	-	55	19.3	-	27.3	-	-	-	-	-	-	-
Cervix cancer	F	8	1	5	1.4	0.3	2.5	-	-	-	-	-	-	2.4
Other uterine cancer	F	24	-	11	4.1	-	5.7	-	-	-	-	-	-	-
Ovarian cancer	F	34	-	18	5.9	-	8.3	-	-	-	-	-	-	-
Prostate cancer	M	93	-	16	17.1	-	9.7	-	-	-	-	-	-	-
Bladder cancer	M	46	-	15	8.7	-	9.8	-	-	-	-	-	-	-
	F	6	-	2	0.9	-	1.2	-	-	-	-	-	-	-
Other and ill-defined cancer sites	M	190	7	69	35.4	2.1	37.0	-	3.1	-	-	2.0	5.5	4.2
	F	143	2	58	22.6	0.7	31.6	-	-	-	2.5	2.3	-	-
Hodgkin's disease	M
	F
Myeloma and all lymphomas	M	32	-	16	6.0	-	8.6	-	-	-	-	-	-	-
	F	34	2	12	5.7	0.7	6.4	-	-	-	2.5	-	2.1	-
Leukaemia	M	35	1	15	6.5	0.3	7.9	-	-	-	-	2.0	-	-
	F	20	-	8	3.2	-	4.2	-	-	-	-	-	-	-
Diabetes	M	166	-	29	30.6	-	17.1	-	-	-	-	-	-	-
	F	184	-	15	24.8	-	8.7	-	-	-	-	-	-	-
ALL VASCULAR DISEASE	M	1114	13	357	205.3	3.9	188.5	-	3.1	-	2.3	6.0	5.5	10.5
	F	1056	3	99	139.5	1.1	52.8	3.3	-	-	-	-	2.1	2.4
Rheumatic heart disease and fever	M	5	-	3	0.9	-	1.5	-	-	-	-	-	-	-
	F	17	-	7	2.6	-	3.8	-	-	-	-	-	-	-
Hypertensive disease	M	95	-	16	17.3	-	9.6	-	-	-	-	-	-	-
	F	137	-	2	17.1	-	1.0	-	-	-	-	-	-	-
Ischaemic heart disease	M	488	6	222	91.5	1.7	115.1	-	-	-	-	2.0	3.6	6.3
	F	235	-	43	33.0	-	22.5	-	-	-	-	-	-	-
Pulmonary embolism and other venous	M	7	-	2	1.3	-	1.0	-	-	-	-	-	-	-
	F	8	-	2	1.2	-	1.1	-	-	-	-	-	-	-
Cerebrovascular disease	M	197	2	45	35.9	0.6	24.6	-	-	-	-	-	-	4.2
	F	232	1	20	30.6	0.3	10.2	-	-	-	-	-	2.1	-
Other vascular disease	M	322	5	68	58.3	1.6	36.2	-	3.1	-	2.3	2.0	3.6	-
	F	423	2	24	54.4	0.8	13.9	3.3	-	-	-	-	-	2.4
Chronic obstructive pulmonary disease	M	75	-	11	13.7	-	7.0	-	-	-	-	-	-	-
	F	37	-	6	5.1	-	3.4	-	-	-	-	-	-	-
Other respiratory disease	M	151	3	27	27.3	0.9	13.1	3.0	-	-	-	-	3.6	-
	F	134	2	17	18.3	0.8	9.3	3.3	-	-	-	-	-	2.4
Peptic ulcer	M	8	-	2	1.4	-	1.0	-	-	-	-	-	-	-
	F	3	-	-	0.3	-	-	-	-	-	-	-	-	-
Liver cirrhosis	M	41	4	22	7.6	1.1	11.5	-	-	-	-	-	3.6	4.2
	F	22	-	7	3.5	-	3.3	-	-	-	-	-	-	-
Renal disease	M	82	1	14	14.9	0.3	7.9	-	-	-	2.3	-	-	-
	F	58	-	7	7.6	-	3.9	-	-	-	-	-	-	-
Pregnancy, birth	F	1	1	-	0.1	0.3	-	-	-	-	-	-	2.1	-
Congenital and perinatal causes	M	24	23	1	5.0	8.9	0.4	45.5	-	-	6.8	6.0	-	4.2
	F	19	16	1	4.7	7.5	0.5	52.3	-	-	-	-	-	-
Ill-defined causes	M	127	7	41	23.1	2.0	23.1	-	-	-	-	6.0	3.6	4.2
	F	163	5	23	21.9	2.1	12.3	-	9.9	-	2.5	-	-	2.4
Other medical causes	M	285	16	56	52.0	5.5	30.7	9.1	3.1	8.3	2.3	8.0	3.6	4.2
	F	333	6	39	45.6	2.0	20.7	-	-	-	2.5	6.9	2.1	2.4
ALL NON-MEDICAL CAUSES	M	270	97	100	45.1	27.4	42.4	-	-	-	15.9	69.7	60.2	46.1
	F	104	20	27	16.1	7.4	11.9	13.1	3.3	-	12.5	6.9	6.3	9.5
Road traffic accidents	M	87	46	28	13.8	13.1	11.1	-	-	-	11.3	37.8	25.5	16.8
	F	17	8	5	3.1	3.3	2.3	9.8	3.3	-	7.5	2.3	-	-
Fire	M	2	-	2	0.4	-	0.8	-	-	-	-	-	-	-
	F	1	-	-	0.1	-	-	-	-	-	-	-	-	-
Suicide	M	43	17	21	7.2	4.9	9.0	-	-	-	-	11.9	5.5	16.8
	F	9	4	5	1.7	1.4	2.1	-	-	-	7.5	2.3	-	-
POPULATION:														
(1000s; UN, 2015 revision)			M=male		563.3	298.2	227.3	33.0	32.3	36.0	44.1	50.2	54.8	47.8
			F=female		540.4	268.3	224.1	30.6	30.2	34.0	40.1	43.7	47.6	42.1

*The rates of the Government controlled area applied to 2010 population of whole Cyprus

2010: CYPRUS

Annual death rates / 100,000

(zero denoted by -)

9th ICD/10th ICD categories

35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
142.3	162.1	247.4	298.0	542.8	831.7	1430.6	2465.2	4238.6	9988.7	M	ALL CAUSES	001-999/A00-Y89
44.1	71.2	90.9	167.7	303.0	346.4	692.9	1269.7	2715.1	9271.2	F		
-	-	-	-	-	-	-	-	9.5	-	M	Tuberculosis	010-018, 137/ A15-A19, B90
4.8	-	-	2.8	3.3	7.9	5.0	31.8	85.3	121.3	M	Other infective	Rest of 001-139,279.5&.6/ rest of A00-B99 excl A33,A34
-	2.7	-	-	-	-	-	22.9	14.8	123.9	F	and parasitic	
12.1	23.9	64.5	76.6	202.7	252.3	589.4	819.6	1128.4	1654.7	M	ALL CANCER	140-208/C00-C97
20.8	19.2	51.1	92.5	144.9	175.1	321.5	457.5	600.9	897.0	F		
-	-	2.7	-	-	-	20.1	6.3	9.5	8.7	M	Mouth and	140-149/C00-C14
-	-	-	-	-	-	-	-	7.4	17.7	F	pharynx cancer	
-	-	-	-	3.3	7.9	5.0	-	-	-	M	Oesophagus cancer	150/C15
-	-	-	-	-	-	-	-	-	-	F		
-	-	-	11.3	3.3	19.7	30.2	44.5	75.9	26.0	M	Stomach cancer	151/C16
-	-	-	2.9	-	14.9	-	22.9	14.8	47.2	F		
-	-	13.4	-	3.3	23.6	60.5	57.2	56.9	181.9	M	Colorectal cancer	153, 154/C18-C21
2.6	2.7	11.4	2.9	13.2	14.9	18.1	28.6	29.7	129.8	F		
-	-	-	2.8	9.8	3.9	-	19.1	47.4	17.3	M	Liver cancer	155.0, 155.1/C22
-	-	-	-	3.3	-	13.6	-	14.8	5.9	F		
-	8.0	8.1	8.5	9.8	3.9	50.4	31.8	19.0	78.0	M	Pancreas cancer	157/C25
-	-	-	5.8	3.3	7.5	13.6	34.3	29.7	64.9	F		
-	-	-	-	9.8	-	10.1	6.3	28.4	8.7	M	Larynx cancer	161/C32
-	-	-	-	-	-	-	-	7.4	-	F		
-	2.7	13.4	22.7	81.7	55.2	171.3	260.5	208.6	242.6	M	Lung cancer	162/C33, C34
2.6	-	2.8	5.8	19.8	3.7	45.3	22.9	66.8	47.2	F		
4.8	-	-	-	3.3	3.9	25.2	12.7	-	17.3	M	Malignant melanoma	172/C43
-	-	-	-	-	-	4.5	5.7	-	11.8	F		
5.2	13.7	11.4	26.0	32.9	52.1	49.8	91.5	118.7	182.9	F	Female breast cancer	174/C50
-	-	-	2.9	9.9	-	4.5	-	-	11.8	F	Cervix cancer	180/C53
-	-	-	14.4	3.3	3.7	18.1	34.3	37.1	11.8	F	Other uterine cancer	179, 182/C54, C55
-	2.7	11.4	14.4	9.9	14.9	4.5	34.3	37.1	29.5	F	Ovarian cancer	183.0/C56
-	-	-	2.8	3.3	31.5	30.2	63.5	218.1	381.2	M	Prostate cancer	185/C61
-	-	-	-	3.3	19.7	45.3	44.5	94.8	121.3	M	Bladder cancer	188/C67
-	-	-	-	-	3.7	4.5	11.4	-	11.8	F		
10.4	8.0	21.5	19.9	52.3	67.0	90.7	209.7	284.5	441.8	M	Other and ill-defined	Rest of 140-199/ rest of C00-C80, C97
-	-	14.2	5.8	32.9	44.7	113.2	103.0	163.2	253.8	F	cancer sites	
...	M	Hodgkin's disease	Not given separately
...	F		
4.8	2.7	2.7	2.8	13.1	3.9	30.2	31.8	28.4	69.3	M	Myeloma and all	200-203 incl 201/ C81-C90, C96
-	-	2.8	5.8	9.9	3.7	22.6	51.5	59.4	17.7	F	lymphomas	
4.8	-	-	8.5	9.8	11.8	20.1	31.8	56.9	69.3	M	Leukaemia	204-208/C91-C95
-	-	-	-	9.9	14.9	4.5	22.9	7.4	41.3	F		
-	-	2.7	2.8	19.6	39.4	55.4	260.5	246.5	606.4	M	Diabetes	250/E10-E14
-	5.5	-	-	-	14.9	40.8	120.1	244.8	678.7	F		
26.5	66.5	104.9	141.9	189.6	311.4	478.5	768.8	1431.8	4089.1	M	ALL VASCULAR	390-459/I00-I99
-	16.4	22.7	31.8	52.7	78.2	167.6	343.1	1068.2	4426.1	F	DISEASE	
-	-	2.7	2.8	-	-	5.0	-	9.5	8.7	M	Rheumatic heart	390-398/I00-I09
-	-	-	2.9	9.9	-	13.6	5.7	14.8	41.3	F	disease and fever	
-	-	2.7	-	9.8	19.7	35.3	82.6	123.3	459.1	M	Hypertensive disease	401-405/I10-I15
-	-	-	-	3.3	3.7	-	28.6	133.5	661.0	F		
14.5	42.5	86.0	88.0	124.2	173.4	277.1	368.5	692.2	1117.6	M	Ischaemic heart	410-414/I20-I25
-	2.7	17.1	17.3	26.4	26.1	67.9	108.7	267.1	808.5	F	disease	
-	-	-	2.8	-	3.9	-	19.1	-	17.3	M	Pulmonary embolism	415.1, 451-453/ 126, 180-182
-	-	-	2.9	-	-	4.5	11.4	7.4	17.7	F	and other venous	
-	15.9	2.7	19.9	13.1	55.2	65.5	120.7	237.1	918.3	M	Cerebrovascular	430-438/I60-I69
-	5.5	5.7	5.8	13.2	18.6	22.6	68.6	259.6	967.8	F	disease	
12.1	8.0	8.1	25.5	45.8	63.1	90.7	177.9	369.8	1576.7	M	Other vascular	Rest of 390-459/ rest of I00-I99
-	5.5	-	-	3.3	29.8	58.9	120.1	378.3	1918.0	F	disease	
-	-	-	-	-	23.6	25.2	44.5	151.7	355.2	M	Chronic obstructive	490-496/ J40-J47, J67
-	-	-	-	-	9.9	13.6	22.9	29.7	135.7	F	pulmonary disease	
7.2	8.0	13.4	8.5	9.8	19.7	25.2	108.0	199.1	719.0	M	Other respiratory	Rest of 460-519/ rest of J00-J98
2.6	2.7	-	2.9	13.2	7.5	36.2	68.6	103.9	525.2	F	disease	
-	-	-	2.8	-	3.9	-	-	-	52.0	M	Peptic ulcer	531-533/K25-K27
-	-	-	-	-	-	-	-	-	17.7	F		
-	2.7	-	8.5	29.4	19.7	20.1	44.5	9.5	60.6	M	Liver cirrhosis	571/K70, K74
-	2.7	-	2.9	13.2	-	4.5	22.9	44.5	29.5	F		
4.8	2.7	-	-	9.8	7.9	30.2	50.8	161.2	363.9	M	Renal disease	580-590/N00-N19
-	-	-	-	9.9	3.7	13.6	5.7	44.5	259.7	F		
-	-	-	-	-	-	-	-	-	-	M	Pregnancy, birth	630-676/A34, O00-O99
-	-	-	2.8	-	-	-	-	-	-	F	Congenital and	740-779/A33, P00-P96, Q00-Q99
-	-	-	-	3.3	-	-	5.7	-	5.9	F	perinatal causes	
4.8	2.7	10.8	11.3	16.4	35.5	80.6	31.8	161.2	493.8	M	Ill-defined causes	780-799/R00-R99
-	2.7	2.8	5.8	19.8	18.6	36.2	28.6	66.8	714.1	F		
12.1	10.6	10.8	8.5	16.4	71.0	85.6	216.0	502.6	1091.6	M	Other medical causes	Rest of 001-799/ rest of A00-R99
5.2	5.5	2.8	11.6	26.4	29.8	63.4	154.4	452.5	1180.3	F		
74.8	42.5	37.6	28.4	42.5	35.5	35.3	95.3	142.2	372.5	M	ALL NON-	E800-E999/V01-Y89
13.0	5.5	11.4	17.3	13.2	18.6	4.5	28.6	51.9	265.6	F	MEDICAL CAUSES	
28.9	2.7	21.5	11.3	3.3	-	10.1	12.7	19.0	78.0	M	Road traffic	E810-E819, E826-E829/ part of V01-V99, Y850
5.2	2.7	-	-	-	3.7	4.5	-	7.4	17.7	F	accidents	
-	2.7	-	2.8	-	-	-	-	-	-	M	Fire	E890-E899/X00-X09
-	-	-	-	-	-	-	-	-	5.9	F		
12.1	15.9	8.1	-	13.1	3.9	10.1	6.3	-	34.6	M	Suicide	E950-E959/X60-X84
-	2.7	5.7	2.9	-	3.7	-	-	-	-	F		
41.5	37.6	37.2	35.2	30.6	25.4	19.9	15.7	10.5	11.5	M	POPULATION	
38.5	36.5	35.2	34.6	30.4	26.8	22.1	17.5	13.5	16.9	F	(1000s; UN, 2015 revision)	

2010: CZECH REPUBLIC

Annual death rates / 100,000
(zero denoted by -)

9th ICD/10th ICD categories

35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
136.7	233.4	377.3	708.4	1154.9	1867.7	2658.7	3963.6	6197.4	13598.2	M	ALL CAUSES	001-999/A00-Y89
54.7	104.9	188.3	306.6	479.6	768.8	1257.7	2125.5	3797.4	11297.5	F		
0.2	0.8	1.4	-	0.8	0.6	2.0	1.3	2.4	3.4	M	Tuberculosis	010-018, 137/
-	-	0.3	-	0.3	0.3	1.0	0.5	-	1.6	F		A15-A19, B90
1.3	1.7	2.9	5.2	7.3	13.0	18.5	35.3	50.5	113.1	M	Other infective	Rest of 001-139,279.5&6/
0.7	-	1.2	3.2	4.1	7.3	15.3	28.2	44.9	114.8	F	and parasitic	rest of A00-B99 excl A33,A34
13.9	41.8	80.1	210.7	409.7	734.0	1046.8	1470.9	1911.2	2510.1	M	ALL CANCER	140-208/C00-C97
21.1	47.2	84.2	154.0	233.5	379.3	541.4	726.2	960.3	1378.3	F		
0.7	4.4	6.1	21.6	31.1	32.1	30.5	23.1	17.6	36.9	M	Mouth and	140-149/C00-C14
0.2	1.8	2.7	4.7	5.7	4.4	5.0	6.1	8.7	12.8	F	pharynx cancer	
0.7	1.4	5.5	10.5	20.8	25.7	22.1	26.3	27.3	28.5	M	Oesophagus cancer	150/C15
-	0.6	1.2	1.2	3.9	3.4	5.0	4.2	4.6	6.2	F		
0.2	1.9	4.0	14.0	17.0	29.5	42.2	76.3	105.1	132.4	M	Stomach cancer	151/C16
1.4	2.0	5.4	6.1	6.4	9.6	20.6	25.9	32.7	76.5	F		
0.9	4.4	7.8	24.2	55.6	96.2	157.1	209.8	296.1	426.6	M	Colorectal cancer	153, 154/C18-C21
1.7	2.9	7.5	13.9	23.6	43.1	63.9	94.1	134.3	232.7	F		
0.7	1.7	2.6	5.8	13.5	26.9	41.0	53.9	63.4	61.2	M	Liver cancer	155.0/C22 excl C221
-	-	0.9	2.0	4.6	6.0	9.7	14.6	16.9	35.6	F		
0.2	2.8	6.9	15.4	28.1	44.5	66.3	99.4	109.1	139.1	M	Pancreas cancer	157/C25
0.7	0.9	3.3	7.0	12.8	27.0	50.6	68.7	81.7	99.0	F		
-	1.1	2.0	4.7	9.7	15.9	13.3	19.9	13.6	16.8	M	Larynx cancer	161/C32
-	-	0.6	0.9	1.3	0.3	0.3	0.5	2.0	1.2	F		
1.1	5.5	18.8	47.8	118.3	241.3	318.9	407.3	467.8	393.1	M	Lung cancer	162/C33, C34
0.5	2.0	6.6	20.3	39.8	71.9	83.9	110.5	114.9	119.8	F		
0.9	2.5	0.6	3.2	5.1	6.1	14.5	19.9	32.1	28.5	M	Malignant melanoma	172/C43
0.9	2.6	1.2	2.6	2.6	2.6	5.3	7.1	10.7	15.5	F		
5.5	8.4	16.1	29.1	32.1	56.8	68.6	87.5	119.5	181.3	F	Female breast cancer	174/C50
3.1	6.4	10.2	7.3	11.8	11.4	10.7	14.1	13.8	22.4	F	Cervix cancer	180/C53
0.7	2.3	1.5	3.2	7.7	13.0	22.3	31.0	31.1	39.8	F	Other uterine cancer	179, 182/C54, C55
1.4	3.8	6.3	16.3	17.2	29.6	32.3	41.4	42.4	44.9	F	Ovarian cancer	183/C56, C570-C574
0.2	-	0.9	3.8	12.4	30.6	58.2	121.9	227.9	469.3	M	Prostate cancer	185/C61
-	0.3	0.9	3.5	9.7	20.2	33.3	53.2	88.3	131.6	M	Bladder cancer	188/C67
-	-	0.6	0.3	2.8	4.9	8.7	8.0	18.9	38.3	F		
6.7	13.3	20.0	46.9	68.9	133.8	196.4	273.3	331.4	483.6	M	Other and ill-defined	Rest of 140-199/
4.5	11.1	15.5	33.4	50.6	76.3	116.9	162.7	249.1	351.0	F	cancer sites	rest of C00-C80, C97
0.2	-	0.6	0.3	0.8	1.2	3.2	0.6	1.6	4.2	M	Hodgkin's disease	201/C81
-	-	-	-	0.3	0.3	0.3	1.9	1.5	1.9	F		
0.7	1.4	1.7	5.0	12.2	14.4	22.5	43.0	69.0	81.3	M	Myeloma and non-	200, 202-203/
0.2	1.2	2.1	2.0	5.7	9.1	21.3	27.3	47.5	48.7	F	Hodgkin lymphomas	C82-C90, C96
0.7	1.1	1.7	4.1	6.5	15.6	27.3	43.0	61.0	77.1	M	Leukaemia	204-208/C91-C95
0.2	1.2	2.7	3.8	4.6	9.9	16.0	20.7	30.1	50.6	F		
1.3	2.8	6.4	10.2	14.0	24.3	53.8	71.8	109.1	217.1	M	Diabetes	250/E10-E14
0.2	0.9	0.9	4.7	8.5	16.1	27.3	59.7	87.8	226.6	F		
22.6	47.9	98.4	210.1	372.5	660.9	1018.7	1712.0	3078.7	8398.6	M	ALL VASCULAR	390-459/I00-I99
6.9	14.9	34.3	59.0	105.6	212.8	450.9	949.6	2074.8	7868.3	F	DISEASE	
0.2	0.3	1.2	0.3	1.9	2.0	2.8	7.1	6.4	14.2	M	Rheumatic heart	390-398/I00-I09
-	0.6	0.3	0.3	-	0.5	2.0	8.9	13.3	23.6	F	disease and fever	
1.1	1.9	7.2	7.9	11.1	22.5	34.1	62.2	98.7	316.8	M	Hypertensive disease	401-405/I10-I15
0.5	1.2	1.2	2.3	6.4	10.9	25.0	44.7	86.3	296.1	F		
7.6	20.2	45.7	111.9	196.1	358.9	542.3	881.4	1534.1	4097.5	M	Ischaemic heart	410-414/I20-I25
0.2	4.7	10.4	17.7	43.2	95.7	181.8	381.9	888.9	3585.8	F	disease	
1.6	3.0	6.1	10.8	19.7	30.3	47.0	63.5	121.2	226.3	M	Pulmonary embolism	415.1, 451-453/
2.1	2.0	4.8	9.0	9.0	17.4	31.6	57.4	105.2	274.5	F	and other venous	126, 180-182
2.7	5.3	10.7	28.0	53.5	98.0	162.7	320.7	639.5	1766.7	M	Cerebrovascular	430-438/I60-I69
1.4	1.8	9.2	15.4	20.8	36.8	98.2	224.3	494.2	1924.9	F	disease	
9.4	17.2	27.5	51.3	90.2	149.1	229.8	377.2	678.8	1977.1	M	Other vascular	Rest of 390-459/
2.6	4.7	8.4	14.2	26.2	51.4	112.2	232.3	487.1	1763.3	F	disease	rest of I00-I99
0.7	1.4	3.2	10.2	25.9	43.4	69.9	117.4	159.7	336.1	M	Chronic obstructive	490-496/
-	0.6	1.5	3.2	10.8	21.0	25.0	43.3	76.6	167.0	F	pulmonary disease	J40-J47, J67
5.6	8.0	10.4	22.4	35.9	54.0	88.8	132.8	243.9	687.2	M	Other respiratory	Rest of 460-519/
2.6	4.1	6.9	7.8	15.2	19.2	34.0	72.4	129.7	443.8	F	disease	rest of J00-J98
0.5	1.4	1.7	6.1	3.8	13.6	9.6	15.4	38.5	47.8	M	Peptic ulcer	531-533/K25-K27
-	0.6	0.3	1.7	3.3	4.4	6.0	7.5	18.9	44.9	F		
8.1	19.9	31.5	54.2	73.2	87.0	72.7	52.6	51.4	34.4	M	Liver cirrhosis	571/K70, K74
3.1	9.0	13.7	19.8	25.4	26.5	28.0	14.1	18.4	21.3	F		
0.2	0.8	1.4	5.0	7.6	19.4	26.1	41.7	61.0	185.2	M	Renal disease	580-590/N00-N19
0.7	0.3	0.9	2.6	3.6	7.5	14.7	40.5	61.3	157.7	F		
-	-	-	-	-	-	-	-	-	-	M	Pregnancy, birth	630-676/A34, O00-O99
0.7	0.8	0.3	0.6	0.5	-	-	-	-	-	F	Congenital and	740-779/A33,
0.2	0.6	0.9	0.6	0.5	-	-	-	-	-	F	perinatal causes	P00-P96, Q00-Q99
7.4	10.2	13.3	23.3	29.7	32.1	44.6	48.1	68.2	173.5	M	Ill-defined causes	780-799/R00-R99
1.2	1.8	3.9	7.3	9.5	9.6	16.6	29.2	44.9	122.2	F		
8.7	15.5	27.2	36.7	48.4	75.1	94.8	137.9	239.1	475.2	M	Other medical causes	Rest of 001-799/
4.5	9.0	12.5	16.6	32.6	43.1	61.9	103.9	189.4	457.0	F		rest of A00-R99
65.5	80.3	99.0	113.6	125.6	110.4	112.5	126.4	183.7	416.5	M	ALL NON-	E800-E999/V01-Y89
13.5	16.0	26.9	26.1	26.7	21.8	35.6	50.3	90.4	294.2	F	MEDICAL CAUSES	
8.5	10.5	10.4	9.9	10.3	5.5	9.2	10.3	14.4	9.2	M	Road traffic	E810-E819, E826-E829/
1.7	2.3	2.4	2.3	1.5	0.5	4.7	6.6	6.1	5.0	F	accidents	part of V01-V99, Y850
0.5	0.8	1.4	0.3	1.6	2.0	1.2	-	-	5.0	M	Fire	E890-E899/X00-X09
0.2	0.6	-	0.6	0.5	0.3	0.3	0.5	1.0	3.1	F		
23.9	29.9	36.7	38.2	45.4	28.3	33.3	28.9	32.9	62.0	M	Suicide	E950-E959/X60-X84
4.3	2.9	9.8	7.6	7.5	6.8	6.3	4.7	6.6	10.4	F		
447.0	361.2	345.6	343.2	370.2	346.0	249.0	155.9	124.6	119.3	M	POPULATION	
422.1	343.2	335.1	344.1	389.3	385.4	300.3	212.6	195.9	258.7	F	(1000s; UN, 2015 revision)	

ESTONIA: 2010

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	7755	373	3209	1134.7	115.8	1347.0	117.4	21.0	16.5	72.8	122.9	209.9	250.3
	F	8026	106	1476	535.2	37.0	488.4	74.4	22.2	13.9	18.6	24.6	49.4	56.1
Tuberculosis	M	35	-	25	5.2	-	9.3	-	-	-	-	-	-	-
	F	6	1	1	0.5	0.3	0.3	-	-	-	-	-	-	2.2
Other infective and parasitic	M	50	22	19	7.5	6.7	6.6	7.5	-	-	-	1.9	10.2	27.6
	F	28	6	8	2.8	1.8	2.5	-	-	-	-	2.0	10.7	-
ALL CANCER	M	1946	28	822	282.3	9.2	367.6	10.0	12.0	3.3	2.5	7.7	12.2	17.0
	F	1604	9	554	127.5	3.0	181.9	2.7	-	-	2.6	2.0	4.3	9.0
Mouth and pharynx cancer	M	107	2	78	16.1	0.6	33.0	-	-	-	-	-	-	4.2
	F	26	1	8	2.1	0.3	2.5	-	-	-	-	-	-	2.2
Oesophagus cancer	M	48	-	32	7.2	-	13.8	-	-	-	-	-	-	-
	F	14	-	7	1.3	-	2.3	-	-	-	-	-	-	-
Stomach cancer	M	161	3	65	23.3	0.9	28.6	-	-	-	-	1.9	4.1	-
	F	128	1	40	9.7	0.3	13.1	-	-	-	-	-	-	2.2
Colorectal cancer	M	200	-	68	28.6	-	31.7	-	-	-	-	-	-	-
	F	209	-	44	14.4	-	14.7	-	-	-	-	-	-	-
Liver cancer	M	50	1	16	7.1	0.3	6.9	-	-	-	-	-	2.0	-
	F	30	-	5	2.1	-	1.6	-	-	-	-	-	-	-
Pancreas cancer	M	108	-	53	15.7	-	23.1	-	-	-	-	-	-	-
	F	107	-	31	8.0	-	10.3	-	-	-	-	-	-	-
Larynx cancer	M	29	-	17	4.4	-	7.4	-	-	-	-	-	-	-
	F	4	-	1	0.3	-	0.4	-	-	-	-	-	-	-
Lung cancer	M	506	-	236	73.2	-	107.8	-	-	-	-	-	-	-
	F	135	-	56	11.1	-	18.9	-	-	-	-	-	-	-
Malignant melanoma	M	27	-	12	3.9	-	5.1	-	-	-	-	-	-	-
	F	33	2	18	3.3	0.6	5.9	-	-	-	-	-	-	4.5
Female breast cancer	F	227	-	108	20.2	-	35.0	-	-	-	-	-	-	-
Cervix cancer	F	71	-	50	7.6	-	15.9	-	-	-	-	-	-	-
Other uterine cancer	F	52	-	24	4.4	-	8.3	-	-	-	-	-	-	-
Ovarian cancer	F	96	-	33	7.7	-	10.6	-	-	-	-	-	-	-
Prostate cancer	M	256	-	59	36.5	-	28.8	-	-	-	-	-	-	-
Bladder cancer	M	70	-	22	10.2	-	10.4	-	-	-	-	-	-	-
	F	36	-	4	2.2	-	1.2	-	-	-	-	-	-	-
Other and ill-defined cancer sites	M	256	12	118	37.5	3.9	52.4	7.5	-	3.3	-	3.8	4.1	8.5
	F	296	3	92	23.2	1.1	29.8	2.7	-	-	2.6	-	2.1	-
Hodgkin's disease	M	4	1	1	0.6	0.3	0.3	-	-	-	-	-	-	2.1
	F	2	-	1	0.1	-	0.4	-	-	-	-	-	-	-
Myeloma and non-Hodgkin lymphomas	M	62	3	25	9.0	1.1	9.6	-	3.0	-	2.5	1.9	-	-
	F	84	-	22	6.1	-	7.5	-	-	-	-	-	-	-
Leukaemia	M	62	6	20	9.2	2.2	9.0	2.5	9.0	-	-	-	2.0	2.1
	F	54	2	10	3.9	0.6	3.3	-	-	-	-	2.0	2.1	-
Diabetes	M	69	1	33	10.1	0.3	13.1	-	-	-	-	-	-	2.1
	F	83	-	20	5.8	-	6.8	-	-	-	-	-	-	-
ALL VASCULAR DISEASE	M	3687	24	1251	534.3	7.4	548.3	-	-	-	12.6	5.8	8.2	25.4
	F	5063	3	501	293.0	1.2	170.7	2.7	-	3.5	-	-	-	2.2
Rheumatic heart disease and fever	M	6	-	2	0.8	-	1.1	-	-	-	-	-	-	-
	F	31	-	8	2.2	-	2.8	-	-	-	-	-	-	-
Hypertensive disease	M	662	-	211	95.1	-	93.2	-	-	-	-	-	-	-
	F	1186	-	107	68.4	-	36.9	-	-	-	-	-	-	-
Ischaemic heart disease	M	1900	6	604	275.2	1.8	269.4	-	-	-	-	1.9	-	10.6
	F	2423	-	178	134.5	-	60.8	-	-	-	-	-	-	-
Pulmonary embolism and other venous	M	35	1	18	5.2	0.3	7.6	-	-	-	-	-	-	2.1
	F	46	-	12	3.3	-	4.0	-	-	-	-	-	-	-
Cerebrovascular disease	M	501	4	144	72.0	1.2	64.2	-	-	-	-	1.9	-	6.4
	F	847	-	108	51.0	-	37.2	-	-	-	-	-	-	-
Other vascular disease	M	583	13	272	86.0	4.1	112.8	-	-	-	12.6	1.9	8.2	6.4
	F	530	3	88	33.7	1.2	29.2	2.7	3	3.5	-	-	-	2.2
Chronic obstructive pulmonary disease	M	156	2	43	22.4	0.7	19.9	2.5	-	-	-	-	-	2.1
	F	81	-	15	5.2	-	5.2	-	-	-	-	-	-	-
Other respiratory disease	M	113	6	65	17.1	1.9	25.8	5.0	-	-	-	-	4.1	4.2
	F	75	6	18	6.0	1.9	5.8	2.7	-	-	-	6.1	2.1	2.2
Peptic ulcer	M	39	-	21	5.7	-	8.6	-	-	-	-	-	-	-
	F	33	-	8	2.3	-	2.5	-	-	-	-	-	-	-
Liver cirrhosis	M	176	9	140	26.8	2.7	52.7	-	-	-	-	-	4.1	14.8
	F	101	5	80	11.9	1.6	25.4	-	-	-	-	-	4.3	6.7
Renal disease	M	33	-	8	4.7	-	3.8	-	-	-	-	-	-	-
	F	55	-	7	3.4	-	2.5	-	-	-	-	-	-	-
Pregnancy, birth	F	1	-	1	0.1	-	0.3	-	-	-	-	-	-	-
Congenital and perinatal causes	M	28	24	4	5.3	8.6	1.6	52.5	-	3.3	-	-	4.1	-
	F	27	21	4	5.0	8.1	1.3	42.5	9.5	-	2.6	2.0	-	-
Ill-defined causes	M	145	7	75	21.6	2.2	28.5	2.5	-	-	2.5	1.9	4.1	4.2
	F	171	1	24	10.4	0.4	7.7	2.7	-	-	-	-	-	-
Other medical causes	M	405	17	187	59.7	5.7	73.7	7.5	3.0	3.3	5.0	-	6.1	14.8
	F	436	11	105	32.3	4.1	34.5	8.0	6.3	3.5	-	-	2.1	9.0
ALL NON-MEDICAL CAUSES	M	873	233	516	131.8	70.5	187.4	30.0	6.0	6.6	50.2	105.7	156.9	137.8
	F	262	43	130	29.0	14.7	41.0	13.3	6.3	7.0	13.3	12.3	25.8	24.7
Road traffic accidents	M	59	18	35	9.0	5.5	13.1	-	-	-	12.6	9.6	6.1	10.6
	F	22	5	11	2.7	1.7	3.4	2.7	-	-	5.3	2.0	2.1	-
Fire	M	57	9	40	8.8	2.9	15.9	5.0	3.0	-	-	-	6.1	6.4
	F	22	1	12	2.2	0.4	3.8	2.7	-	-	-	-	-	-
Suicide	M	181	48	103	27.1	14.5	36.8	-	-	-	20.1	23.1	28.5	29.7
	F	42	7	18	4.5	2.3	5.7	-	-	-	5.3	-	4.3	6.7
POPULATION:														
(1000s; UN, 2015 revision)			M=male		620.4	291.8	276.3	40.0	33.3	30.4	39.8	52.1	49.1	47.2
			F=female		711.7	275.6	318.0	37.6	31.6	28.7	37.7	48.8	46.6	44.6

2010: ESTONIA

Annual death rates / 100,000 (zero denoted by -)										9th ICD/10th ICD categories		
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/ NK			
277.6	353.8	641.4	992.2	1601.5	2412.1	3150.3	5037.8	7371.1	13845.8	M	ALL CAUSES	001-999/A00-Y89
81.4	128.2	204.3	346.6	494.9	875.1	1288.2	1953.5	3761.3	10212.9	F		
2.1	7.0	8.8	9.1	17.9	12.3	8.0	12.8	38.9	7.5	M	Tuberculosis	010-018, 137/ A15-A19, B90
-	-	-	-	2.1	-	-	2.4	-	7.0	F		
16.7	7.0	6.6	-	5.1	3.1	8.0	8.6	32.4	14.9	M	Other infective and parasitic	Rest of 001-139,279.5&.6/ rest of A00-B99 excl A33,A34
6.4	4.6	2.1	-	2.1	-	2.6	4.7	9.1	21.0	F		
14.6	23.4	86.3	182.9	443.7	745.5	1076.7	1572.5	2165.3	2937.7	M	ALL CANCER	140-208/C00-C97
27.9	45.8	68.8	155.1	180.1	374.7	420.6	613.3	864.5	1159.1	F		
-	2.3	8.8	22.9	66.3	58.5	71.8	59.8	38.9	52.2	M	Mouth and pharynx cancer	140-149/C00-C14
-	-	-	-	8.3	9.1	-	9.5	12.1	21.0	F		
2.1	-	2.2	11.4	17.9	30.8	31.9	34.2	19.4	37.3	M	Oesophagus cancer	150/C15
-	-	-	2.0	6.2	-	7.9	4.7	12.1	2.3	F		
2.1	4.7	6.6	18.3	38.2	46.2	83.7	141.0	142.6	283.3	M	Stomach cancer	151/C16
-	4.6	8.3	10.1	10.3	29.7	28.9	35.5	60.7	121.3	F		
2.1	2.3	8.8	6.9	30.6	55.5	115.6	188.0	265.8	350.4	M	Colorectal cancer	153, 154/C18-C21
2.1	2.3	-	2.0	18.6	41.1	36.8	92.3	133.5	191.2	F		
-	-	6.6	2.3	10.2	9.2	19.9	64.1	58.4	67.1	M	Liver cancer	155.0/C22 excl C221
4.3	-	-	-	2.1	2.3	2.6	18.9	18.2	25.6	F		
-	2.3	6.6	16.0	30.6	46.2	59.8	89.7	110.2	126.8	M	Pancreas cancer	157/C25
-	-	6.2	6.0	8.3	25.1	26.3	49.7	66.7	77.0	F		
-	-	2.2	9.1	5.1	15.4	19.9	8.6	19.4	52.2	M	Larynx cancer	161/C32
-	-	-	-	-	-	2.6	4.7	-	2.3	F		
-	2.3	13.3	41.1	132.6	234.1	331.0	478.6	544.6	551.7	M	Lung cancer	162/C33, C34
-	2.3	2.1	14.1	14.5	41.1	57.8	49.7	69.8	81.6	F		
-	-	4.4	2.3	7.7	9.2	12.0	21.4	38.9	29.8	M	Malignant melanoma	172/C43
2.1	2.3	2.1	6.0	6.2	6.8	15.8	11.8	6.1	14.0	F		
8.6	9.2	14.6	44.3	31.1	64.0	73.6	56.8	142.6	112.0	F	Female breast cancer	174/C50
-	9.2	14.6	16.1	16.6	36.6	18.4	14.2	18.2	21.0	F	Cervix cancer	180/C53
-	-	-	6.0	4.1	11.4	36.8	28.4	15.2	25.6	F	Other uterine cancer	179, 182/C54, C55
2.1	6.9	2.1	14.1	8.3	25.1	15.8	40.2	45.5	72.3	F	Ovarian cancer	183/C56, C570-C574
-	-	-	6.9	22.9	52.4	119.6	188.0	421.4	656.1	M	Prostate cancer	185/C61
-	4.7	2.2	-	5.1	24.6	35.9	34.2	97.2	186.4	M	Bladder cancer	188/C67
-	-	-	2.0	2.1	4.6	-	9.5	30.3	42.0	F		
4.2	4.7	11.1	25.1	53.5	132.5	135.6	170.9	272.3	328.1	M	Other and ill-defined cancer sites	Rest of 140-199/ rest of C00-C80, C97
4.3	9.2	14.6	26.2	39.3	54.8	60.5	118.4	157.7	230.9	F		
2.1	-	-	-	-	-	-	-	6.5	7.5	M	Hodgkin's disease	201/C81
-	-	-	-	-	-	2.6	-	-	2.3	F		
2.1	-	8.8	13.7	17.9	18.5	8.0	47.0	71.3	89.5	M	Myeloma and non- Hodgkin lymphomas	200, 202-203/ C82-C90, C96
2.1	-	2.1	4.0	2.1	18.3	23.7	37.9	48.5	70.0	F		
2.1	-	4.4	6.9	5.1	12.3	31.9	47.0	58.4	119.3	M	Leukaemia	204-208/C91-C95
2.1	-	2.1	2.0	2.1	4.6	10.5	30.8	27.3	46.6	F		
2.1	7.0	15.5	13.7	7.7	21.6	23.9	55.5	51.9	104.4	M	Diabetes	250/E10-E14
-	4.6	-	4.0	8.3	6.8	23.7	23.7	54.6	81.6	F		
37.6	75.0	196.8	320.1	609.5	1099.8	1499.4	2572.3	3993.5	8902.5	M	ALL VASCULAR DISEASE	390-459/I00-I99
10.7	22.9	43.8	84.6	132.5	287.9	612.6	1030.0	2359.9	7803.7	F		
-	-	-	-	-	-	8.0	8.6	6.5	7.5	M	Rheumatic heart disease and fever	390-398/I00-I09
-	-	2.1	2.0	2.1	-	13.2	7.1	24.3	28.0	F		
4.2	7.0	33.2	50.3	112.2	178.7	267.2	499.9	894.6	1461.4	M	Hypertensive disease	401-405/I10-I15
-	-	-	20.1	22.8	73.1	142.0	274.7	673.4	1728.2	F		
10.4	35.1	75.2	134.9	290.7	557.6	781.6	1256.2	2132.9	4973.2	M	Ischaemic heart disease	410-414/I20-I25
4.3	-	12.5	22.2	60.0	102.8	223.5	449.9	1019.2	4009.1	F		
-	2.3	2.2	6.9	10.2	15.4	15.9	17.1	19.4	67.1	M	Pulmonary embolism and other venous	415.1, 451-453/ 126, 180-182
2.1	-	4.2	6.0	-	2.3	13.2	11.8	12.1	58.3	F		
8.3	7.0	24.3	34.3	53.5	126.3	195.4	457.2	518.6	1237.7	M	Cerebrovascular disease	430-438/I60-I69
4.3	9.2	8.3	12.1	20.7	66.3	139.3	191.8	433.8	1201.1	F		
14.6	23.4	61.9	93.7	142.8	221.8	231.3	333.3	421.4	1155.7	M	Other vascular disease	Rest of 390-459/ rest of I00-I99
-	13.7	16.7	22.2	26.9	43.4	81.5	94.7	197.2	779.0	F		
-	2.3	-	9.1	22.9	37.0	67.8	111.1	246.3	350.4	M	Chronic obstructive pulmonary disease	490-496/ J40-J47, J67
-	2.3	2.1	-	2.1	11.4	18.4	21.3	33.4	107.3	F		
8.3	9.4	19.9	29.7	25.5	40.0	47.9	34.2	45.4	201.3	M	Other respiratory disease	Rest of 460-519/ rest of J00-J98
4.3	2.3	-	8.1	8.3	2.3	15.8	18.9	39.4	70.0	F		
-	-	2.2	9.1	22.9	6.2	19.9	25.6	38.9	44.7	M	Peptic ulcer	531-533/K25-K27
-	-	-	2.0	10.3	2.3	2.6	7.1	18.2	37.3	F		
12.5	37.5	55.3	61.7	81.6	52.4	67.8	42.7	77.8	37.3	M	Liver cirrhosis	571/K70, K74
10.7	9.2	20.8	24.2	31.1	50.3	31.6	11.8	21.2	9.3	F		
-	2.3	-	2.3	-	6.2	15.9	17.1	64.8	82.0	M	Renal disease	580-590/N00-N19
-	-	-	-	2.1	4.6	10.5	21.3	30.3	67.6	F		
2.1	-	-	-	-	-	-	-	-	-	M	Pregnancy, birth	630-676/A34, O00-O99
-	-	2.2	-	5.1	-	4.0	-	-	-	F	Congenital and perinatal causes	740-779/A33, P00-P96, Q00-Q99
-	-	4.2	-	2.1	-	2.6	2.4	3.0	-	F	Ill-defined causes	780-799/R00-R99
6.3	9.4	28.8	32.0	45.9	49.3	27.9	72.6	64.8	268.4	M		
-	-	8.3	4.0	16.6	6.8	18.4	23.7	36.4	289.2	F		
25.0	37.5	48.7	77.7	81.6	129.4	115.6	264.9	356.6	626.3	M	Other medical causes	Rest of 001-799/ rest of A00-R99
6.4	9.2	20.8	20.1	41.4	59.4	84.1	130.2	239.6	433.8	F		
152.3	135.9	170.3	244.6	232.1	209.5	167.5	247.8	194.5	268.4	M	ALL NON- MEDICAL CAUSES	E800-E999/V01-Y89
12.9	27.5	33.4	44.3	55.9	68.5	44.7	42.6	51.6	125.9	F		
14.6	-	6.6	27.4	12.8	6.2	23.9	8.6	6.5	22.4	M	Road traffic accidents	E810-E819, E826-E829/ part of V01-V99, Y850
-	4.6	4.2	6.0	4.1	2.3	2.6	2.4	9.1	4.7	F		
6.3	4.7	4.4	20.6	22.9	24.6	27.9	21.4	-	22.4	M	Fire	E890-E899/X00-X09
-	2.3	-	4.0	8.3	6.8	5.3	4.7	3.0	14.0	F		
33.4	32.8	37.6	32.0	63.8	33.9	23.9	51.3	64.8	59.6	M	Suicide	E950-E959/X60-X84
4.3	6.9	2.1	6.0	6.2	9.1	5.3	11.8	9.1	21.0	F		
47.9	42.7	45.2	43.7	39.2	32.5	25.1	23.4	15.4	13.4	M	POPULATION	
46.7	43.7	48.0	49.6	48.3	43.8	38.0	42.2	33.0	42.9	F	(1000s; UN, 2015 revision)	

1990: Former USSR

Annual death rates / 100,000 (zero denoted by -)										9th ICD/10th ICD categories		
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+NK			
497.0	703.8	1070.5	1522.0	2189.5	3202.7	4405.2	6427.6	9426.1	16296.9	M	ALL CAUSES	001-999/A00-Y89
154.2	235.8	377.7	546.8	863.1	1357.5	2166.8	3665.9	6062.6	12978.1	F		
19.0	23.5	32.1	34.9	36.3	36.2	34.3	35.1	30.1	32.4	M	Tuberculosis	010-018/A15-A19
3.2	2.6	3.2	3.9	4.5	4.7	5.6	7.4	7.1	7.6	F		
2.0	2.5	2.9	3.5	4.1	4.9	5.3	4.5	6.2	7.9	M	Other infective	Rest of 001-139,279.5&.6/ rest of A00-B99 excl A33,A34
1.1	1.6	2.1	1.9	2.7	3.4	3.9	3.7	4.3	5.1	F	and parasitic	
42.0	94.9	213.5	387.3	637.6	938.2	1165.7	1405.4	1491.8	1207.3	M	ALL CANCER	140-208/C00-C97
44.1	78.2	128.1	183.3	258.8	374.6	493.9	624.5	693.2	595.5	F		
2.3	7.1	15.4	23.1	28.9	36.0	37.9	34.5	33.3	29.2	M	Mouth and	140-149/C00-C14
0.4	0.7	1.2	1.4	2.5	3.5	5.1	5.7	8.3	10.8	F	pharynx cancer	
0.6	3.3	10.8	18.9	30.4	42.2	50.1	55.6	59.6	60.5	M	Oesophagus cancer	150/C15
0.2	0.6	1.9	3.0	5.5	9.2	12.5	18.0	23.0	26.9	F		
8.2	18.4	37.6	68.6	114.8	166.4	209.1	269.0	307.8	240.5	M	Stomach cancer	151/C16
6.2	10.7	16.6	24.7	37.9	62.7	89.7	128.3	155.3	122.9	F		
2.7	5.4	11.0	21.1	36.3	63.4	96.9	139.5	175.3	153.4	M	Colorectal cancer	153, 154/C18-C21
3.1	5.9	10.8	18.4	28.6	44.8	65.8	88.7	109.5	99.0	F		
...	M	Liver cancer	Not given separately
...	F		
...	M	Pancreas cancer	Not given separately
...	F		
1.4	4.9	11.1	19.6	28.5	36.4	37.5	38.3	31.1	24.1	M	Larynx cancer	161/C32
0.1	0.2	0.3	0.5	0.9	1.0	1.5	2.0	1.4	1.8	F		
7.2	22.5	66.5	136.0	240.4	353.8	409.1	444.3	397.5	237.2	M	Lung cancer	162/C33, C34
1.7	3.5	7.1	11.4	20.0	31.8	45.1	58.3	61.2	45.3	F		
...	M	Malignant melanoma	Not given separately
...	F		
10.6	21.0	33.0	41.0	43.7	50.9	53.9	56.2	54.9	53.8	F	Female breast cancer	174/C50
4.0	6.3	8.5	10.4	13.4	18.7	26.0	32.4	33.1	24.6	F	Cervix cancer	180/C53
1.6	3.1	5.8	9.0	14.4	20.2	25.9	30.3	31.4	24.6	F	Other uterine cancer	179, 182/C54, C55
...	F	Ovarian cancer	Not given separately
0.2	0.3	1.3	3.3	9.3	21.3	40.4	70.4	106.9	118.6	M	Prostate cancer	185/C61
...	M	Bladder cancer	Not given separately
...	F		
14.4	25.6	49.7	79.8	125.1	185.5	240.9	298.0	328.9	302.9	M	Other and ill-defined	Rest of 140-199/ rest of C00-C80, C97
12.0	21.3	35.9	54.4	79.2	113.3	143.4	177.4	189.7	169.1	F	cancer sites	
...	M	Hodgkin's disease	Not given separately
...	F		
2.7	4.2	5.4	9.5	12.4	17.9	21.4	27.3	22.0	17.9	M	Myeloma and all	200-203 incl 201/ C81-C90, C96
1.9	2.1	2.9	4.4	6.1	8.3	11.9	12.6	11.4	8.4	F	lymphomas	
2.4	3.1	4.6	7.3	11.4	15.3	22.5	28.5	29.3	23.2	M	Leukaemia	204-208/C91-C95
2.3	2.8	4.2	4.8	6.3	10.2	13.1	14.6	14.0	8.4	F		
2.1	3.4	4.1	7.2	11.7	18.9	27.6	28.4	34.4	26.9	M	Diabetes	250/E10-E14
1.4	1.8	3.8	7.0	14.9	24.4	35.2	42.7	41.8	27.1	F		
102.6	202.1	359.2	571.9	902.9	1501.0	2311.3	3776.1	6068.0	11290.2	M	ALL VASCULAR	390-459/I00-I99
25.5	53.8	109.5	194.9	381.9	705.0	1299.2	2496.4	4476.1	10030.0	F	DISEASE	
6.1	8.8	14.0	17.9	22.2	18.5	17.6	14.7	9.0	8.3	M	Rheumatic heart	390-398/I00-I09
4.7	7.0	14.3	20.7	26.3	25.5	24.2	16.3	12.7	8.6	F	disease and fever	
2.2	4.6	8.3	13.2	21.2	28.4	33.9	41.4	53.8	84.0	M	Hypertensive disease	401-405/I10-I15
0.9	2.5	5.1	9.4	15.3	19.9	27.1	39.6	46.6	73.0	F		
62.6	130.1	230.2	363.5	548.5	880.6	1330.3	2098.0	3309.1	6205.1	M	Ischaemic heart	410-414/I20-I25
7.6	18.4	37.9	71.9	162.6	330.9	645.0	1254.0	2228.8	4996.0	F	disease	
...	M	Pulmonary embolism	Not given separately
...	F	and other venous	
15.9	34.3	69.5	126.9	240.7	457.3	744.0	1279.2	2072.6	3659.1	M	Cerebrovascular	430-438/I60-I69
7.1	17.4	39.3	74.2	149.6	278.9	510.6	971.5	1724.6	3625.7	F	disease	
15.8	24.4	37.3	50.3	70.3	116.2	185.5	342.9	623.5	1333.7	M	Other vascular	Rest of 390-459/ rest of I00-I99
5.1	8.6	13.0	18.6	28.1	49.8	92.3	215.1	463.4	1326.7	F	disease, incl. venous	
3.4	6.6	19.1	40.4	92.5	161.5	262.3	397.8	609.7	879.2	M	Chronic obstructive	490-493/J40-J46
2.2	3.6	6.9	11.8	22.8	37.6	68.0	118.3	194.4	351.2	F	pulmonary disease	
7.9	14.3	26.4	38.3	60.0	85.0	120.7	178.6	256.3	409.5	M	Other respiratory	Rest of 460-519/ rest of J00-J98
3.0	3.8	6.2	9.0	15.4	21.9	35.3	59.5	96.1	189.2	F	disease	
3.0	4.7	7.9	11.2	15.3	21.7	28.1	32.1	40.2	38.3	M	Peptic ulcer	531-533/K25-K27
0.3	0.7	1.3	2.0	2.9	4.3	7.4	9.8	13.2	14.7	F		
7.5	15.7	26.8	36.1	47.8	67.5	81.9	86.3	84.3	86.0	M	Liver cirrhosis &	570-3, 575.2-579.9/ K70-K77, K82-K92
3.8	6.0	11.1	16.5	25.9	31.6	39.8	42.7	47.2	49.5	F	some other digestive	
5.6	7.5	10.7	14.6	18.5	24.1	31.0	42.4	57.6	72.2	M	Renal disease	580-590/N00-N19
4.4	5.9	8.9	11.4	16.0	21.2	25.8	27.0	27.8	24.3	F		
3.7	1.7	0.2	0.0	-	-	-	-	-	0.2	F	Pregnancy, birth	630-676/A34, O00-O99
0.8	1.2	0.8	1.3	1.3	0.8	0.9	0.6	0.6	1.1	M	Congenital and	740-779/A33,
1.0	1.0	1.1	1.0	1.0	0.7	0.7	0.3	0.5	0.3	F	perinatal causes	P00-P96, Q00-Q99
9.8	13.3	17.8	20.7	21.6	23.1	26.1	78.6	284.9	1517.8	M	Ill-defined causes	780-799/R00-R99
2.2	3.2	4.0	4.9	6.2	8.1	13.5	57.5	229.8	1376.5	F		
22.2	30.2	42.9	49.5	62.7	82.1	109.7	154.2	231.8	317.6	M	Other medical causes	Rest of 001-799/ rest of A00-R99
13.2	17.7	25.0	30.6	40.2	50.5	67.0	86.6	116.4	142.8	F		
269.2	284.1	306.4	305.3	277.3	237.8	200.4	207.6	230.2	410.6	M	ALL NON-	E800-E999/V01-Y89
45.2	54.2	66.3	68.6	70.0	69.7	71.6	89.4	114.9	164.0	F	MEDICAL CAUSES	
...	M	Road traffic	Not given separately
...	F	accidents	
4.1	4.7	5.7	5.7	5.5	5.8	5.6	6.5	9.2	15.8	M	Fire	E890-E899/X00-X09
1.2	1.3	1.6	1.3	2.1	2.1	2.9	4.2	7.1	11.1	F		
52.3	56.0	65.0	62.0	58.9	55.4	49.2	64.8	71.7	96.5	M	Suicide	E950-E959/X60-X84
7.9	9.8	13.2	14.4	14.0	17.1	17.8	22.0	25.3	30.1	F		
10682	8339	5733	8746	6257	6403	3155	1731	1593	1221	M	POPULATION	
10815	8625	6206	10033	7544	8976	6565	4128	4455	4246	F	(1000s; UN, 2015 revision)	

2010: GERMANY

Annual death rates / 100,000

(zero denoted by -)

9th ICD/10th ICD categories

35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
111.1	163.3	291.4	505.3	824.9	1236.2	1839.2	2817.7	4994.1	11379.4	M	ALL CAUSES	001-999/A00-Y89
56.3	91.4	162.3	272.7	419.2	647.2	929.3	1476.7	3016.0	10334.0	F		
0.2	0.2	0.4	0.6	0.3	0.5	0.8	1.1	2.4	6.7	M	Tuberculosis	010-018, 137/
0.1	0.0	0.1	0.1	0.1	0.1	0.2	0.4	1.7	2.3	F		A15-A19, B90
3.0	4.3	6.3	9.1	12.8	17.7	27.5	44.0	92.3	198.3	M	Other infective	Rest of 001-139, 279.5&6/
1.5	1.5	2.8	4.6	5.8	10.3	16.2	25.6	63.5	183.7	F	and parasitic	rest of A00-B99 excl A33, A34
18.5	30.8	75.2	166.6	308.6	497.3	745.2	1030.7	1519.1	2276.1	M	ALL CANCER	140-208/C00-C97
23.3	40.1	78.2	137.7	220.9	336.0	444.4	581.6	861.2	1339.6	F		
0.7	1.8	6.5	15.2	22.0	28.1	28.1	25.9	23.7	24.8	M	Mouth and	140-149/C00-C14
0.3	0.6	1.4	3.4	4.9	5.9	6.9	5.6	8.0	11.2	F	pharynx cancer	
0.5	1.1	4.6	9.3	17.1	24.3	28.1	33.0	38.0	38.1	M	Oesophagus cancer	150/C15
0.1	0.1	0.8	1.6	2.8	6.5	6.4	7.2	8.6	12.5	F		
1.4	2.3	4.7	8.6	14.6	23.8	31.0	46.6	77.3	119.7	M	Stomach cancer	151/C16
1.1	1.9	2.8	5.5	7.2	10.8	14.3	21.8	36.8	73.6	F		
1.6	2.9	7.8	14.6	30.3	50.9	80.5	120.5	186.0	288.1	M	Colorectal cancer	153, 154/C18-C21
1.7	3.1	5.8	10.2	16.7	29.0	41.4	67.5	104.8	221.2	F		
0.2	0.5	1.5	5.6	10.2	17.6	27.1	40.0	50.3	54.5	M	Liver cancer	155.0/C22 excl C221
0.1	0.3	0.4	1.4	2.6	3.5	5.9	8.8	13.8	21.4	F		
1.1	2.1	4.9	10.9	22.2	36.5	52.1	71.3	96.0	117.5	M	Pancreas cancer	157/C25
0.4	1.3	3.6	7.2	15.1	22.9	35.1	53.3	82.6	107.0	F		
0.0	0.3	1.2	3.3	5.3	7.4	9.7	9.6	12.7	16.1	M	Larynx cancer	161/C32
0.0	0.1	0.1	0.6	0.8	0.7	1.2	1.3	1.0	1.6	F		
2.2	4.7	16.8	48.3	94.5	146.8	222.0	271.9	378.0	416.2	M	Lung cancer	162/C33, C34
1.9	4.8	12.5	29.9	48.8	73.5	81.3	81.0	109.8	115.2	F		
1.2	1.4	2.3	3.4	4.3	6.9	8.9	12.1	17.8	24.5	M	Malignant melanoma	172/C43
1.0	1.4	1.9	2.1	3.0	3.4	4.4	5.9	7.6	13.7	F		
7.8	11.7	22.0	31.7	47.8	67.0	83.3	100.5	126.6	198.9	F	Female breast cancer	174/C50
1.9	2.9	4.3	5.3	5.6	6.1	5.7	6.7	8.1	11.1	F	Cervix cancer	180/C53
0.3	0.4	1.2	2.1	5.0	7.1	12.5	16.2	21.9	32.9	F	Other uterine cancer	179, 182/C54, C55
1.2	2.1	5.1	9.2	14.5	21.4	29.5	39.4	51.9	59.5	F	Ovarian cancer	183/C56, C570-C574
0.0	0.0	1.0	3.2	9.8	26.0	55.5	101.5	187.8	437.6	M	Prostate cancer	185/C61
0.1	0.2	1.2	2.4	4.7	9.0	16.0	27.1	52.4	116.7	M	Bladder cancer	188/C67
0.1	0.2	0.5	1.1	1.5	3.1	4.9	7.5	15.9	40.1	F		
7.3	9.9	17.0	32.8	57.2	89.5	133.4	189.0	269.6	419.9	M	Other and ill-defined	Rest of 140-199/
4.0	7.2	12.2	21.4	34.2	55.2	80.4	110.4	177.3	291.9	F	cancer sites	rest of C00-C80, C97
0.2	0.2	0.3	0.2	0.3	0.5	0.9	1.2	2.1	2.7	M	Hodgkin's disease	201/C81
0.1	0.1	0.1	0.3	0.1	0.3	0.5	0.6	1.6	1.9	F		
1.2	1.8	3.2	4.9	10.4	18.6	30.0	47.1	70.9	109.3	M	Myeloma and non-	200, 202-203/
0.4	0.8	1.8	2.9	5.7	12.0	18.8	29.8	53.3	74.2	F	Hodgkin lymphomas	C82-C90, C96
0.8	1.4	2.3	4.0	5.8	11.4	21.7	33.8	56.7	90.3	M	Leukaemia	204-208/C91-C95
0.8	1.1	1.7	2.2	4.5	7.4	12.0	18.1	31.6	51.8	F		
1.5	2.6	4.7	8.4	17.0	26.3	38.6	69.3	132.3	290.7	M	Diabetes	250/E10-E14
0.5	0.7	1.4	3.4	5.4	11.1	18.1	41.9	99.7	346.6	F		
16.5	32.9	66.0	124.5	214.5	337.0	547.9	938.8	1920.2	5317.7	M	ALL VASCULAR	390-459/I00-I99
7.9	12.9	23.7	40.7	69.1	117.0	204.7	451.1	1188.0	5660.3	F	DISEASE	
0.1	0.3	0.2	0.6	0.8	1.4	1.9	4.9	11.5	27.4	M	Rheumatic heart	390-398/I00-I09
0.1	0.1	0.1	0.2	0.2	1.0	1.7	4.5	12.4	41.5	F	disease and fever	
0.6	1.2	2.6	5.2	9.3	14.3	25.2	46.7	107.3	421.7	M	Hypertensive disease	401-405/I10-I15
0.1	0.5	1.0	2.0	3.8	6.5	12.7	34.1	101.3	695.9	F		
5.6	14.8	33.1	64.2	111.7	172.0	270.8	456.7	891.2	2200.2	M	Ischaemic heart	410-414/I20-I25
1.5	3.1	6.8	13.8	25.0	45.7	77.8	165.8	420.4	1776.8	F	disease	
1.5	2.0	4.0	5.7	10.3	13.7	19.5	25.6	48.4	92.8	M	Pulmonary embolism	415.1, 451-453/
1.3	1.7	3.2	3.1	5.0	6.5	13.5	22.8	45.9	126.7	F	and other venous	126, 180-182
2.2	4.2	8.5	13.6	24.6	42.2	80.6	148.4	328.8	880.2	M	Cerebrovascular	430-438/I60-I69
2.4	3.5	6.7	9.9	14.3	21.7	39.2	93.5	249.6	1022.6	F	disease	
6.5	10.2	17.7	35.2	57.9	93.5	149.9	256.5	533.0	1695.6	M	Other vascular	Rest of 390-459/
2.5	3.9	6.0	11.7	20.9	35.6	59.8	130.4	358.4	1996.8	F	disease	rest of I00-I99
0.5	1.3	3.7	8.5	20.8	42.1	76.9	124.8	244.7	518.0	M	Chronic obstructive	490-496/
0.5	1.1	2.5	6.2	13.5	28.0	40.7	55.7	112.5	252.4	F	pulmonary disease	J40-J47, J67
1.8	2.2	4.0	7.6	13.5	26.3	49.4	97.9	203.8	613.1	M	Other respiratory	Rest of 460-519/
0.9	1.4	2.6	4.1	6.5	9.4	20.8	41.6	100.9	417.9	F	disease	rest of J00-J98
0.4	0.2	0.7	1.6	2.0	3.2	5.0	8.1	16.0	38.9	M	Peptic ulcer	531-533/K25-K27
0.1	0.1	0.3	0.5	1.3	1.2	2.9	4.8	9.3	42.4	F		
5.9	13.6	23.2	36.4	52.3	58.1	57.0	63.5	62.7	57.1	M	Liver cirrhosis	571/K70, K74
2.2	5.3	9.8	16.3	20.8	26.9	24.9	25.3	27.8	28.6	F		
0.6	0.5	1.0	2.6	4.6	10.0	17.6	38.7	85.2	283.5	M	Renal disease	580-590/N00-N19
0.3	0.4	0.6	1.3	2.0	4.8	9.3	22.7	61.6	230.8	F		
0.3	0.1	-	-	-	-	-	-	-	-	M	Pregnancy, birth	630-676/A34, O00-O99
0.9	1.0	0.8	1.9	2.0	2.0	1.5	1.0	0.9	0.8	M	Congenital and	740-779/A33,
0.7	0.8	1.0	1.5	2.4	1.8	1.3	0.8	1.1	1.4	F	perinatal causes	P00-P96, Q00-Q99
9.6	13.9	23.8	34.7	45.0	59.7	63.5	75.2	102.0	196.9	M	Ill-defined causes	780-799/R00-R99
2.9	5.7	7.6	11.6	14.8	22.5	27.6	37.0	60.3	224.5	F		
17.1	22.8	38.5	54.7	78.8	99.5	144.4	239.9	476.2	1263.9	M	Other medical causes	Rest of 001-799/
6.3	11.0	17.6	27.5	39.2	58.4	92.3	153.4	355.6	1357.7	F		rest of A00-R99
34.5	37.1	42.9	48.4	52.7	56.5	64.0	84.7	136.2	317.8	M	ALL NON-	E800-E999/V01-Y89
8.9	10.3	14.2	17.3	17.5	19.7	25.8	34.8	72.9	245.6	F	MEDICAL CAUSES	
6.3	4.7	6.5	5.8	5.4	5.5	5.7	7.6	9.8	15.4	M	Road traffic	E810-E819, E826-E829/
1.1	1.4	1.6	2.0	1.9	1.6	1.8	2.7	4.6	5.0	F	accidents	part of V01-V99, Y850
0.2	0.4	0.7	0.8	1.0	0.8	1.0	1.1	1.7	1.7	M	Fire	E890-E899/X00-X09
0.1	0.1	0.4	0.2	0.4	0.3	0.5	0.7	0.7	2.0	F		
16.5	19.8	21.4	24.6	24.9	24.3	24.4	28.6	36.6	60.3	M	Suicide	E950-E959/X60-X84
3.9	5.8	7.3	8.8	7.9	7.6	9.9	9.2	10.6	14.4	F		
2412	3415	3544	3129	2651	2139	2221	2212	1306	1323	M	POPULATION	
2393	3329	3428	3047	2643	2186	2398	2587	1720	2807	F	(1000s; UN, 2015 revision)	

2010: ITALY

Annual death rates / 100,000
(zero denoted by -)

9th ICD/10th ICD categories

35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK		
88.5	132.0	212.1	338.9	550.6	909.1	1469.3	2373.4	4158.9	11259.4	M	ALL CAUSES 001-999/A00-Y89
46.1	78.1	125.2	201.8	294.3	457.6	732.2	1215.4	2412.6	9077.6	F	
0.1	0.2	0.1	0.3	0.5	0.4	1.1	2.0	2.7	8.4	M	Tuberculosis 010-018, 137/
0.1	0.0	0.0	-	0.3	0.1	0.3	0.7	1.4	4.5	F	A15-A19, B90
2.9	6.6	12.3	10.7	10.7	15.4	24.4	37.9	62.3	138.3	M	Other infective Rest of 001-139,279.5&.6/
1.6	2.9	2.7	3.8	4.7	8.0	14.8	25.6	55.3	118.5	F	and parasitic rest of A00-B99 excl A33,A34
17.0	33.2	66.3	139.5	258.9	462.8	736.5	1095.7	1609.3	2614.3	M	ALL CANCER 140-208/C00-C97
21.5	44.0	75.0	129.3	182.8	268.0	394.0	539.5	795.0	1340.1	F	
0.4	1.7	4.1	7.9	10.9	14.9	16.3	19.1	22.4	32.6	M	Mouth and 140-149/C00-C14
0.1	0.3	1.5	2.1	2.8	3.5	5.0	4.7	7.2	14.5	F	pharynx cancer
0.1	0.6	1.4	4.2	6.8	11.7	12.7	15.9	20.8	26.3	M	Oesophagus cancer 150/C15
0.1	0.0	0.2	0.7	0.8	2.0	2.4	2.8	5.1	9.0	F	
1.4	2.1	4.3	9.3	16.0	26.7	41.6	68.6	100.1	164.7	M	Stomach cancer 151/C16
0.7	2.6	3.6	5.3	8.2	11.8	19.7	26.4	46.0	94.8	F	
1.4	3.2	6.1	13.9	27.1	45.8	75.0	113.3	172.6	308.2	M	Colorectal cancer 153, 154/C18-C21
1.3	3.0	6.1	11.1	18.5	28.1	40.7	59.0	96.8	187.1	F	
0.5	1.4	4.5	10.2	14.8	28.8	51.8	72.2	98.6	118.9	M	Liver cancer 155.0/C22 excl C221
0.2	0.3	1.1	1.7	2.9	7.2	12.3	25.7	39.8	59.9	F	
0.8	2.2	4.5	9.2	16.9	29.3	45.4	69.7	84.9	107.7	M	Pancreas cancer 157/C25
0.5	1.3	2.9	5.8	10.5	18.0	31.0	45.9	69.0	104.5	F	
0.0	0.7	1.8	3.5	7.1	9.2	12.7	15.1	21.8	38.7	M	Larynx cancer 161/C32
0.1	-	0.1	0.4	0.6	1.1	0.9	1.6	1.8	2.8	F	
1.7	4.8	13.5	36.1	75.0	146.8	234.1	333.0	463.2	583.2	M	Lung cancer 162/C33, C34
1.5	3.8	9.0	20.3	28.1	37.7	52.6	72.1	96.4	121.8	F	
0.9	2.0	2.4	3.2	4.3	6.1	7.9	10.2	12.7	17.2	M	Malignant melanoma 172/C43
1.3	1.8	2.3	2.5	2.4	2.9	3.8	4.4	6.3	9.7	F	
6.9	15.1	22.6	35.2	44.0	55.7	71.4	80.3	109.2	185.7	F	Female breast cancer 174/C50
1.0	1.1	1.5	2.1	1.5	1.8	1.6	2.1	2.9	4.1	F	Cervix cancer 180/C53
0.7	1.9	3.1	4.7	7.4	10.7	16.9	21.5	24.4	37.3	F	Other uterine cancer 179, 182/C54, C55
1.2	2.4	5.2	9.7	12.1	17.4	23.7	27.3	31.8	41.7	F	Ovarian cancer 183/C56, C570-C574
-	0.0	0.4	1.6	6.1	13.2	32.6	62.8	121.4	368.0	M	Prostate cancer 185/C61
0.0	0.2	1.3	2.9	5.6	15.7	26.4	43.7	78.6	178.1	M	Bladder cancer 188/C67
0.0	0.2	0.3	1.0	1.6	2.1	4.4	7.0	12.5	32.8	F	
5.8	9.7	15.0	27.6	51.6	84.8	129.1	188.0	280.2	462.5	M	Other and ill-defined Rest of 140-199/
3.9	7.3	10.7	19.9	31.8	49.3	75.6	109.0	162.3	304.3	F	cancer sites rest of C00-C80, C97
0.4	0.4	0.4	0.7	0.8	0.8	1.2	1.6	3.4	4.4	M	Hodgkin's disease 201/C81
0.3	0.4	0.2	0.5	0.1	0.5	0.4	1.1	1.5	3.0	F	
1.5	2.1	4.0	5.3	9.9	17.4	28.6	48.2	71.0	112.4	M	Myeloma and non- 200, 202-203/
0.4	1.2	2.3	3.7	5.7	11.0	19.1	28.8	50.0	74.8	F	Hodgkin lymphomas C82-C90, C96
2.0	1.9	2.6	3.8	6.1	11.6	21.3	34.2	57.6	91.5	M	Leukaemia 204-208/C91-C95
1.0	1.2	2.1	2.7	4.0	7.2	12.4	19.8	31.8	52.4	F	
0.3	1.4	3.2	7.5	14.8	30.3	47.0	83.5	150.2	350.9	M	Diabetes 250/E10-E14
0.3	0.6	1.6	3.2	6.8	14.7	25.9	54.3	119.1	362.8	F	
13.6	26.5	50.0	80.3	134.6	214.9	370.8	650.0	1337.3	4732.9	M	ALL VASCULAR 390-459/I00-I99
5.4	9.2	15.7	26.1	40.0	76.2	147.8	317.2	815.4	4507.3	F	DISEASE
0.1	0.2	0.5	0.7	1.5	1.8	3.6	6.1	10.0	24.9	M	Rheumatic heart 390-398/I00-I09
0.0	0.2	0.2	0.4	0.9	2.8	4.2	9.2	17.6	39.3	F	disease and fever
0.5	1.5	2.7	4.9	11.3	17.0	32.1	48.9	117.8	549.6	M	Hypertensive disease 401-405/I10-I15
0.2	0.5	1.3	2.5	4.6	7.7	17.5	35.2	103.6	715.4	F	
4.6	10.9	24.2	40.9	68.7	109.6	169.7	285.9	534.8	1632.0	M	Ischaemic heart 410-414/I20-I25
1.3	2.1	4.4	7.8	12.9	24.4	49.9	99.9	244.4	1253.8	F	disease
0.1	0.4	0.7	0.7	1.1	2.1	2.9	4.8	9.0	33.5	M	Pulmonary embolism 415.1, 451-453/
0.3	0.2	0.6	0.5	0.7	1.2	2.7	4.7	10.4	37.7	F	and other venous 126, 180-182
2.6	4.5	7.7	11.9	19.7	36.0	74.6	150.2	355.5	1275.3	M	Cerebrovascular 430-438/I60-I69
1.5	2.7	5.2	7.7	10.6	20.3	36.4	90.7	248.8	1326.6	F	disease
5.8	9.0	14.2	21.1	32.2	48.5	87.8	154.2	310.2	1217.6	M	Other vascular Rest of 390-459/
2.0	3.5	4.0	7.1	10.3	19.8	37.1	77.5	190.6	1134.6	F	disease rest of I00-I99
0.4	0.8	1.2	3.5	5.5	14.7	34.1	78.5	186.5	747.8	M	Chronic obstructive 490-496/
0.1	0.3	0.8	1.7	2.8	5.8	12.9	25.3	64.5	291.9	F	pulmonary disease J40-J47, J67
1.8	1.8	3.1	5.1	7.6	13.1	27.9	51.0	114.0	453.3	M	Other respiratory Rest of 460-519/
1.0	0.9	1.6	2.4	4.4	7.2	13.0	25.5	56.8	301.5	F	disease rest of J00-J98
-	0.1	0.4	0.5	0.7	1.1	1.8	2.8	6.1	15.9	M	Peptic ulcer 531-533/K25-K27
0.0	-	0.1	0.1	0.3	0.6	0.8	1.0	2.9	12.2	F	
3.0	6.0	12.9	17.1	20.8	29.2	40.0	46.3	59.3	72.5	M	Liver cirrhosis 571/K70, K74
0.5	2.0	3.0	4.7	6.2	9.5	15.3	27.2	43.9	54.7	F	
0.3	0.5	0.7	2.6	4.4	8.3	13.3	29.3	57.8	223.3	M	Renal disease 580-590/N00-N19
0.4	0.2	0.6	1.1	2.6	5.0	8.3	15.7	35.4	149.8	F	
0.3	0.1	-	-	-	-	-	-	-	-	M	Pregnancy, birth 630-676/A34, O00-O99
1.4	1.3	1.2	1.8	3.4	3.2	1.8	2.5	2.0	5.0	F	Congenital and 740-779/A33,
0.7	0.5	0.9	1.0	2.1	1.9	1.3	1.7	2.0	3.6	F	perinatal causes P00-P96, Q00-Q99
5.8	6.3	6.4	6.9	7.8	9.6	10.4	15.7	25.3	147.5	M	Ill-defined causes 780-799/R00-R99
1.2	2.0	2.6	1.9	2.6	2.9	4.0	6.7	17.0	212.4	F	
10.0	13.5	19.9	26.6	44.2	68.1	111.5	211.6	440.1	1400.3	M	Other medical causes Rest of 001-799/
5.8	7.9	12.1	18.0	28.4	46.0	78.4	147.9	343.0	1416.0	F	rest of A00-R99
31.9	33.6	34.3	36.6	36.7	38.0	48.7	66.6	106.0	349.0	M	ALL NON- 800-E999/V01-Y89
7.1	7.6	8.6	8.7	10.4	11.8	15.4	27.1	60.9	302.2	F	MEDICAL CAUSES
10.9	10.7	10.0	9.5	8.8	6.9	9.8	11.8	19.0	24.8	M	Road traffic E810-E819, E826-E829/
2.2	2.3	2.0	2.1	2.0	2.9	2.4	4.6	5.9	6.5	F	accidents part of V01-V99, Y850
0.2	0.2	0.2	0.1	0.4	0.3	0.7	0.6	1.3	2.4	M	Fire E890-E899/X00-X09
0.0	0.1	0.0	0.1	0.1	0.2	0.5	0.5	1.3	1.5	F	
9.8	12.0	12.5	14.1	13.4	13.5	14.5	16.6	19.3	31.7	M	Suicide E950-E959/X60-X84
2.9	2.6	3.4	3.8	3.8	3.9	3.6	5.0	4.1	4.5	F	
2339	2418	2338	2034	1845	1829	1476	1411	1076	1205	M	POPULATION
2311	2432	2384	2105	1950	1964	1653	1673	1427	2260	F	(1000s; UN, 2015 revision)

LUXEMBOURG: 2010

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	1810	45	541	633.8	39.5	578.5	67.6	-	12.7	25.9	78.5	33.6	58.2
	F	1811	32	320	402.3	28.8	335.9	78.2	-	-	20.4	20.2	39.9	42.6
Tuberculosis	M	1	-	1	0.4	-	1.5	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic	M	40	-	11	13.9	-	12.4	-	-	-	-	-	-	-
	F	47	1	3	9.5	0.8	3.5	-	-	-	-	-	-	5.3
ALL CANCER	M	577	1	218	205.3	0.9	246.1	-	-	-	-	6.5	-	-
	F	443	6	156	118.8	4.9	164.8	7.1	-	-	-	-	11.4	16.0
Mouth and pharynx cancer	M	10	-	8	3.8	-	8.4	-	-	-	-	-	-	-
	F	3	-	1	0.9	-	1.4	-	-	-	-	-	-	-
Oesophagus cancer	M	18	-	11	6.8	-	13.3	-	-	-	-	-	-	-
	F	10	-	4	2.6	-	5.2	-	-	-	-	-	-	-
Stomach cancer	M	29	-	7	10.0	-	7.3	-	-	-	-	-	-	-
	F	12	2	6	4.0	1.6	5.0	-	-	-	-	-	5.7	5.3
Colorectal cancer	M	72	-	20	25.0	-	21.1	-	-	-	-	-	-	-
	F	55	-	15	13.9	-	15.5	-	-	-	-	-	-	-
Liver cancer	M	28	-	13	10.3	-	15.4	-	-	-	-	-	-	-
	F	9	-	1	1.7	-	1.4	-	-	-	-	-	-	-
Pancreas cancer	M	30	-	13	10.9	-	15.9	-	-	-	-	-	-	-
	F	31	-	7	7.6	-	6.8	-	-	-	-	-	-	-
Larynx cancer	M	7	-	5	2.6	-	5.1	-	-	-	-	-	-	-
	F	1	-	-	0.1	-	-	-	-	-	-	-	-	-
Lung cancer	M	144	-	69	52.2	-	79.8	-	-	-	-	-	-	-
	F	55	-	31	17.1	-	35.0	-	-	-	-	-	-	-
Malignant melanoma	M	6	-	1	2.0	-	0.7	-	-	-	-	-	-	-
	F	6	-	2	1.6	-	1.6	-	-	-	-	-	-	-
Female breast cancer	F	92	-	40	25.2	-	41.9	-	-	-	-	-	-	-
Cervix cancer	F	5	-	3	1.5	-	2.5	-	-	-	-	-	-	-
Other uterine cancer	F	12	-	6	3.4	-	6.7	-	-	-	-	-	-	-
Ovarian cancer	F	21	-	6	5.6	-	6.3	-	-	-	-	-	-	-
Prostate cancer	M	38	-	2	12.5	-	1.8	-	-	-	-	-	-	-
Bladder cancer	M	29	-	7	9.9	-	7.3	-	-	-	-	-	-	-
	F	13	-	2	2.8	-	2.6	-	-	-	-	-	-	-
Other and ill-defined cancer sites	M	113	-	47	40.2	-	52.1	-	-	-	-	-	-	-
	F	78	2	25	20.8	1.8	24.9	7.1	-	-	-	-	-	5.3
Hodgkin's disease	M	1	-	-	0.4	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
Myeloma and non-Hodgkin lymphomas	M	26	-	10	9.3	-	12.3	-	-	-	-	-	-	-
	F	22	1	3	5.6	0.8	3.5	-	-	-	-	-	5.7	-
Leukaemia	M	26	1	5	9.3	0.9	5.5	-	-	-	-	6.5	-	-
	F	18	1	4	4.2	0.8	4.4	-	-	-	-	-	-	5.3
Diabetes	M	34	-	5	11.6	-	4.2	-	-	-	-	-	-	-
	F	35	-	6	7.5	-	6.8	-	-	-	-	-	-	-
ALL VASCULAR DISEASE	M	562	2	137	193.2	1.5	149.8	-	-	-	-	-	-	10.6
	F	666	2	50	127.1	1.8	54.8	-	-	-	-	6.7	5.7	-
Rheumatic heart disease and fever	M	1	-	-	0.3	-	-	-	-	-	-	-	-	-
	F	5	-	1	1.0	-	1.1	-	-	-	-	-	-	-
Hypertensive disease	M	14	-	1	4.6	-	1.5	-	-	-	-	-	-	-
	F	20	-	-	3.8	-	-	-	-	-	-	-	-	-
Ischaemic heart disease	M	185	1	62	64.9	0.8	65.9	-	-	-	-	-	-	5.3
	F	130	-	14	25.7	-	16.6	-	-	-	-	-	-	-
Pulmonary embolism and other venous	M	30	-	13	10.7	-	14.3	-	-	-	-	-	-	-
	F	44	-	7	9.6	-	7.2	-	-	-	-	-	-	-
Cerebrovascular disease	M	130	-	23	44.3	-	26.6	-	-	-	-	-	-	-
	F	198	1	10	37.4	0.8	10.6	-	-	-	-	-	5.7	-
Other vascular disease	M	202	1	38	68.4	0.8	41.4	-	-	-	-	-	-	5.3
	F	269	1	18	49.6	1.0	19.2	-	-	-	-	6.7	-	-
Chronic obstructive pulmonary disease	M	74	-	8	25.3	-	10.7	-	-	-	-	-	-	-
	F	53	-	10	11.7	-	12.2	-	-	-	-	-	-	-
Other respiratory disease	M	53	-	6	17.6	-	7.2	-	-	-	-	-	-	-
	F	86	1	11	18.0	1.0	12.1	7.1	-	-	-	-	-	-
Peptic ulcer	M	1	-	-	0.3	-	-	-	-	-	-	-	-	-
	F	3	-	1	0.9	-	1.0	-	-	-	-	-	-	-
Liver cirrhosis	M	39	1	28	14.7	0.8	27.3	-	-	-	-	-	-	5.3
	F	26	-	16	8.4	-	16.6	-	-	-	-	-	-	-
Renal disease	M	35	-	1	11.5	-	1.1	-	-	-	-	-	-	-
	F	25	-	3	5.1	-	3.2	-	-	-	-	-	-	-
Pregnancy, birth	F	1	-	1	0.3	-	0.7	-	-	-	-	-	-	-
Congenital and perinatal causes	M	10	9	1	5.1	8.7	0.7	54.1	-	-	6.5	-	-	-
	F	8	6	2	4.2	6.1	2.1	42.7	-	-	-	-	-	-
Ill-defined causes	M	42	2	16	14.9	1.5	17.5	-	-	-	-	-	-	10.6
	F	70	1	13	15.2	0.8	12.5	-	-	-	-	-	5.7	-
Other medical causes	M	179	2	42	60.9	1.9	43.0	6.8	-	-	6.5	-	-	-
	F	254	4	21	50.7	3.7	21.4	7.1	-	-	13.6	-	-	5.3
ALL NON-MEDICAL CAUSES	M	163	28	67	59.1	24.2	57.0	6.8	-	12.7	12.9	72.0	33.6	31.7
	F	94	11	27	24.8	9.7	24.3	14.2	-	-	6.8	13.4	17.1	16.0
Road traffic accidents	M	11	2	6	4.1	1.7	5.7	-	-	-	6.5	-	5.6	-
	F	4	-	2	1.1	-	1.7	-	-	-	-	-	-	-
Fire	M	1	-	-	0.4	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	M	43	7	29	15.7	6.0	23.1	-	-	6.3	-	19.6	5.6	10.6
	F	11	2	8	4.0	1.6	7.0	-	-	-	-	-	5.7	5.3
POPULATION:	M=		male		252.3	113.6	118.1	14.8	15.5	15.8	15.5	15.3	17.8	18.9
(1000s; UN, 2015 revision)	F=female				255.6	109.4	115.3	14.1	14.4	15.0	14.7	14.9	17.5	18.8

MACEDONIA, The Former Yugoslav Republic of: 2010

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
		M	F	M	F	M	F	M	F	M	F	M	F	M
ALL CAUSES	M	10168	323	3944	1125.6	65.6	1113.1	190.9	17.2	15.7	47.5	53.3	62.2	72.2
	F	8945	191	2283	759.1	42.8	601.7	167.8	11.5	10.5	23.0	18.2	22.1	46.5
Tuberculosis	M	24	2	16	2.5	0.3	4.5	-	-	-	1.3	-	1.2	-
	F	8	-	3	0.7	-	0.7	-	-	-	-	-	-	-
Other infective and parasitic	M	19	11	6	2.2	2.6	1.4	13.9	1.6	-	-	2.5	-	-
	F	11	3	7	1.1	0.7	1.7	3.6	-	-	-	-	-	1.3
ALL CANCER	M	2211	28	1253	231.9	5.1	353.1	-	4.7	4.3	3.9	5.0	9.4	8.7
	F	1474	24	809	129.2	4.5	203.5	1.8	1.6	-	1.4	1.3	6.2	19.4
Mouth and pharynx cancer	M	31	-	22	3.2	-	5.8	-	-	-	-	-	-	-
	F	17	-	9	1.5	-	2.5	-	-	-	-	-	-	-
Oesophagus cancer	M	18	-	14	1.8	-	3.2	-	-	-	-	-	-	-
	F	4	-	4	0.4	-	0.9	-	-	-	-	-	-	-
Stomach cancer	M	252	-	126	26.7	-	36.7	-	-	-	-	-	-	-
	F	126	3	59	10.9	0.5	15.4	-	-	-	-	-	1.2	2.6
Colorectal cancer	M	219	2	128	23.3	0.3	37.3	-	-	-	-	-	2.4	-
	F	163	1	70	14.0	0.2	18.6	-	-	-	-	-	-	1.3
Liver cancer	M	127	-	79	13.2	-	23.3	-	-	-	-	-	-	-
	F	78	-	29	6.7	-	7.9	-	-	-	-	-	-	-
Pancreas cancer	M	118	1	66	12.5	0.2	18.9	-	-	-	-	-	1.2	-
	F	71	-	31	6.0	-	8.1	-	-	-	-	-	-	-
Larynx cancer	M	96	-	66	9.9	-	18.6	-	-	-	-	-	-	-
	F	4	-	3	0.4	-	0.7	-	-	-	-	-	-	-
Lung cancer	M	667	2	449	68.4	0.3	124.7	-	-	-	-	-	1.2	1.2
	F	135	-	93	12.1	-	22.9	-	-	-	-	-	-	-
Malignant melanoma	M	37	-	21	4.0	-	5.6	-	-	-	-	-	-	-
	F	19	-	12	1.7	-	2.6	-	-	-	-	-	-	-
Female breast cancer	F	308	3	208	27.6	0.6	50.1	-	-	-	-	-	-	3.9
Cervix cancer	F	31	1	20	2.7	0.2	4.9	-	-	-	-	-	1.2	-
Other uterine cancer	F	108	1	60	9.5	0.2	14.7	-	-	-	-	-	-	1.3
Ovarian cancer	F	96	1	55	8.4	0.2	13.5	-	-	-	-	-	1.2	-
Prostate cancer	M	165	-	34	18.7	-	10.2	-	-	-	-	-	-	-
Bladder cancer	M	94	-	35	10.1	-	11.1	-	-	-	-	-	-	-
	F	22	1	10	1.9	0.2	2.7	-	-	-	-	-	-	1.3
Other and ill-defined cancer sites	M	278	10	152	29.0	1.9	41.3	-	3.1	-	2.6	2.5	2.4	2.5
	F	238	9	121	20.8	1.8	31.6	1.8	1.6	-	1.4	1.3	1.2	5.2
Hodgkin's disease	M	12	5	7	1.1	0.9	1.6	-	-	-	-	2.5	1.2	2.5
	F	4	1	-	0.3	0.2	-	-	-	-	-	-	-	1.3
Myeloma and non- Hodgkin lymphomas	M	35	2	20	3.6	0.4	5.2	-	1.6	-	-	-	-	1.2
	F	18	-	11	1.6	-	2.9	-	-	-	-	-	-	-
Leukaemia	M	62	6	34	6.3	1.1	9.6	-	-	4.3	1.3	-	1.2	1.2
	F	32	3	14	2.8	0.5	3.4	-	-	-	-	-	1.2	2.6
Diabetes	M	308	1	108	34.0	0.2	31.3	-	-	-	-	-	-	1.2
	F	429	1	105	35.5	0.2	30.1	-	-	-	-	-	-	1.3
ALL VASCULAR DISEASE	M	5500	41	1685	624.8	7.5	492.6	1.7	3.1	1.4	12.8	7.4	8.2	17.4
	F	5567	25	976	463.4	4.8	269.4	3.6	1.6	1.5	5.4	3.9	6.2	11.6
Rheumatic heart disease and fever	M	9	1	3	0.9	0.2	0.7	-	-	-	1.3	-	-	-
	F	5	-	3	0.5	-	0.8	-	-	-	-	-	-	-
Hypertensive disease	M	283	-	73	32.7	-	22.2	-	-	-	-	-	-	-
	F	398	-	48	32.9	-	13.2	-	-	-	-	-	-	-
Ischaemic heart disease	M	1086	5	557	116.7	0.9	154.8	-	-	-	-	1.2	-	5.0
	F	666	3	223	56.4	0.5	60.3	-	-	-	-	-	1.2	2.6
Pulmonary embolism and other venous	M	14	1	7	1.5	0.2	2.5	-	-	-	-	-	-	1.2
	F	17	1	6	1.5	0.2	1.5	-	-	-	-	-	-	1.3
Cerebrovascular disease	M	1801	12	506	202.7	2.1	152.7	-	-	-	2.6	3.7	4.7	3.7
	F	2017	7	381	167.5	1.3	106.2	-	-	1.5	2.7	2.6	-	2.6
Other vascular disease	M	2307	22	539	270.3	4.1	159.7	1.7	3.1	1.4	9.0	2.5	3.5	7.5
	F	2464	14	315	204.8	2.8	87.5	3.6	1.6	-	2.7	1.3	4.9	5.2
Chronic obstructive pulmonary disease	M	235	3	66	26.5	0.6	20.6	-	1.6	-	-	2.5	-	-
	F	152	3	34	12.9	0.6	9.2	-	1.6	-	-	-	-	2.6
Other respiratory disease	M	166	7	53	19.0	1.5	15.9	5.2	1.6	-	2.6	-	1.2	-
	F	158	5	39	13.4	1.1	10.2	3.6	-	1.5	-	-	2.5	-
Peptic ulcer	M	26	1	9	2.9	0.2	2.4	-	-	-	-	-	-	1.2
	F	14	-	2	1.1	-	0.6	-	-	-	-	-	-	-
Liver cirrhosis	M	130	1	94	13.4	0.2	24.5	-	-	-	-	-	1.2	-
	F	41	-	21	3.5	-	5.1	-	-	-	-	-	-	-
Renal disease	M	146	1	64	15.8	0.2	18.2	-	-	-	-	-	-	1.2
	F	114	2	45	9.7	0.4	12.3	-	-	-	1.4	-	-	1.3
Pregnancy, birth Congenital and perinatal causes	F	2	1	1	0.2	0.2	0.2	-	-	-	-	-	-	1.3
	M	87	85	2	11.9	20.9	0.4	144.0	-	-	1.3	-	-	1.2
	F	70	69	1	9.9	17.6	0.2	116.8	-	1.5	1.4	3.9	-	-
Ill-defined causes	M	672	33	265	75.2	6.4	71.9	12.2	1.6	2.9	5.1	5.0	8.2	10.0
	F	578	20	107	49.5	4.8	26.9	23.7	1.6	3.0	4.0	1.3	-	-
Other medical causes	M	222	14	94	23.7	2.9	24.4	6.9	1.6	2.9	1.3	2.5	2.4	2.5
	F	161	11	62	14.1	2.5	15.5	7.3	3.3	3.0	2.7	-	1.2	-
ALL NON- MEDICAL CAUSES	M	422	95	229	41.9	17.1	51.8	6.9	1.6	4.3	19.3	28.5	30.5	28.6
	F	166	27	71	14.8	5.3	16.1	7.3	1.6	-	6.8	7.8	6.2	7.8
Road traffic accidents	M	98	37	51	9.2	6.7	10.7	3.5	-	1.4	6.4	11.2	14.1	10.0
	F	30	12	17	2.9	2.5	3.8	5.5	1.6	-	-	5.2	1.2	3.9
Fire	M	5	-	3	0.5	-	0.6	-	-	-	-	-	-	-
	F	4	-	2	0.3	-	0.4	-	-	-	-	-	-	-
Suicide	M	87	16	57	8.4	2.8	12.7	-	-	1.4	1.3	6.2	4.7	6.2
	F	35	2	25	3.1	0.4	5.5	-	-	-	1.4	-	1.2	-
POPULATION:				M=male	1027.5	515.8	447.2	57.6	64.1	70.1	77.8	80.6	85.3	80.3
(1000s; UN, 2015 revision)				F=female	1034.9	492.0	454.1	54.8	60.9	66.8	74.1	76.7	81.3	77.4

MALTA: 2010

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	1489	54	473	607.1	58.8	530.8	149.6	-	16.4	37.6	60.9	39.5	107.5
	F	1521	22	281	424.5	29.9	292.3	116.7	-	22.1	7.1	29.5	27.9	6.2
Tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	0.4	-	-	-	-	-	-	-	-	-
Other infective and parasitic	M	1	-	1	0.5	-	1.0	-	-	-	-	-	-	-
	F	3	-	-	0.9	-	-	-	-	-	-	-	-	-
ALL CANCER	M	455	5	215	179.0	5.2	241.1	-	-	16.4	7.5	-	-	12.6
	F	397	3	170	130.2	4.0	175.4	10.6	-	7.4	-	9.8	-	-
Mouth and pharynx cancer	M	12	-	8	5.3	-	9.1	-	-	-	-	-	-	-
	F	7	-	3	2.2	-	3.1	-	-	-	-	-	-	-
Oesophagus cancer	M	5	-	-	1.8	-	-	-	-	-	-	-	-	-
	F	4	-	-	1.1	-	-	-	-	-	-	-	-	-
Stomach cancer	M	22	-	9	8.5	-	11.2	-	-	-	-	-	-	-
	F	9	-	1	2.8	-	1.0	-	-	-	-	-	-	-
Colorectal cancer	M	60	-	28	23.5	-	31.8	-	-	-	-	-	-	-
	F	51	-	22	15.6	-	23.6	-	-	-	-	-	-	-
Liver cancer	M	8	-	6	3.1	-	6.3	-	-	-	-	-	-	-
	F	4	-	1	1.3	-	0.9	-	-	-	-	-	-	-
Pancreas cancer	M	41	-	23	16.1	-	25.3	-	-	-	-	-	-	-
	F	32	-	14	11.2	-	14.4	-	-	-	-	-	-	-
Larynx cancer	M	4	-	3	1.5	-	3.0	-	-	-	-	-	-	-
	F	1	-	-	0.3	-	-	-	-	-	-	-	-	-
Lung cancer	M	122	-	62	47.1	-	69.7	-	-	-	-	-	-	-
	F	37	-	19	12.6	-	20.0	-	-	-	-	-	-	-
Malignant melanoma	M	3	-	1	1.3	-	1.4	-	-	-	-	-	-	-
	F	3	-	1	1.2	-	1.0	-	-	-	-	-	-	-
Female breast cancer	F	79	-	37	26.6	-	37.9	-	-	-	-	-	-	-
Cervix cancer	F	2	-	-	0.6	-	-	-	-	-	-	-	-	-
Other uterine cancer	F	17	-	8	6.0	-	8.0	-	-	-	-	-	-	-
Ovarian cancer	F	37	-	21	13.3	-	21.5	-	-	-	-	-	-	-
Prostate cancer	M	30	-	4	11.5	-	4.3	-	-	-	-	-	-	-
Bladder cancer	M	29	-	9	11.4	-	9.6	-	-	-	-	-	-	-
	F	4	-	-	1.1	-	-	-	-	-	-	-	-	-
Other and ill-defined cancer sites	M	81	1	42	32.2	1.2	46.5	-	-	8.2	-	-	-	-
	F	76	2	30	24.0	2.5	30.3	-	-	7.4	-	9.8	-	-
Hodgkin's disease	M	1	-	1	0.3	-	0.9	-	-	-	-	-	-	-
	F	2	-	-	0.6	-	-	-	-	-	-	-	-	-
Myeloma and non-Hodgkin lymphomas	M	17	1	10	6.9	0.9	11.3	-	-	-	-	-	-	6.3
	F	18	-	8	5.2	-	8.6	-	-	-	-	-	-	-
Leukaemia	M	20	3	9	8.5	3.1	10.6	-	-	8.2	7.5	-	-	6.3
	F	14	1	5	4.6	1.5	4.9	10.6	-	-	-	-	-	-
Diabetes	M	47	-	18	18.8	-	20.3	-	-	-	-	-	-	-
	F	56	-	7	15.0	-	7.3	-	-	-	-	-	-	-
ALL VASCULAR DISEASE	M	510	2	135	206.8	1.8	151.4	-	-	-	-	-	-	12.6
	F	642	3	54	163.9	3.3	56.4	-	-	7.4	-	-	9.3	6.2
Rheumatic heart disease and fever	M	2	-	1	0.7	-	1.4	-	-	-	-	-	-	-
	F	5	-	1	1.5	-	1.1	-	-	-	-	-	-	-
Hypertensive disease	M	7	-	2	3.0	-	2.4	-	-	-	-	-	-	-
	F	26	-	3	5.8	-	3.3	-	-	-	-	-	-	-
Ischaemic heart disease	M	319	1	91	129.3	0.9	101.3	-	-	-	-	-	-	6.3
	F	327	-	23	85.0	-	24.5	-	-	-	-	-	-	-
Pulmonary embolism and other venous	M	5	-	1	2.1	-	1.0	-	-	-	-	-	-	-
	F	10	1	1	3.0	1.3	0.9	-	-	-	-	-	9.3	-
Cerebrovascular disease	M	103	1	20	41.4	0.9	22.6	-	-	-	-	-	-	6.3
	F	161	1	12	40.0	1.1	12.2	-	-	7.4	-	-	-	-
Other vascular disease	M	74	-	20	30.4	-	22.8	-	-	-	-	-	-	-
	F	113	1	14	28.6	0.9	14.3	-	-	-	-	-	-	6.2
Chronic obstructive pulmonary disease	M	72	1	8	29.0	1.1	9.1	-	-	-	7.5	-	-	-
	F	18	-	1	4.6	-	1.0	-	-	-	-	-	-	-
Other respiratory disease	M	92	-	10	37.2	-	11.8	-	-	-	-	-	-	-
	F	111	-	10	26.8	-	10.4	-	-	-	-	-	-	-
Peptic ulcer	M	2	-	1	0.9	-	1.0	-	-	-	-	-	-	-
	F	3	-	-	0.8	-	-	-	-	-	-	-	-	-
Liver cirrhosis	M	16	-	11	6.2	-	13.0	-	-	-	-	-	-	-
	F	4	-	2	1.4	-	2.2	-	-	-	-	-	-	-
Renal disease	M	22	-	3	8.9	-	2.9	-	-	-	-	-	-	-
	F	28	-	4	7.1	-	4.5	-	-	-	-	-	-	-
Pregnancy, birth	F	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital and perinatal causes	M	14	12	-	10.0	16.6	-	109.7	-	-	-	6.8	-	-
	F	13	10	1	9.5	15.2	0.9	106.1	-	-	-	-	-	-
Ill-defined causes	M	17	2	4	7.2	1.9	4.1	-	-	-	-	6.8	6.6	-
	F	16	-	1	3.5	-	1.1	-	-	-	-	-	-	-
Other medical causes	M	152	9	26	62.2	10.3	30.6	39.9	-	-	-	13.5	-	19.0
	F	199	-	23	49.8	-	24.5	-	-	-	-	-	-	-
ALL NON-MEDICAL CAUSES	M	89	23	41	40.5	21.8	44.5	-	-	-	22.6	33.9	32.9	63.2
	F	30	6	8	10.5	7.5	8.4	-	-	7.4	7.1	19.7	18.6	-
Road traffic accidents	M	11	6	3	5.0	5.7	3.4	-	-	-	7.5	6.8	-	25.3
	F	5	4	-	2.6	4.8	-	-	-	7.4	7.1	9.8	9.3	-
Fire	M	1	-	-	0.4	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	M	29	6	20	14.1	5.9	21.4	-	-	-	15.1	6.8	6.6	12.6
	F	2	-	2	0.7	-	2.1	-	-	-	-	-	-	-
POPULATION:														
(1000s; UN, 2015 revision)			M=male		204.7	91.9	94.2	10.0	10.6	12.2	13.3	14.8	15.2	15.8
			F=female		207.4	85.6	96.7	9.4	11.3	13.6	14.1	10.2	10.8	16.3

2010: MALTA

Annual death rates / 100,000 (zero denoted by -)										9th ICD/10th ICD categories		
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
101.2	178.0	178.0	359.7	597.4	929.4	1372.0	2078.6	4902.9	11102.2	M	ALL CAUSES	001-999/A00-Y89
21.1	60.8	136.1	211.5	288.2	606.8	721.6	1459.2	4315.2	8601.2	F		
-	-	-	-	-	-	-	-	-	-	M	Tuberculosis	010-018, 137/ A15-A19, B90
7.2	-	-	-	-	-	-	-	18.8	-	F	Other infective and parasitic	Rest of 001-139,279.5&.6/ rest of A00-B99 excl A33,A34
-	-	-	-	-	-	-	-	37.5	10.2	F		
7.2	23.2	54.8	148.1	280.2	517.8	656.2	897.1	1310.4	1900.4	M	ALL CANCER	140-208/C00-C97
21.1	30.4	93.1	155.1	184.7	382.5	360.8	533.4	1275.8	1050.9	F		
-	15.5	6.8	14.1	7.4	-	19.9	21.9	22.6	20.0	M	Mouth and pharynx cancer	140-149/C00-C14
-	-	-	-	7.4	6.6	8.0	-	37.5	20.4	F		
-	-	-	-	-	-	-	32.8	-	40.0	M	Oesophagus cancer	150/C15
-	-	-	-	-	-	-	10.1	18.8	20.4	F		
-	-	-	-	22.1	6.6	49.7	65.6	45.2	100.0	M	Stomach cancer	151/C16
-	-	7.2	-	-	-	-	10.1	56.3	40.8	F		
-	-	6.8	7.0	29.5	79.7	99.4	65.6	180.8	360.1	M	Colorectal cancer	153, 154/C18-C21
-	-	-	14.1	29.6	33.0	88.2	40.2	150.1	173.4	F		
-	-	-	7.0	7.4	19.9	9.9	10.9	-	20.0	M	Liver cancer	155.0/C22 excl C221
-	-	-	-	-	6.6	-	-	37.5	10.2	F		
-	7.7	-	14.1	29.5	66.4	59.6	54.7	113.0	160.0	M	Pancreas cancer	157/C25
-	7.6	7.2	21.1	14.8	26.4	24.1	30.2	168.9	61.2	F		
-	-	-	-	7.4	13.3	-	-	-	20.0	M	Larynx cancer	161/C32
-	-	-	-	-	-	-	10.1	-	-	F		
-	-	13.7	49.4	66.4	159.3	198.8	306.3	361.5	320.1	M	Lung cancer	162/C33, C34
-	15.2	-	21.1	14.8	33.0	56.1	60.4	112.6	61.2	F		
-	-	-	-	-	-	9.9	-	45.2	-	M	Malignant melanoma	172/C43
-	-	-	7.0	-	-	-	10.1	18.8	-	F		
7.0	-	14.3	42.3	51.7	85.7	64.1	110.7	281.4	163.2	F	Female breast cancer	174/C50
-	-	-	-	-	-	-	20.1	-	-	F	Cervix cancer	180/C53
-	-	-	14.1	7.4	26.4	8.0	40.2	75.0	10.2	F	Other uterine cancer	179, 182/C54, C55
7.0	-	28.6	21.1	22.2	39.6	32.1	80.5	75.0	40.8	F	Ovarian cancer	183/C56, C570-C574
-	-	-	7.0	-	13.3	9.9	98.5	67.8	280.1	M	Prostate cancer	185/C61
-	-	-	7.0	7.4	33.2	19.9	43.8	135.6	200.0	M	Bladder cancer	188/C67
-	-	-	-	-	-	-	10.1	18.8	20.4	F		
7.2	-	27.4	28.2	73.8	79.7	109.4	175.0	158.2	300.1	M	Other and ill-defined cancer sites	Rest of 140-199/ rest of C00-C80, C97
-	7.6	21.5	7.0	37.0	98.9	40.1	80.5	187.6	265.3	F		
-	-	-	-	-	6.6	-	-	-	-	M	Hodgkin's disease	201/C81
-	-	-	-	-	-	-	-	18.8	10.2	F		
7.0	-	-	7.0	22.1	19.9	29.8	21.9	67.8	20.0	M	Myeloma and non- Hodgkin lymphomas	200, 202-203/ C82-C90, C96
-	-	-	-	-	13.2	40.1	20.1	18.8	71.4	F		
-	-	-	7.0	7.4	19.9	39.8	-	113.0	60.0	M	Leukaemia	204-208/C91-C95
-	-	14.3	7.0	-	13.2	-	-	-	81.6	F		
-	-	6.8	21.2	14.8	39.8	59.6	65.6	158.2	320.1	M	Diabetes	250/E10-E14
-	-	-	-	7.4	19.8	24.1	60.4	225.1	316.3	F		
7.2	54.2	68.5	127.0	206.5	219.1	377.8	656.4	2010.8	4480.9	M	ALL VASCULAR DISEASE	390-459/I00-I99
-	15.2	14.3	35.2	59.1	118.7	152.3	533.4	1932.5	4377.1	F		
-	-	-	-	-	-	9.9	10.9	-	-	M	Rheumatic heart disease and fever	390-398/I00-I09
-	-	-	-	-	-	8.0	-	37.5	20.4	F		
-	-	6.8	-	-	-	9.9	-	45.2	60.0	M	Hypertensive disease	401-405/I10-I15
-	-	7.2	-	-	-	16.0	-	-	234.7	F		
7.2	15.5	41.1	91.7	162.2	152.7	238.6	426.6	1310.4	2600.5	M	Ischaemic heart disease	410-414/I20-I25
-	7.6	7.2	21.1	22.2	33.0	80.2	301.9	1238.3	2122.2	F		
-	-	6.8	-	-	-	-	10.9	45.2	20.0	M	Pulmonary embolism and other venous	415.1, 451-453/ 126, 180-182
-	-	-	-	-	6.6	-	10.1	37.5	51.0	F		
-	7.7	-	14.1	36.9	39.8	59.6	142.2	429.3	1000.2	M	Cerebrovascular disease	430-438/I60-I69
-	-	-	7.0	14.8	39.6	24.1	120.8	412.8	1163.2	F		
-	30.9	13.7	21.2	7.4	26.6	59.6	65.6	180.8	800.2	M	Other vascular disease	Rest of 390-459/ rest of I00-I99
-	7.6	-	7.0	22.2	39.6	24.1	100.6	206.4	785.6	F		
-	-	-	-	7.4	26.6	29.8	98.5	429.3	700.1	M	Chronic obstructive pulmonary disease	490-496/ J40-J47, J67
-	-	-	7.0	-	-	-	30.2	37.5	122.4	F		
-	15.5	-	7.0	7.4	13.3	39.8	65.6	248.5	1300.3	M	Other respiratory disease	Rest of 460-519/ rest of J00-J98
-	-	-	7.0	7.4	26.4	32.1	100.6	187.6	826.5	F		
-	-	-	7.0	-	-	-	-	-	20.0	M	Peptic ulcer	531-533/K25-K27
-	-	-	-	-	-	-	-	18.8	20.4	F		
-	-	6.8	7.0	7.4	19.9	49.7	43.8	22.6	-	M	Liver cirrhosis	571/K70, K74
-	-	-	-	7.4	-	8.0	10.1	18.8	-	F		
-	-	-	-	-	19.9	-	21.9	203.3	160.0	M	Renal disease	580-590/N00-N19
-	-	-	-	7.4	-	24.1	10.1	75.0	193.9	F		
-	-	-	-	-	-	-	-	-	-	M	Pregnancy, birth Congenital and perinatal causes	630-676/A34, O00-O99 740-779/A33, P00-P96, Q00-Q99
-	-	-	-	-	6.6	-	10.1	18.8	-	F		
-	-	-	7.0	14.8	6.6	-	-	45.2	180.0	M	Ill-defined causes	780-799/R00-R99
-	-	-	-	-	-	8.0	-	18.8	142.8	F		
-	15.5	6.8	-	29.5	53.1	109.4	186.0	361.5	1680.3	M	Other medical causes	Rest of 001-799/ rest of A00-R99
-	7.6	21.5	-	14.8	39.6	88.2	150.9	431.5	1408.0	F		
79.5	69.7	34.2	35.3	29.5	13.3	49.7	32.8	113.0	340.1	M	ALL NON- MEDICAL CAUSES	E800-E999/V01-Y89
-	7.6	7.2	7.0	-	13.2	24.1	20.1	18.8	132.6	F		
7.2	-	6.8	-	-	-	9.9	-	22.6	20.0	M	Road traffic accidents	E810-E819, E826-E829/ part of V01-V99, Y850
-	-	-	-	-	-	-	10.1	-	-	F		
-	-	-	-	-	-	-	-	-	20.0	M	Fire	E890-E899/X00-X09
-	-	-	-	-	-	-	-	-	-	F		
36.2	61.9	6.8	21.2	7.4	6.6	9.9	10.9	22.6	20.0	M	Suicide	E950-E959/X60-X84
-	-	-	-	-	6.6	8.0	-	-	-	F		
13.8	12.9	14.6	14.2	13.6	15.1	10.1	9.1	4.4	5.0	M	POPULATION	
14.2	13.2	14.0	14.2	13.5	15.2	12.5	9.9	5.3	9.8	F	(1000s; UN, 2015 revision)	

MOLDOVA, Republic of: 2010

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	23211	1537	12584	1439.4	143.1	1926.1	297.5	25.9	30.5	71.0	119.9	167.4	289.8
	F	20420	612	6937	850.1	64.5	932.6	199.7	25.6	23.3	31.2	30.6	52.1	88.8
Tuberculosis	M	468	78	371	23.9	6.5	42.8	-	-	-	1.2	3.3	15.7	25.5
	F	67	16	46	3.0	1.3	5.0	-	-	-	-	1.0	5.0	3.2
Other infective and parasitic	M	82	35	46	4.3	3.5	5.2	11.5	-	-	-	-	6.5	6.4
	F	58	26	24	2.8	2.7	2.8	6.5	1.0	0.8	-	1.5	1.7	7.1
ALL CANCER	M	3231	106	2182	197.8	9.5	350.6	9.7	5.5	4.8	9.5	11.5	10.3	15.3
	F	2401	95	1415	106.8	8.9	183.1	2.8	3.9	9.2	4.9	5.4	10.1	25.7
Mouth and pharynx cancer	M	228	8	186	13.1	0.7	27.1	-	-	0.8	0.6	1.0	1.1	1.3
	F	25	2	13	1.1	0.2	1.4	-	-	-	0.6	-	-	0.6
Oesophagus cancer	M	64	-	49	3.8	-	7.5	-	-	-	-	-	-	-
	F	6	1	2	0.3	0.1	0.3	-	-	-	-	-	-	0.6
Stomach cancer	M	312	3	211	19.5	0.3	35.4	-	-	-	-	-	0.5	1.3
	F	170	5	92	7.4	0.4	10.9	-	-	-	0.6	0.5	0.6	1.3
Colorectal cancer	M	374	4	227	23.7	0.4	39.5	0.9	-	-	-	-	0.5	1.3
	F	346	5	180	15.2	0.4	25.4	-	-	-	-	0.5	-	2.6
Liver cancer	M	260	5	184	15.8	0.4	28.8	-	0.9	-	-	1.0	0.5	0.6
	F	154	2	76	6.6	0.2	9.5	-	-	-	-	-	0.6	0.6
Pancreas cancer	M	190	2	135	11.7	0.2	21.1	-	-	-	-	-	-	1.3
	F	155	-	79	6.8	-	10.8	-	-	-	-	-	-	-
Larynx cancer	M	138	-	108	8.2	-	16.3	-	-	-	-	-	-	-
	F	5	-	2	0.2	-	0.2	-	-	-	-	-	-	-
Lung cancer	M	746	9	554	45.4	0.8	88.1	-	-	-	1.2	0.5	1.1	2.5
	F	181	4	98	8.0	0.4	13.4	-	-	0.8	-	-	-	1.9
Malignant melanoma	M	28	1	19	1.6	0.1	2.7	-	-	-	-	0.5	-	-
	F	27	1	16	1.2	0.1	2.0	-	-	-	-	-	-	0.6
Female breast cancer	F	457	4	313	20.6	0.4	39.5	-	-	-	-	-	0.6	1.9
Cervix cancer	F	192	13	129	8.7	1.2	15.5	-	-	-	-	-	1.1	7.1
Other uterine cancer	F	108	1	70	4.9	0.1	9.2	-	-	-	-	-	-	0.6
Ovarian cancer	F	99	9	68	4.5	0.8	8.5	-	1.0	0.8	-	1.5	1.1	1.3
Prostate cancer	M	200	-	82	13.6	-	17.2	-	-	-	-	-	-	-
Bladder cancer	M	113	-	56	7.5	-	10.4	-	-	-	-	-	-	-
	F	17	-	8	0.7	-	1.1	-	-	-	-	-	-	-
Other and ill-defined cancer sites	M	434	42	292	25.7	3.9	45.0	6.2	4.6	0.8	4.1	4.8	3.2	3.8
	F	320	22	191	14.4	2.2	25.1	1.9	2.0	3.3	1.8	1.5	2.8	1.9
Hodgkin's disease	M	16	6	9	0.8	0.5	1.1	-	-	-	-	0.5	2.2	0.6
	F	17	8	6	0.8	0.7	0.8	-	-	0.8	-	1.0	1.1	1.9
Myeloma and non-Hodgkin lymphomas	M	65	14	38	3.7	1.2	5.7	1.8	-	-	2.4	1.9	0.5	1.9
	F	63	6	40	2.9	0.6	5.4	0.9	-	-	0.6	-	1.1	1.3
Leukaemia	M	63	12	32	3.7	1.1	4.5	0.9	-	3.2	1.2	1.4	0.5	0.6
	F	59	12	32	2.8	1.2	4.0	-	1.0	3.3	1.2	0.5	1.1	1.3
Diabetes	M	179	6	108	11.2	0.5	18.5	-	-	-	0.6	1.4	-	1.3
	F	180	5	94	8.0	0.4	13.5	-	-	0.8	-	1.0	-	1.3
ALL VASCULAR DISEASE	M	11209	96	4448	745.1	8.2	762.8	2.7	-	0.8	3.5	4.8	17.9	27.4
	F	13303	23	2807	528.6	2.1	413.5	1.9	-	0.8	2.5	1.0	2.8	5.8
Rheumatic heart disease and fever	M	65	5	50	3.7	0.5	6.8	-	-	0.8	-	-	1.1	1.3
	F	80	-	61	3.6	-	7.7	-	-	-	-	-	-	-
Hypertensive disease	M	334	-	109	22.6	-	20.0	-	-	-	-	-	-	-
	F	537	-	130	21.8	-	20.3	-	-	-	-	-	-	-
Ischaemic heart disease	M	7506	52	2673	505.6	4.3	470.9	-	-	-	1.8	2.9	9.2	16.6
	F	9060	6	1497	354.5	0.5	228.8	-	-	-	-	0.5	0.6	2.6
Pulmonary embolism and other venous	M	45	1	39	2.6	0.1	5.6	-	-	-	-	-	0.5	-
	F	32	-	23	1.5	-	2.8	-	-	-	-	-	-	-
Cerebrovascular disease	M	2824	17	1250	185.5	1.5	214.0	0.9	-	-	0.6	1.0	2.7	5.1
	F	3348	6	953	136.5	0.5	137.1	-	-	-	0.6	-	1.1	1.9
Other vascular disease	M	435	21	327	25.1	1.8	45.6	1.8	-	-	1.2	1.0	4.3	4.5
	F	246	11	143	10.6	1.1	16.8	1.9	-	0.8	1.8	0.5	1.1	1.3
Chronic obstructive pulmonary disease	M	878	4	344	59.1	0.3	63.2	-	-	-	1.2	-	0.5	0.6
	F	547	-	95	21.4	-	14.1	-	-	-	-	-	-	-
Other respiratory disease	M	736	87	585	41.0	9.1	76.0	37.2	-	0.8	1.2	2.9	7.6	14.0
	F	272	43	168	12.9	5.0	19.0	24.3	1.0	0.8	-	1.5	2.8	4.5
Peptic ulcer	M	153	7	119	8.7	0.6	16.4	-	-	-	-	-	1.1	3.2
	F	43	-	25	1.9	-	3.0	-	-	-	-	-	-	-
Liver cirrhosis	M	1780	60	1415	102.2	5.2	198.6	1.8	-	-	1.2	2.4	7.0	24.2
	F	1725	23	1259	78.3	2.0	158.9	-	-	-	-	-	2.8	11.6
Renal disease	M	118	17	62	7.2	1.4	10.3	-	0.9	0.8	1.2	2.4	2.7	1.9
	F	118	4	61	5.0	0.3	7.4	-	-	-	-	0.5	0.6	1.3
Pregnancy, birth	F	18	15	3	0.7	1.2	0.3	-	-	-	0.6	3.5	2.2	1.9
Congenital and perinatal causes	M	222	216	5	15.4	27.1	0.5	185.0	0.9	-	0.6	0.5	1.1	1.3
	F	149	143	5	10.8	18.9	0.5	126.9	3.0	0.8	0.6	1.0	-	-
Ill-defined causes	M	189	16	140	10.8	1.5	18.8	4.4	-	-	0.6	1.4	1.6	2.5
	F	84	9	38	3.9	1.1	5.1	7.5	-	-	-	-	0.6	-
Other medical causes	M	1103	124	798	62.0	11.3	107.5	11.5	3.7	4.0	6.5	10.5	7.0	35.7
	F	626	56	395	28.3	5.8	47.7	12.1	7.9	0.8	2.5	3.0	7.3	7.1
ALL NON-MEDICAL CAUSES	M	2863	685	1961	150.7	58.5	254.9	33.6	14.8	19.3	43.8	78.8	88.3	130.6
	F	829	154	502	37.6	14.7	58.6	17.7	8.9	9.2	20.2	11.4	16.2	19.3
Road traffic accidents	M	328	160	152	15.6	12.9	18.8	2.7	4.6	4.0	10.7	27.7	24.9	15.9
	F	85	29	47	3.9	2.6	5.3	1.9	2.0	-	6.7	2.5	2.8	2.6
Fire	M	101	17	66	5.8	1.6	9.5	2.7	-	0.8	-	1.0	2.2	4.5
	F	56	5	18	2.4	0.6	2.2	0.9	1.0	1.7	-	-	-	0.6
Suicide	M	579	134	418	29.5	10.9	51.8	-	-	1.6	9.5	15.8	20.0	29.3
	F	97	24	59	4.4	2.0	7.1	-	-	-	4.3	3.5	1.7	4.5
POPULATION:			M= male		1963.7	1065.7	796.4	113.0	108.2	124.5	169.0	209.4	184.6	157.0
(1000s; UN, 2015 revision)			F=female		2120.8	1028.8	909.1	107.2	101.5	120.3	163.4	202.5	178.5	155.4

2010: Republic of MOLDOVA

Annual death rates / 100,000 (zero denoted by -)									9th ICD/10th ICD categories			
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
477.7	703.7	1061.9	1572.6	2171.0	3167.7	4328.2	6354.0	8964.5	13375.9	M	ALL CAUSES	001-999/A00-Y89
139.6	217.8	402.4	603.3	920.6	1699.5	2544.9	3848.4	6386.3	11794.1	F		
40.3	54.1	62.8	51.6	42.7	34.8	13.0	24.5	19.7	7.6	M	Tuberculosis	010-018, 137/ A15-A19, B90
0.7	4.6	7.5	6.8	4.0	9.0	2.6	2.7	1.9	3.5	F		
11.7	8.9	4.1	4.2	3.2	4.2	-	-	3.3	-	M	Other infective and parasitic	Rest of 001-139, 279.5&6/ rest of A00-B99 excl A33, A34
2.1	3.0	2.5	1.9	2.7	4.5	2.6	5.5	1.9	5.3	F		
30.8	63.0	130.3	264.3	453.1	685.1	827.3	1041.2	974.2	680.1	M	ALL CANCER	140-208/C00-C97
30.6	51.8	95.5	139.1	199.7	336.1	429.2	512.9	571.4	374.3	F		
-	6.5	11.7	31.8	44.3	52.9	42.8	40.0	39.4	15.3	M	Mouth and pharynx cancer	140-149/C00-C14
0.7	0.8	2.5	0.6	2.0	2.2	1.3	6.8	5.6	3.5	F		
0.7	0.8	2.8	7.8	10.5	15.3	14.9	22.2	16.4	-	M	Oesophagus cancer	150/C15
-	-	0.6	-	-	-	1.3	1.4	3.8	-	F		
2.9	10.5	7.6	25.4	38.7	64.0	98.5	93.4	121.4	72.6	M	Stomach cancer	151/C16
1.4	5.3	9.4	12.3	12.1	20.2	15.8	50.6	31.9	33.7	F		
2.9	1.6	8.3	26.1	47.6	59.9	130.1	144.6	173.8	95.5	M	Colorectal cancer	153, 154/C18-C21
0.7	-	4.4	16.0	28.8	42.6	85.3	91.6	104.9	67.4	F		
0.7	2.4	14.5	26.1	37.9	58.5	61.4	77.9	68.9	57.3	M	Liver cancer	155.0/C22 excl C221
0.7	3.8	5.0	11.1	10.1	12.3	23.6	46.5	48.7	28.4	F		
3.7	4.0	11.0	15.6	22.6	55.7	35.3	57.8	45.9	49.7	M	Pancreas cancer	157/C25
0.7	1.5	4.4	6.8	10.7	21.3	30.2	39.7	45.0	40.8	F		
0.7	1.6	9.7	12.0	29.0	27.9	33.5	44.5	23.0	11.5	M	Larynx cancer	161/C32
-	-	-	0.6	0.7	-	-	2.7	-	1.8	F		
5.9	17.8	34.5	60.1	122.5	192.2	184.1	231.4	157.4	118.4	M	Lung cancer	162/C33, C34
1.4	1.5	4.4	8.0	14.7	28.0	35.4	38.3	60.0	33.7	F		
1.5	-	1.4	2.8	4.0	5.6	3.7	8.9	9.8	3.8	M	Malignant melanoma	172/C43
-	1.5	0.6	1.9	2.7	4.5	2.6	4.1	9.4	3.5	F		
8.6	9.1	22.5	31.4	48.2	79.5	77.4	78.0	104.9	47.9	F	Female breast cancer	174/C50
7.1	12.9	13.1	10.5	16.1	22.4	26.2	26.0	37.5	19.5	F	Cervix cancer	180/C53
0.7	1.5	3.1	7.4	10.7	20.2	21.0	26.0	18.7	14.2	F	Other uterine cancer	179, 182/C54, C55
-	3.8	6.2	8.6	8.7	12.3	19.7	15.0	11.2	8.9	F	Ovarian cancer	183/C56, C570-C574
0.7	-	-	4.2	12.1	25.1	78.1	100.1	137.8	118.4	M	Prostate cancer	185/C61
-	0.8	1.4	3.5	9.7	27.9	29.8	44.5	75.4	53.5	M	Bladder cancer	188/C67
-	-	-	-	2.0	3.4	2.6	4.1	5.6	5.3	F		
8.1	13.7	18.6	37.5	58.0	87.7	91.1	133.5	88.6	49.7	M	Other and ill-defined cancer sites	Rest of 140-199/ rest of C00-C80, C97
5.0	6.1	13.7	16.6	25.5	44.8	64.3	57.4	61.8	56.8	F		
0.7	0.8	2.1	2.1	-	-	1.9	2.2	-	-	M	Hodgkin's disease	201/C81
-	-	1.2	-	0.7	1.1	2.6	2.7	-	1.8	F		
1.5	-	4.1	3.5	10.5	5.6	14.9	13.3	9.8	15.3	M	Myeloma and non- Hodgkin lymphomas	200, 202-203/ C82-C90, C96
2.1	0.8	2.5	3.7	3.4	12.3	13.1	12.3	13.1	1.8	F		
0.7	2.4	2.8	5.7	5.6	7.0	7.4	26.7	6.6	19.1	M	Leukaemia	204-208/C91-C95
1.4	3.0	1.9	3.7	2.7	9.0	6.6	9.6	9.4	5.3	F		
4.4	4.8	4.8	7.1	19.4	39.0	50.2	73.4	75.4	34.4	M	Diabetes	250/E10-E14
1.4	1.5	1.2	8.6	11.4	26.9	43.3	52.0	37.5	40.8	F		
80.6	141.4	255.8	453.1	745.7	1418.9	2244.0	4049.1	6432.2	11018.6	M	ALL VASCULAR DISEASE	390-459/I00-I99
21.4	40.4	96.1	161.3	333.6	778.6	1463.4	2662.7	4988.8	10401.5	F		
2.2	2.4	4.1	9.9	8.1	15.3	5.6	17.8	6.6	-	M	Rheumatic heart disease and fever	390-398/I00-I09
0.7	0.8	5.0	5.5	10.7	16.8	14.4	12.3	11.2	7.1	F		
-	3.2	2.8	7.8	22.6	34.8	68.8	171.3	183.7	351.5	M	Hypertensive disease	401-405/I10-I15
-	0.8	1.9	3.1	15.4	44.8	76.1	127.2	221.1	347.7	F		
44.7	84.8	136.5	260.8	413.6	887.0	1468.8	2687.6	4556.0	8344.2	M	Ischaemic heart disease	410-414/I20-I25
7.8	19.0	38.0	72.0	152.8	423.5	888.5	1731.4	3430.1	7912.4	F		
0.7	4.0	4.8	5.7	3.2	16.7	3.7	4.5	3.3	7.6	M	Pulmonary embolism and other venous	415.1, 451-453/ I26, I80-I82
0.7	2.3	0.6	3.1	2.7	7.8	2.6	4.1	3.8	7.1	F		
17.6	27.5	63.4	127.9	238.6	403.8	619.1	1085.7	1600.7	2219.8	M	Cerebrovascular disease	430-438/I60-I69
8.6	12.2	36.2	61.0	126.6	262.1	452.8	760.4	1264.5	2054.4	F		
15.4	19.4	44.1	41.0	59.7	61.3	78.1	82.3	82.0	95.5	M	Other vascular disease	Rest of 390-459/ rest of I00-I99
3.6	5.3	14.3	16.6	25.5	23.5	28.9	27.4	58.1	72.7	F		
3.7	8.1	13.1	33.2	50.0	117.0	217.5	302.6	564.2	848.2	M	Chronic obstructive pulmonary disease	490-496/ J40-J47, J67
0.7	0.8	5.0	3.1	11.4	28.0	49.9	98.5	226.7	459.5	F		
33.7	46.0	57.9	110.3	103.2	91.9	89.2	69.0	52.5	65.0	M	Other respiratory disease	Rest of 460-519/ rest of J00-J98
10.7	7.6	21.8	22.2	20.1	24.6	26.2	35.6	39.3	24.8	F		
5.9	9.7	12.4	17.7	21.8	19.5	27.9	35.6	19.7	19.1	M	Peptic ulcer	531-533/K25-K27
0.7	0.8	2.5	3.7	3.4	4.5	5.2	12.3	9.4	7.1	F		
50.6	89.7	168.9	195.1	265.2	284.1	336.5	331.5	351.0	187.2	M	Liver cirrhosis	571/K70, K74
22.1	44.2	92.3	139.1	186.3	300.2	328.1	281.7	269.8	165.0	F		
1.5	1.6	4.8	7.1	10.5	15.3	31.6	31.1	29.5	61.1	M	Renal disease	580-590/N00-N19
0.7	3.0	5.6	7.4	9.4	11.2	14.4	13.7	37.5	40.8	F		
2.1	-	-	-	-	-	-	-	-	-	M	Pregnancy, birth	630-676/A34, O00-O99
-	-	2.1	1.4	-	-	-	-	3.3	-	F	Congenital and perinatal causes	740-779/A33, P00-P96, Q00-Q99
0.7	-	-	0.6	1.3	1.1	-	-	1.9	-	F	Ill-defined causes	780-799/R00-R99
8.8	15.3	13.8	20.5	24.2	19.5	29.8	28.9	32.8	38.2	M		
1.4	0.8	1.2	3.7	4.7	13.4	10.5	15.0	18.7	28.4	F		
45.4	68.7	95.8	115.2	133.0	142.0	152.4	160.2	209.9	171.9	M	Other medical causes	Rest of 001-799/ rest of A00-R99
18.5	22.1	27.4	44.3	62.3	73.9	85.3	79.3	88.0	124.2	F		
160.5	192.3	235.1	291.9	299.1	296.6	308.6	206.9	196.8	244.5	M	ALL NON- MEDICAL CAUSES	E800-E999/V01-Y89
25.6	37.3	43.7	61.6	70.3	87.4	84.0	76.6	93.7	118.9	F		
21.2	17.8	9.7	24.7	25.0	18.1	14.9	13.3	16.4	19.1	M	Road traffic accidents	E810-E819, E826-E829/ part of V01-V99, Y850
3.6	6.1	5.0	4.3	5.4	7.8	5.2	2.7	9.4	3.5	F		
2.2	5.7	6.9	12.0	6.5	16.7	16.7	11.1	16.4	30.6	M	Fire	E890-E899/X00-X09
0.7	-	0.6	1.9	4.7	2.2	5.2	12.3	20.6	23.1	F		
33.7	39.6	61.4	72.8	57.2	40.4	57.6	26.7	19.7	34.4	M	Suicide	E950-E959/X60-X84
4.3	9.1	5.0	7.4	2.0	10.1	11.8	9.6	5.6	7.1	F		
136.5	123.8	145.0	141.5	124.0	71.8	53.8	44.9	30.5	26.2	M	POPULATION	
140.4	131.3	160.3	162.4	149.3	89.3	76.2	73.1	53.4	56.4	F	(1000s; UN, 2015 revision)	

MONTENEGRO: 2010[†]

[†]2009 rates applied to 2010 population

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by –)						
		All ages	0–34	35–69	All ages	0–34	35–69	0–4	5–9	10–14	15–19	20–24	25–29	30–34
ALL CAUSES	M	2934	102	1182	952.0	66.4	1105.1	135.3	4.8	9.0	40.0	59.9	91.7	123.8
	F	2699	55	664	645.9	38.8	565.8	145.9	20.6	4.8	4.8	24.4	30.1	40.7
Tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	0.2	–	–	–	–	–	–	–	–	–
Other infective and parasitic	M	3	1	1	0.9	0.6	0.7	–	–	–	4.4	–	–	–
	F	2	1	1	0.7	0.7	0.7	–	–	–	–	–	–	4.5
ALL CANCER	M	489	7	256	157.2	4.4	243.0	–	–	4.5	4.4	4.6	8.3	9.2
	F	357	4	194	94.9	2.5	155.8	–	–	–	–	–	12.9	4.5
Mouth and pharynx cancer	M	3	–	3	0.9	–	2.3	–	–	–	–	–	–	–
	F	2	–	1	0.5	–	0.7	–	–	–	–	–	–	–
Oesophagus cancer	M	11	–	9	3.6	–	8.7	–	–	–	–	–	–	–
	F	4	–	2	1.0	–	1.3	–	–	–	–	–	–	–
Stomach cancer	M	21	–	10	6.8	–	10.0	–	–	–	–	–	–	–
	F	17	–	6	4.3	–	4.0	–	–	–	–	–	–	–
Colorectal cancer	M	32	1	13	10.4	0.6	14.3	–	–	–	–	–	4.2	–
	F	46	–	19	11.5	–	17.6	–	–	–	–	–	–	–
Liver cancer	M	18	–	7	5.8	–	6.6	–	–	–	–	–	–	–
	F	14	–	4	3.3	–	2.6	–	–	–	–	–	–	–
Pancreas cancer	M	27	1	19	9.0	0.6	18.6	–	–	–	4.4	–	–	–
	F	25	–	8	6.1	–	6.9	–	–	–	–	–	–	–
Larynx cancer	M	33	–	21	10.3	–	18.7	–	–	–	–	–	–	–
	F	10	–	6	2.6	–	4.8	–	–	–	–	–	–	–
Lung cancer	M	201	3	116	64.6	1.9	108.9	–	–	–	–	4.6	4.2	4.6
	F	60	1	45	17.0	0.6	35.0	–	–	–	–	–	4.3	–
Malignant melanoma	M	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	5	–	4	1.5	–	3.3	–	–	–	–	–	–	–
Female breast cancer	F	69	–	42	18.9	–	31.7	–	–	–	–	–	–	–
Cervix cancer	F	11	2	8	3.4	1.3	6.7	–	–	–	–	–	4.3	4.5
Other uterine cancer	F	11	–	7	3.0	–	6.2	–	–	–	–	–	–	–
Ovarian cancer	F	19	–	12	5.1	–	9.2	–	–	–	–	–	–	–
Prostate cancer	M	45	–	7	14.3	–	8.0	–	–	–	–	–	–	–
Bladder cancer	M	10	–	3	3.0	–	2.3	–	–	–	–	–	–	–
	F	5	–	–	1.1	–	–	–	–	–	–	–	–	–
Other and ill-defined cancer sites	M	66	1	35	20.9	0.7	31.1	–	–	–	–	–	–	4.6
	F	62	1	34	16.6	0.7	28.2	–	–	–	–	–	–	4.5
Hodgkin's disease	M	3	–	2	1.0	–	1.7	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–
Myeloma and non-Hodgkin lymphomas	M	12	1	9	4.1	0.6	9.3	–	–	–	4.4	–	–	–
	F	6	–	2	1.5	–	2.0	–	–	–	–	–	–	–
Leukaemia	M	8	–	2	2.6	–	1.7	–	–	–	–	–	–	–
	F	3	1	2	1.0	0.6	1.6	–	–	–	–	–	4.3	–
Diabetes	M	31	–	15	9.8	–	15.0	–	–	–	–	–	–	–
	F	46	–	10	10.7	–	8.8	–	–	–	–	–	–	–
ALL VASCULAR DISEASE	M	1495	18	515	487.8	11.6	501.3	14.5	–	–	13.3	13.8	16.7	22.9
	F	1618	9	287	372.1	5.9	255.7	–	5.2	–	–	4.9	12.9	18.1
Rheumatic heart disease and fever	M	3	–	2	0.9	–	1.4	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertensive disease	M	1	–	1	0.3	–	0.7	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischaemic heart disease	M	249	–	114	80.3	–	107.2	–	–	–	–	–	–	–
	F	153	1	41	36.4	0.7	34.6	–	–	–	–	–	–	4.5
Pulmonary embolism and other venous	M	7	–	6	2.4	–	5.5	–	–	–	–	–	–	–
	F	9	–	5	2.5	–	4.7	–	–	–	–	–	–	–
Cerebrovascular disease	M	200	2	55	65.2	1.3	57.3	–	–	–	4.4	–	–	4.6
	F	300	1	55	69.2	0.7	51.8	–	–	–	–	–	–	4.5
Other vascular disease	M	1035	18	334	338.5	11.6	326.1	14.5	–	–	13.3	13.8	16.7	22.9
	F	1161	8	188	265.4	5.2	166.0	–	5.2	–	–	4.9	12.9	13.6
Chronic obstructive pulmonary disease	M	1	–	–	0.3	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–
Other respiratory disease	M	161	5	50	51.2	3.2	46.6	9.7	–	–	–	–	8.3	4.6
	F	107	2	22	25.1	1.4	19.9	5.2	–	–	–	4.9	–	–
Peptic ulcer	M	10	–	4	3.2	–	4.2	–	–	–	–	–	–	–
	F	11	–	3	2.7	–	2.5	–	–	–	–	–	–	–
Liver cirrhosis	M	1	–	1	0.3	–	0.7	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–
Renal disease	M	45	–	20	14.4	–	18.3	–	–	–	–	–	–	–
	F	35	–	9	8.2	–	8.6	–	–	–	–	–	–	–
Pregnancy, birth	F	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital and perinatal causes	M	20	20	–	7.7	13.8	–	96.6	–	–	–	–	–	–
	F	23	23	–	9.6	17.1	–	119.9	–	–	–	–	–	–
Ill-defined causes	M	427	26	176	137.9	16.5	157.7	14.5	–	–	4.4	4.6	41.7	50.5
	F	374	4	87	88.2	2.7	74.8	–	5.2	–	–	4.9	4.3	4.5
Other medical causes	M	105	5	53	34.0	3.4	46.6	9.7	–	–	–	4.6	–	9.2
	F	73	1	23	17.9	0.7	18.8	5.2	–	–	–	–	–	–
ALL NON-MEDICAL CAUSES	M	152	22	95	49.4	14.1	74.2	–	–	4.5	13.3	36.9	16.7	27.5
	F	56	8	31	15.9	5.4	22.8	–	5.2	4.8	–	14.6	4.3	9.0
Road traffic accidents	M	45	15	22	14.4	9.6	16.8	–	–	4.5	13.3	27.7	12.5	9.2
	F	21	5	11	6.1	3.4	8.2	–	–	4.8	–	14.6	4.3	–
Fire	M	1	–	1	0.3	–	0.7	–	–	–	–	–	–	–
	F	3	2	1	1.0	1.4	0.7	–	5.2	4.8	–	–	–	–
Suicide	M	74	3	49	24.4	1.9	39.5	–	–	–	–	9.2	4.2	–
	F	24	1	14	6.6	0.7	10.2	–	–	–	–	–	–	4.5
POPULATION:														
(1000s; UN, 2015 revision)			M= male		306.8	153.7	129.3	20.7	20.9	22.1	22.5	21.7	24.0	21.8
			F= female		315.1	146.2	135.9	19.2	19.4	20.7	21.0	20.5	23.3	22.1

2010[‡]: MONTENEGRO[‡]2009 rates applied to 2010 populationAnnual death rates / 100,000
(zero denoted by -)

9th ICD/10th ICD categories

35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
163.9	230.5	446.6	805.5	1249.2	2047.5	2792.7	4269.2	6431.7	12857.1	M	ALL CAUSES	001-999/A00-Y89
56.0	113.8	261.6	461.3	531.2	917.7	1619.2	2784.5	5290.6	11553.4	F		
-	-	-	-	-	-	-	-	-	-	M	Tuberculosis	010-018, 137/ A15-A19, B90
-	-	-	-	-	-	-	-	-	10.8	F		
-	-	-	4.8	4.6	-	-	9.1	-	-	M	Other infective and parasitic	Rest of 001-139,279.5&.6/ rest of A00-B99 excl A33,A34
4.8	20.0	86.6	170.6	283.3	538.4	597.0	772.1	1042.2	1175.4	M	ALL CANCER	140-208/C00-C97
14.0	49.5	103.7	173.0	175.6	271.0	303.6	479.6	511.7	451.8	F		
-	-	4.6	-	4.6	7.1	-	-	-	-	M	Mouth and pharynx cancer	140-149/C00-C14
4.7	-	-	-	-	-	-	-	10.2	-	F		
-	-	4.6	4.7	13.9	7.1	30.4	18.2	-	-	M	Oesophagus cancer	150/C15
-	-	-	-	9.0	-	-	7.2	10.2	-	F		
-	-	4.6	4.7	9.3	21.2	30.4	27.2	68.6	54.2	M	Stomach cancer	151/C16
4.7	5.0	4.5	9.6	4.5	-	-	28.6	30.7	43.0	F		
-	-	4.6	-	13.9	21.2	60.7	63.6	68.6	108.5	M	Colorectal cancer	153, 154/C18-C21
-	-	9.0	-	13.5	30.8	70.1	93.1	71.6	75.3	F		
-	-	-	9.5	9.3	7.1	20.2	9.1	82.3	72.3	M	Liver cancer	155.0, 155.1/C22
-	-	4.5	-	13.5	-	-	28.6	10.2	53.8	F		
-	-	-	9.5	23.2	56.7	40.5	18.2	27.4	54.2	M	Pancreas cancer	157/C25
-	5.0	-	4.8	9.0	6.2	23.4	71.6	30.7	43.0	F		
-	-	9.1	9.5	32.5	49.6	30.4	54.5	68.6	18.1	M	Larynx cancer	161/C32
-	-	-	4.8	9.0	12.3	7.8	7.2	10.2	21.5	F		
-	15.0	45.6	90.0	130.0	198.4	283.3	336.1	356.6	343.6	M	Lung cancer	162/C33, C34
-	9.9	27.1	33.6	49.5	86.2	38.9	28.6	61.4	43.0	F		
-	-	4.5	4.8	-	6.2	7.8	-	-	-	M	Malignant melanoma	172/C43
4.7	14.8	27.1	52.9	31.5	67.8	23.4	121.7	61.4	43.0	F	Female breast cancer	174/C50
-	-	4.5	14.4	4.5	-	23.4	7.2	-	-	F	Cervix cancer	180/C53
-	5.0	-	-	4.5	18.5	15.6	-	30.7	10.8	F	Other uterine cancer	179, 182/C54, C55
4.7	-	4.5	9.6	18.0	12.3	15.6	43.0	10.2	-	F	Ovarian cancer	183.0/C56
-	-	-	-	4.6	21.2	30.4	90.8	178.3	271.2	M	Prostate cancer	185/C61
-	-	4.6	-	4.6	7.1	-	27.2	41.1	18.1	M	Bladder cancer	188/C67
4.8	5.0	13.7	37.9	27.9	77.9	50.6	14.3	10.2	21.5	F		
-	9.9	27.1	33.6	18.0	30.8	77.8	109.0	164.6	108.5	M	Other and ill-defined cancer sites	Rest of 140-199/ rest of C00-C80, C97
-	-	-	4.7	-	7.1	-	21.5	153.5	96.8	F		
-	-	-	-	-	-	-	9.1	-	-	M	Hodgkin's disease	201/C81
-	-	4.6	4.7	-	35.4	20.2	18.2	-	-	M	Myeloma and non- Hodgkin lymphomas	200, 202-203/ C82-C90, C96
-	-	-	-	-	6.2	7.8	7.2	10.2	21.5	F		
-	-	-	-	4.6	7.1	-	-	27.4	72.3	M	Leukaemia	204-208/C91-C95
-	5.0	-	-	-	6.2	-	-	-	-	F		
-	-	4.6	9.5	23.2	7.1	60.7	81.8	54.9	54.2	M	Diabetes	250/E10-E14
-	-	4.5	4.8	9.0	12.3	31.1	50.1	102.3	204.4	F		
48.2	80.2	168.6	317.5	501.5	956.4	1436.8	2161.9	3634.1	8300.2	M	ALL VASCULAR DISEASE	390-459/I00-I99
18.7	24.7	90.2	148.9	202.6	425.0	879.6	1596.3	3366.8	8283.1	F		
-	5.0	-	4.7	-	-	-	9.1	-	-	M	Rheumatic heart disease and fever	390-398/I00-I09
-	-	-	-	4.6	-	-	-	-	-	F		
-	-	-	-	-	-	-	-	-	-	M	Hypertensive disease	401-405/I10-I15
4.8	10.0	54.7	85.3	125.4	177.1	293.4	445.1	480.0	922.2	M	Ischaemic heart disease	410-414/I20-I25
4.7	-	9.0	28.8	40.5	73.9	85.6	207.6	266.1	602.4	F		
-	5.0	-	4.7	4.6	14.2	10.1	-	13.7	-	M	Pulmonary embolism and other venous	415.1, 451-453/ I26, I80-I82
-	-	4.5	4.8	-	-	23.4	14.3	-	21.5	F		
4.7	9.9	9.0	33.2	51.1	134.6	182.1	263.4	617.1	1247.7	M	Cerebrovascular disease	430-438/I60-I69
-	-	-	28.8	22.5	61.6	225.8	315.0	726.6	1387.7	F		
43.4	60.1	113.9	189.5	311.1	623.5	941.0	1453.4	2523.3	6130.2	M	Other vascular disease	Rest of 390-459/ rest of I00-I99
9.3	19.8	67.6	86.5	144.1	289.5	544.9	1059.4	2374.1	6293.0	F		
-	-	-	-	-	-	-	9.1	-	-	M	Chronic obstructive pulmonary disease	490-496/ J40-J47, J67
4.8	5.0	18.2	28.4	51.1	127.5	91.1	363.3	356.6	723.3	M	Other respiratory disease	Rest of 460-519/ rest of J00-J98
-	5.0	4.5	9.6	13.5	37.0	70.1	121.7	266.1	430.3	F		
-	-	-	-	9.3	-	20.2	9.1	41.1	36.2	M	Peptic ulcer	531-533/K25-K27
-	9.9	-	-	-	-	7.8	21.5	10.2	43.0	F		
-	5.0	-	-	-	-	-	-	-	-	M	Liver cirrhosis	571/K70, K74
-	-	-	-	-	-	-	-	-	-	F		
-	5.0	9.1	18.9	23.2	21.2	50.6	72.7	109.7	162.8	M	Renal disease	580-590/N00-N19
-	-	-	-	4.5	24.6	31.1	43.0	81.9	129.1	F		
-	-	-	-	-	-	-	-	-	-	M	Pregnancy, birth Congenital and perinatal causes	630-676/A34, O00-O99 740-779/A33, P00-P96, Q00-Q99
48.2	50.1	63.8	127.9	209.0	240.9	364.3	590.4	836.5	1790.2	M	Ill-defined causes	780-799/R00-R99
14.0	-	36.1	72.1	72.0	80.1	249.1	372.2	788.0	1656.6	F		
9.6	10.0	22.8	28.4	78.9	85.0	91.1	90.8	219.4	379.8	M	Other medical causes	Rest of 001-799/ rest of A00-R99
4.7	9.9	4.5	14.4	18.0	49.3	31.1	50.1	143.3	301.2	F		
57.9	60.1	72.9	109.0	65.0	63.8	91.1	99.9	150.8	235.1	M	ALL NON- MEDICAL CAUSES	E800-E999/V01-Y89
4.7	19.8	22.6	28.8	36.0	24.6	23.4	57.3	30.7	64.5	F		
28.9	10.0	18.2	18.9	13.9	7.1	20.2	27.2	41.1	36.2	M	Road traffic accidents	E810-E819, E826-E829/ part of V01-V99, Y850
-	5.0	4.5	14.4	13.5	12.3	7.8	14.3	10.2	21.5	F		
-	-	-	4.8	4.6	-	-	-	-	-	M	Fire	E890-E899/X00-X09
24.1	30.1	36.5	56.9	32.5	35.4	60.7	54.5	68.6	198.9	M	Suicide	E950-E959/X60-X84
4.7	9.9	9.0	9.6	18.0	12.3	7.8	28.6	20.5	32.3	F		
20.7	20.0	21.9	21.1	21.5	14.1	9.9	11.0	7.3	5.5	M	POPULATION	
21.4	20.2	22.2	20.8	22.2	16.2	12.8	14.0	9.8	9.3	F	(1000s; UN, 2015 revision)	

NETHERLANDS: 2010

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	65977	1425	19709	635.2	41.4	561.9	96.4	7.5	12.1	28.6	45.8	42.3	57.1
	F	70081	893	13363	451.8	27.1	372.7	84.7	7.9	7.5	13.1	15.9	22.5	38.5
Tuberculosis	M	36	2	9	0.3	0.1	0.3	-	-	-	-	-	0.2	0.2
	F	18	1	1	0.1	0.0	0.0	-	-	-	-	-	-	0.2
Other infective and parasitic	M	974	16	262	9.3	0.5	7.4	1.1	-	0.6	0.2	0.2	-	1.2
	F	1076	16	168	6.8	0.5	4.8	2.2	0.4	0.2	-	-	-	0.6
ALL CANCER	M	23131	158	9026	223.4	4.5	261.7	2.5	2.4	3.8	2.3	5.3	6.9	8.4
	F	19232	151	7724	150.7	4.4	214.4	2.7	2.5	1.4	3.1	2.9	6.0	12.6
Mouth and pharynx cancer	M	417	2	271	4.2	0.1	7.5	-	-	-	-	-	0.2	0.2
	F	192	-	93	1.5	-	2.6	-	-	-	-	-	-	-
Oesophagus cancer	M	1199	1	619	11.7	0.0	17.6	-	-	-	-	-	-	0.2
	F	443	1	166	3.3	0.0	4.7	-	-	-	-	-	-	0.2
Stomach cancer	M	926	5	384	9.0	0.1	11.1	-	-	-	-	0.2	0.6	0.2
	F	524	4	178	3.9	0.1	5.1	-	-	-	0.2	0.2	-	0.4
Colorectal cancer	M	2691	2	1029	25.9	0.1	30.0	-	-	-	-	-	-	0.4
	F	2420	4	732	17.5	0.1	20.6	-	-	-	0.2	-	-	0.6
Liver cancer	M	334	3	166	3.3	0.1	4.7	-	-	-	0.2	0.2	-	0.2
	F	156	1	49	1.2	0.0	1.3	0.2	-	-	-	-	-	-
Pancreas cancer	M	1210	3	555	11.8	0.1	16.2	-	-	-	-	-	-	0.6
	F	1271	1	430	9.6	0.0	12.3	-	-	-	-	-	0.2	-
Larynx cancer	M	173	-	83	1.7	-	2.3	-	-	-	-	-	-	-
	F	36	-	15	0.3	-	0.4	-	-	-	-	-	-	-
Lung cancer	M	6536	3	2720	63.1	0.1	79.7	-	-	0.2	-	-	0.2	0.2
	F	3678	5	1912	31.6	0.1	53.3	-	-	-	0.2	0.2	0.2	0.4
Malignant melanoma	M	446	6	288	4.5	0.2	7.9	-	-	-	-	-	0.6	0.6
	F	337	9	177	2.9	0.3	4.7	-	-	-	0.2	0.2	0.2	1.2
Female breast cancer	F	3213	10	1644	26.6	0.3	44.0	-	-	-	-	-	0.2	1.8
Cervix cancer	F	205	7	110	1.8	0.2	2.9	-	-	-	-	-	0.2	1.2
Other uterine cancer	F	425	-	170	3.3	-	4.9	-	-	-	-	-	-	-
Ovarian cancer	F	1072	12	461	8.7	0.3	12.8	-	-	-	-	0.4	0.8	1.2
Prostate cancer	M	2593	-	458	24.2	-	14.4	-	-	-	-	-	-	-
Bladder cancer	M	856	1	218	8.1	0.0	6.4	-	-	-	-	-	-	0.2
	F	372	-	98	2.6	-	2.8	-	-	-	-	-	-	-
Other and ill-defined cancer sites	M	4054	85	1615	39.5	2.4	45.9	1.3	1.8	2.4	1.4	2.8	2.8	4.6
	F	3480	65	1104	25.6	1.9	31.1	1.8	1.9	0.4	1.8	0.8	2.3	4.5
Hodgkin's disease	M	40	4	17	0.4	0.1	0.5	-	-	-	-	0.2	0.6	-
	F	32	2	15	0.3	0.1	0.4	-	-	-	0.2	-	0.2	-
Myeloma and non-Hodgkin lymphomas	M	985	10	377	9.5	0.3	10.8	0.2	-	0.2	0.4	0.6	0.4	0.2
	F	829	6	240	6.1	0.2	6.8	0.2	-	0.2	0.2	0.4	0.2	-
Leukaemia	M	671	33	226	6.6	0.9	6.5	1.1	0.6	1.0	0.4	1.4	1.4	0.8
	F	547	24	130	4.1	0.7	3.6	0.5	0.6	0.8	-	0.6	1.4	1.0
Diabetes	M	1382	6	452	13.2	0.2	12.8	-	-	0.2	-	-	0.4	0.6
	F	1620	4	227	9.8	0.1	6.6	-	-	-	-	0.2	-	0.6
ALL VASCULAR DISEASE	M	18275	87	4516	172.7	2.5	129.7	2.1	0.4	0.8	1.0	2.2	3.2	7.8
	F	20734	44	2011	118.7	1.3	57.1	1.1	-	0.2	0.6	1.2	2.3	3.6
Rheumatic heart disease and fever	M	2	-	-	0.0	-	-	-	-	-	-	-	-	-
	F	7	-	4	0.1	-	0.1	-	-	-	-	-	-	-
Hypertensive disease	M	359	1	107	3.4	0.0	3.0	-	-	-	-	-	-	0.2
	F	706	-	54	4.0	-	1.6	-	-	-	-	-	-	-
Ischaemic heart disease	M	6004	16	1837	57.1	0.5	52.1	-	-	-	-	-	0.8	2.4
	F	4378	7	596	26.5	0.2	17.1	-	-	-	-	-	0.2	1.2
Pulmonary embolism and other venous	M	207	4	84	2.0	0.1	2.2	-	-	-	0.2	-	0.2	0.4
	F	341	7	79	2.3	0.2	2.1	-	-	-	0.2	0.2	0.2	0.8
Cerebrovascular disease	M	3462	17	711	32.6	0.5	20.9	0.6	-	-	0.4	0.4	0.4	1.6
	F	5377	12	526	31.0	0.3	14.8	-	-	-	0.2	0.4	1.0	0.8
Other vascular disease	M	8241	49	1777	77.6	1.4	51.5	1.5	0.4	0.8	0.4	1.8	1.8	3.2
	F	9925	18	752	54.9	0.5	21.4	1.1	-	0.2	0.2	0.6	0.8	0.8
Chronic obstructive pulmonary disease	M	3322	1	460	30.8	0.0	13.9	-	-	-	-	-	0.2	-
	F	2748	3	505	17.9	0.1	14.9	-	-	-	-	-	-	0.6
Other respiratory disease	M	3338	25	462	31.1	0.7	13.6	1.9	0.4	0.4	0.6	0.4	0.6	0.8
	F	3608	25	238	19.8	0.8	6.8	2.0	0.2	0.4	0.8	0.2	0.6	1.0
Peptic ulcer	M	84	-	25	0.8	-	0.7	-	-	-	-	-	-	-
	F	100	-	19	0.6	-	0.6	-	-	-	-	-	-	-
Liver cirrhosis	M	502	4	377	5.1	0.1	10.1	-	-	-	-	-	-	0.8
	F	264	3	149	2.3	0.1	4.0	-	-	-	-	-	0.2	0.4
Renal disease	M	737	1	85	6.8	0.0	2.5	-	-	-	-	-	0.2	-
	F	941	2	56	5.1	0.1	1.7	-	-	-	0.2	-	-	0.2
Pregnancy, birth	F	4	4	-	0.1	0.1	-	-	-	-	-	-	0.6	0.2
Congenital and perinatal causes	M	430	346	78	6.7	10.5	2.0	68.1	0.6	0.6	1.0	1.0	0.2	1.8
	F	378	283	85	6.0	9.0	2.2	60.3	0.6	0.4	0.4	0.4	0.4	0.6
Ill-defined causes	M	2349	105	987	23.3	3.0	27.4	4.9	-	0.4	1.8	3.5	5.7	5.0
	F	2877	44	452	17.4	1.3	12.4	3.6	1.0	0.2	0.4	1.4	0.4	2.2
Other medical causes	M	8177	144	1539	77.2	4.2	43.6	10.0	1.8	2.2	4.5	3.0	3.0	4.8
	F	13972	130	1114	78.6	3.9	31.5	9.9	1.9	2.3	1.8	2.9	3.5	5.3
ALL NON-MEDICAL CAUSES	M	3240	530	1431	34.4	15.1	36.2	5.8	2.0	3.2	17.3	30.3	21.7	25.5
	F	2509	183	614	17.9	5.4	15.8	2.9	1.2	2.3	5.7	6.7	8.4	10.3
Road traffic accidents	M	444	157	165	5.1	4.5	4.2	1.1	0.6	0.4	7.2	10.2	6.1	5.6
	F	166	43	63	1.7	1.3	1.6	0.2	0.4	1.4	1.8	1.8	1.6	1.4
Fire	M	20	1	15	0.2	0.0	0.4	-	-	-	-	0.2	-	-
	F	19	2	7	0.1	0.1	0.2	-	-	-	0.2	0.2	-	-
Suicide	M	1124	216	782	12.6	6.1	19.2	-	-	1.0	7.2	11.6	10.7	12.5
	F	476	80	329	5.1	2.3	8.2	-	-	0.2	2.5	2.9	4.5	6.3
POPULATION:			M=male		8235.3	3492.7	4000.9	469.8	505.3	504.0	513.5	508.3	493.9	497.7
(1000s; UN, 2015 revision)			F=female		8396.2	3370.4	3980.6	446.1	482.4	481.4	490.1	491.4	485.4	493.7

2010: NETHERLANDS

Annual death rates / 100,000
(zero denoted by -)

9th ICD/10th ICD categories

35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+NK			
79.4	119.0	203.7	351.9	601.6	961.8	1615.9	2622.8	4748.4	11935.5	M	ALL CAUSES	001-999/A00-Y89
55.6	90.2	160.2	284.8	436.6	621.5	960.0	1570.8	2788.8	9887.6	F		
0.2	-	0.1	-	0.2	0.2	1.3	1.4	5.4	4.1	F	Tuberculosis	010-018, 137/A15-A19, B90
-	-	-	-	-	-	0.2	-	0.7	3.2	F	Other infective and parasitic	Rest of 001-139,279.5&6/rest of A00-B99 excl A33,A34
0.9	1.8	3.6	4.5	8.4	11.8	21.0	38.7	75.4	186.2	M	ALL CANCER	140-208/C00-C97
0.7	0.8	1.2	3.5	5.5	6.9	15.3	24.3	48.2	156.2	F		
21.1	33.6	73.8	141.0	280.0	471.7	810.9	1193.0	1790.8	2891.4	M	Mouth and pharynx cancer	140-149/C00-C14
27.9	48.2	89.7	169.1	263.4	379.3	523.1	709.8	922.3	1481.1	F	Oesophagus cancer	150/C15
0.7	0.9	4.2	5.3	9.8	13.8	18.0	17.5	15.7	25.7	M	Stomach cancer	151/C16
-	0.3	0.3	2.0	3.3	5.2	7.4	4.9	10.6	12.3	F		
0.7	1.1	5.3	12.1	19.9	36.5	47.9	67.0	75.9	95.1	M	Colorectal cancer	153, 154/C18-C21
0.2	0.5	0.8	3.2	7.3	8.7	12.3	12.2	21.1	40.7	F	Liver cancer	155.0/C22 excl C221
0.9	1.8	4.1	6.1	11.3	18.6	35.0	47.5	75.4	102.8	M	Pancreas cancer	157/C25
0.9	1.1	1.9	3.2	4.8	8.0	16.0	20.4	27.1	45.8	F		
2.4	3.0	7.1	17.1	30.3	55.0	95.0	135.3	208.3	358.0	M	Larynx cancer	161/C32
1.1	2.7	7.4	14.4	26.7	37.5	54.5	88.8	129.4	236.9	F	Lung cancer	162/C33, C34
0.5	0.8	1.8	2.6	6.7	7.8	12.7	16.8	26.0	25.7	M	Malignant melanoma	172/C43
-	0.3	0.5	1.5	1.8	2.5	2.7	6.4	9.1	13.7	F		
0.9	0.9	3.5	8.6	19.5	28.4	52.0	68.0	79.0	123.5	M	Female breast cancer	174/C50
0.7	1.4	4.3	6.5	13.9	23.6	35.5	62.4	68.2	102.0	F	Cervix cancer	180/C53
-	0.1	0.1	2.2	3.3	5.1	5.6	7.4	9.4	21.2	M	Other uterine cancer	179, 182/C54, C55
-	0.5	-	0.8	0.4	0.5	0.5	1.2	2.1	2.5	F	Ovarian cancer	183/C56, C570-C574
2.1	6.2	17.7	39.8	89.0	146.0	257.3	364.8	557.1	670.9	M	Prostate cancer	185/C61
2.6	8.1	19.7	43.1	74.4	94.7	130.5	169.5	188.8	154.3	F	Bladder cancer	188/C67
3.0	3.0	3.5	6.1	10.0	11.2	18.8	19.9	14.8	27.1	M	Other and ill-defined cancer sites	Rest of 140-199/rest of C00-C80, C97
1.9	2.9	1.9	5.2	4.9	8.2	7.9	10.0	12.3	19.2	F	Hodgkin's disease	201/C81
9.1	16.3	27.2	44.2	56.5	74.6	79.7	90.1	113.9	217.3	F	Myeloma and non-Hodgkin lymphomas	200, 202-203/C82-C90, C96
1.9	1.8	2.0	2.0	4.0	3.6	4.9	6.7	5.3	11.8	F	Leukaemia	204-208/C91-C95
0.2	0.1	1.2	3.0	5.5	9.2	15.1	15.2	20.4	34.0	F	Diabetes	250/E10-E14
1.1	2.0	5.4	8.7	16.1	25.4	31.3	45.3	53.8	68.7	M	ALL VASCULAR DISEASE	390-459/I00-I99
-	0.3	0.5	2.2	7.8	25.7	64.6	125.2	221.3	572.6	F	Rheumatic heart disease and fever	390-398/I00-I09
0.5	0.8	1.5	3.3	4.7	12.1	22.1	36.0	75.9	162.8	M	Hypertensive disease	401-405/I10-I15
0.7	0.5	1.2	1.8	3.3	3.8	8.1	11.9	16.9	43.3	F	Ischaemic heart disease	410-414/I20-I25
7.8	9.9	16.8	26.4	50.3	81.4	128.8	198.6	303.5	490.6	M	Pulmonary embolism and other venous	415.1, 451-453/126, 180-182
5.2	7.8	11.5	22.9	30.7	52.5	87.1	103.8	164.9	347.3	F	Cerebrovascular disease	430-438/I60-I69
-	0.3	0.5	0.5	0.4	0.5	1.0	1.7	3.1	3.2	M	Other vascular disease	Rest of 390-459/rest of I00-I99
0.2	-	0.3	0.3	0.6	1.1	0.2	0.3	1.8	2.1	F	Chronic obstructive pulmonary disease	490-496/J40-J47, J67
0.9	2.5	4.8	6.0	10.8	18.6	31.7	54.5	69.1	127.2	M	Other respiratory disease	Rest of 460-519/rest of J00-J98
1.4	1.4	2.5	3.2	6.8	12.9	19.7	35.6	46.8	77.0	F	Peptic ulcer	531-533/K25-K27
0.7	2.1	2.6	2.6	6.2	10.9	20.5	33.0	56.1	85.2	M	Liver cirrhosis	571/K70, K74
0.9	0.8	1.7	2.9	2.6	7.2	9.4	25.2	29.9	52.1	F	Renal disease	580-590/N00-N19
1.0	1.6	4.8	10.4	12.8	23.0	36.2	53.2	104.2	240.8	M	Pregnancy, birth	630-676/A34, O00-O99
0.3	0.8	1.5	3.2	7.3	12.3	20.5	35.9	78.4	242.5	F	Congenital and perinatal causes	740-779/A33, P00-P96, Q00-Q99
13.2	26.1	39.7	80.8	136.2	225.3	386.3	689.2	1363.0	3872.1	M	Ill-defined causes	780-799/R00-R99
6.6	12.0	24.6	39.7	58.1	88.4	170.5	378.8	800.3	3507.4	F	Other medical causes	Rest of 001-799/rest of A00-R99
-	-	-	-	-	-	-	0.3	0.5	-	M	ALL NON-MEDICAL CAUSES	E800-E999/V01-Y89
-	-	-	-	0.2	0.2	0.5	-	-	0.7	F	Road traffic accidents	E810-E819, E826-E829/part of V01-V99, Y850
0.2	0.3	0.8	0.5	1.8	2.0	5.4	11.4	28.3	69.4	M	Fire	E890-E899/X00-X09
5.9	11.4	16.8	34.8	55.8	97.5	142.2	235.6	455.2	1098.8	M	Suicide	E950-E959/X60-X84
1.1	2.3	6.6	12.9	16.3	27.4	53.0	105.6	185.3	671.3	F	POPULATION	
0.3	1.4	1.1	2.5	2.5	3.6	4.3	8.8	12.6	29.3	M	(1000s; UN, 2015 revision)	
0.5	0.9	2.3	2.4	1.8	2.7	4.0	8.2	15.8	42.3	F		
1.7	2.1	5.9	12.8	20.2	32.4	71.2	136.6	276.1	772.3	M		
1.9	4.4	7.5	10.4	15.9	20.3	43.4	102.8	217.0	898.7	F		
5.2	10.8	14.8	28.5	53.6	85.2	162.2	296.5	590.4	1902.2	M		
3.0	4.1	7.4	13.6	22.1	35.9	64.2	149.1	354.1	1772.0	F		
0.3	0.3	2.9	5.8	11.5	23.9	52.5	125.5	316.1	804.4	M		
0.3	1.1	2.0	7.5	17.7	23.9	51.6	89.8	154.0	348.7	F		
1.6	0.9	2.7	7.8	13.7	23.2	45.4	106.7	239.3	902.2	M		
0.7	0.9	2.6	5.7	6.4	11.1	20.0	45.6	120.3	660.2	F		
-	0.5	0.3	0.2	0.7	0.9	2.5	2.4	7.6	15.8	M		
0.2	-	0.3	-	-	1.4	2.0	2.1	6.3	13.0	F		
1.6	3.1	4.7	10.3	17.1	16.8	17.0	17.2	13.9	17.6	M		
-	1.4	1.1	5.5	6.0	7.6	6.2	8.8	12.3	11.1	F		
0.2	0.1	0.3	1.8	3.3	4.3	7.1	19.2	50.3	217.3	M		
0.2	0.6	0.1	0.7	1.6	1.6	6.9	14.6	33.0	171.5	F		
-	-	-	-	-	-	-	-	-	-	M		
0.7	0.5	0.8	2.5	2.4	5.4	2.0	0.7	0.5	1.4	F		
0.3	0.3	0.8	2.2	5.3	4.7	2.0	0.9	0.3	1.4	F		
6.4	7.5	11.8	21.1	32.6	46.3	65.9	81.4	115.4	341.8	M		
3.8	3.8	7.5	11.4	14.1	17.2	28.6	35.3	70.0	478.1	F		
7.8	12.2	20.5	25.6	46.3	68.6	124.2	236.2	554.4	2054.6	M		
5.2	8.7	13.7	19.8	32.0	49.1	92.3	198.7	487.7	2473.1	F		
24.4	30.6	37.6	40.1	36.5	40.5	43.6	58.2	112.2	385.9	M		
9.1	11.7	14.9	16.6	19.2	17.9	21.0	26.2	54.9	340.1	F		
3.7	3.6	3.9	4.7	4.0	3.6	6.1	5.0	17.1	31.1	M		
0.7	1.4	1.1	1.5	2.2	2.9	1.5	4.6	5.6	6.7	F		
-	0.3	0.3	0.8	0.2	0.4	0.8	-	0.5	1.4	M		
-	0.1	-	0.2	0.2	0.2	0.7	0.3	-	2.1	F		
11.8	19.5	23.4	23.6	21.5	19.9	15.0	14.8	14.4	22.5	M		
6.5	7.8	9.4	9.7	9.3	8.3	6.2	6.4	4.2	7.9	F		
574.3	665.8	662.4	602.8	548.6	552.7	394.5	297.2	222.7	221.8	M		
572.4	657.2	649.7	596.9	547.1	552.0	405.3	328.7	284.4	432.2	F		

NEW ZEALAND: 2010

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	14344	744	4236	581.8	69.3	538.1	151.5	8.2	17.1	72.1	88.8	70.8	76.7
	F	14305	450	2981	432.7	43.1	361.9	119.8	4.3	13.8	33.9	35.6	39.4	54.8
Tuberculosis	M	10	1	5	0.4	0.1	0.8	-	-	-	-	-	0.7	-
	F	7	-	3	0.2	-	0.4	-	-	-	-	-	-	-
Other infective and parasitic	M	113	5	47	4.7	0.5	5.6	2.5	-	-	-	-	-	0.8
	F	129	10	16	3.9	0.9	1.9	5.3	-	-	0.6	-	-	0.7
ALL CANCER	M	4440	45	1664	184.7	4.3	218.5	4.4	2.0	3.3	4.8	3.1	4.9	7.8
	F	4036	55	1599	142.3	5.4	194.3	4.0	1.4	1.4	1.9	7.1	5.5	16.4
Mouth and pharynx cancer	M	90	1	42	3.8	0.1	5.2	-	-	-	-	0.6	-	-
	F	26	1	10	0.9	0.1	1.2	-	-	-	-	-	0.7	-
Oesophagus cancer	M	139	-	55	5.8	-	7.6	-	-	-	-	-	-	-
	F	82	-	23	2.7	-	2.9	-	-	-	-	-	-	-
Stomach cancer	M	158	-	80	6.7	-	9.8	-	-	-	-	-	-	-
	F	95	2	42	3.3	0.2	4.9	-	-	-	-	-	0.7	0.7
Colorectal cancer	M	618	-	226	25.7	-	29.2	-	-	-	-	-	-	-
	F	590	5	179	19.6	0.5	22.4	-	-	-	0.6	-	0.7	2.1
Liver cancer	M	109	-	65	4.8	-	7.6	-	-	-	-	-	-	-
	F	22	5	8	0.8	0.5	1.1	0.7	-	-	0.6	1.3	0.7	-
Pancreas cancer	M	220	-	92	9.3	-	12.0	-	-	-	-	-	-	-
	F	215	-	72	7.4	-	9.7	-	-	-	-	-	-	-
Larynx cancer	M	20	-	7	0.8	-	1.1	-	-	-	-	-	-	-
	F	5	-	2	0.2	-	0.3	-	-	-	-	-	-	-
Lung cancer	M	893	-	374	37.9	-	50.4	-	-	-	-	-	-	-
	F	757	-	323	28.0	-	40.5	-	-	-	-	-	-	-
Malignant melanoma	M	199	2	94	8.4	0.2	11.9	-	-	-	-	0.6	0.7	-
	F	125	6	48	4.5	0.6	5.7	-	-	-	-	1.3	-	2.9
Female breast cancer	F	641	6	363	24.3	0.6	40.6	-	-	-	-	0.7	-	3.6
Cervix cancer	F	52	4	32	2.1	0.4	3.5	-	-	-	-	-	1.4	1.4
Other uterine cancer	F	100	-	47	3.7	-	5.9	-	-	-	-	-	-	-
Ovarian cancer	F	217	2	99	7.9	0.2	11.9	-	-	-	-	0.7	0.7	-
Prostate cancer	M	589	-	110	22.9	-	16.1	-	-	-	-	-	-	-
Bladder cancer	M	126	-	21	4.8	-	2.8	-	-	-	-	-	-	-
	F	49	1	10	1.5	0.1	1.2	-	-	-	-	-	-	0.7
Other and ill-defined cancer sites	M	862	29	361	36.3	2.8	46.0	3.7	1.4	2.0	3.6	0.6	2.8	5.4
	F	729	13	258	24.7	1.2	31.9	1.3	-	0.7	0.6	2.6	0.7	2.9
Hodgkin's disease	M	8	-	5	0.3	-	0.7	-	-	-	-	-	-	-
	F	8	3	2	0.3	0.3	0.2	-	-	-	-	0.7	-	1.4
Myeloma and non-Hodgkin lymphomas	M	237	2	81	9.8	0.2	11.2	-	-	-	-	-	-	1.6
	F	206	2	50	6.6	0.2	6.4	0.7	-	-	-	-	-	0.7
Leukaemia	M	172	11	51	7.2	1.0	7.0	0.6	0.7	1.3	1.2	1.2	1.4	0.8
	F	117	5	31	3.8	0.5	4.0	1.3	1.4	0.7	-	-	-	-
Diabetes	M	397	2	159	16.6	0.2	20.3	-	-	-	-	-	0.7	0.8
	F	377	2	92	12.0	0.2	11.5	-	-	-	-	-	0.7	0.7
ALL VASCULAR DISEASE	M	4877	34	1211	191.3	3.3	155.2	1.9	-	0.7	1.8	5.5	5.6	7.8
	F	5298	28	541	140.8	2.7	67.4	4.0	0.7	1.4	0.6	1.9	4.2	6.4
Rheumatic heart disease and fever	M	65	3	25	2.7	0.3	2.8	-	-	-	-	0.6	0.7	0.8
	F	79	3	20	2.6	0.3	2.3	-	-	-	-	0.7	1.4	-
Hypertensive disease	M	116	-	29	4.5	-	3.9	-	-	-	-	-	-	-
	F	217	-	13	5.6	-	1.7	-	-	-	-	-	-	-
Ischaemic heart disease	M	2900	6	784	114.4	0.6	100.4	-	-	-	-	0.6	-	3.9
	F	2489	2	237	65.9	0.2	30.5	-	-	-	-	0.7	-	0.7
Pulmonary embolism and other venous	M	22	-	2	0.8	-	0.3	-	-	-	-	-	-	-
	F	31	2	12	1.1	0.2	1.4	-	-	-	-	0.7	-	0.7
Cerebrovascular disease	M	945	8	170	36.4	0.8	22.1	0.6	-	0.7	0.6	0.6	2.1	0.8
	F	1522	3	155	40.1	0.3	18.9	-	-	-	-	-	1.4	0.7
Other vascular disease	M	829	17	201	32.5	1.6	25.7	1.2	-	-	1.2	3.7	2.8	2.3
	F	960	18	104	25.6	1.8	12.6	4.0	0.7	1.4	0.6	-	1.4	4.3
Chronic obstructive pulmonary disease	M	860	5	155	33.5	0.5	21.6	1.2	-	-	1.2	-	0.7	-
	F	798	4	164	24.7	0.4	20.8	-	-	0.7	0.6	0.7	0.7	-
Other respiratory disease	M	383	17	55	14.4	1.6	7.0	6.2	0.7	0.7	0.6	1.2	0.7	0.8
	F	416	5	29	10.6	0.5	3.5	2.6	-	-	-	-	-	0.7
Peptic ulcer	M	37	1	12	1.5	0.1	1.6	-	-	-	-	-	0.7	-
	F	33	-	3	0.9	-	0.3	-	-	-	-	-	-	-
Liver cirrhosis	M	82	1	54	3.7	0.1	6.6	-	-	-	-	-	0.7	-
	F	32	-	21	1.3	-	2.5	-	-	-	-	-	-	-
Renal disease	M	137	1	10	5.0	0.1	1.3	0.6	-	-	-	-	-	-
	F	136	2	10	3.4	0.2	1.2	0.7	-	-	-	-	0.7	-
Pregnancy, birth	F	6	2	4	0.3	0.2	0.4	-	-	-	-	-	1.4	-
Congenital and perinatal causes	M	203	158	37	9.9	14.2	4.2	91.7	1.4	1.3	0.6	0.6	2.1	1.6
	F	150	126	17	7.5	11.9	2.1	73.1	0.7	0.7	2.6	1.9	2.1	2.1
Ill-defined causes	M	49	20	7	2.1	1.8	0.9	10.6	-	0.7	0.6	-	0.7	-
	F	67	13	5	2.0	1.2	0.6	8.6	-	-	-	-	-	-
Other medical causes	M	1536	51	299	59.8	4.8	38.1	8.1	2.0	2.6	4.8	5.5	3.5	7.0
	F	2088	35	275	56.9	3.4	33.4	5.9	1.4	1.4	1.3	1.9	4.2	7.8
ALL NON-MEDICAL CAUSES	M	1220	403	521	54.2	37.8	56.3	24.3	2.0	7.9	57.6	72.8	49.8	50.4
	F	732	168	202	26.0	16.0	21.4	15.8	-	8.3	26.2	22.0	20.0	19.9
Road traffic accidents	M	288	131	123	13.1	12.1	13.3	3.1	1.4	2.0	21.8	28.4	18.2	10.1
	F	114	43	44	4.8	4.1	5.0	1.3	-	2.1	7.7	9.7	5.5	2.1
Fire	M	12	2	6	0.5	0.2	0.7	-	0.7	-	0.6	-	-	-
	F	5	-	3	0.2	-	0.3	-	-	-	-	-	-	-
Suicide	M	387	145	209	18.0	13.9	21.9	-	-	2.0	18.2	29.0	23.8	24.0
	F	148	68	70	6.6	6.5	7.0	-	-	2.1	13.4	9.1	10.4	10.7
POPULATION:			M=male		2144.6	1058.3	912.3	160.4	147.0	152.1	165.0	162.2	142.6	129.1
(1000s; UN, 2015 revision)			F=female		2224.4	1032.7	970.9	151.9	140.0	144.7	156.5	154.4	144.7	140.4

2010: NEW ZEALAND

Annual death rates / 100,000 (zero denoted by –)										9th ICD/10th ICD categories		
35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80+/ ^{NK}			
127.8	166.2	255.0	368.9	583.5	835.8	1429.7	2222.1	3995.2	10076.8	M	ALL CAUSES	001–999/A00–Y89
68.1	117.7	172.4	253.8	363.5	583.2	974.6	1495.1	2672.6	8963.4	F		
–	–	–	–	–	0.9	4.7	1.5	4.2	1.7	M	Tuberculosis	010–018, 137/ A15–A19, B90
–	0.6	–	–	–	0.8	1.1	–	1.8	3.2	F		
–	2.7	5.1	7.1	8.1	3.5	13.0	8.9	23.1	74.3	M	Other infective	Rest of 001–139,279.5&6/ rest of A00–B99 excl A33,A34
–	0.6	0.6	4.1	0.8	0.8	6.8	15.0	22.0	86.2	F	and parasitic	
24.4	42.8	74.7	123.9	227.3	391.9	644.5	974.0	1408.7	2373.6	M	ALL CANCER	140–208/C00–C97
32.2	59.8	90.7	129.3	209.8	326.0	512.7	671.9	909.8	1500.2	F		
–	2.0	3.2	5.0	6.5	8.8	10.6	20.9	18.9	40.5	M	Mouth and	140–149/C00–C14
0.6	0.6	1.2	–	0.8	1.7	3.4	4.1	5.5	9.7	F	pharynx cancer	
–	1.4	1.9	3.5	4.0	14.1	28.4	34.2	39.9	70.9	M	Oesophagus cancer	150/C15
–	1.9	1.2	–	3.1	5.9	7.9	19.1	20.1	36.6	F		
5.6	4.1	6.3	5.0	9.7	16.7	21.3	31.3	25.2	76.0	M	Stomach cancer	151/C16
0.6	3.1	3.6	3.4	6.2	5.9	11.3	6.8	18.3	38.8	F		
2.1	4.8	8.9	17.7	40.3	56.2	74.5	141.5	230.9	315.7	M	Colorectal cancer	153, 154/C18–C21
1.9	4.9	10.7	9.5	24.2	38.2	67.6	99.5	146.4	272.7	F		
–	1.4	4.4	14.2	9.7	13.2	10.6	16.4	35.7	27.0	M	Liver cancer	155.0/C22 excl C221
–	–	–	–	2.3	–	5.6	–	3.7	7.5	F		
2.1	1.4	4.4	3.5	20.1	20.2	31.9	56.6	67.2	97.9	M	Pancreas cancer	157/C25
1.9	0.6	1.2	4.1	5.5	15.3	39.4	47.7	56.8	83.0	F		
–	–	–	–	–	2.6	4.7	7.5	4.2	10.1	M	Larynx cancer	161/C32
–	–	–	–	–	0.8	1.1	1.4	1.8	1.1	F		
–	6.1	15.2	27.6	45.1	93.2	165.6	235.3	304.4	364.6	M	Lung cancer	162/C33, C34
1.9	5.5	9.5	30.5	46.0	77.2	112.7	173.1	206.8	209.1	F		
4.2	3.4	2.5	7.8	15.3	22.0	28.4	32.8	58.8	89.5	M	Malignant melanoma	172/C43
0.6	1.9	2.4	6.1	3.9	12.7	12.4	17.7	29.3	45.3	F		
13.9	21.0	32.8	38.6	48.4	61.1	68.7	70.9	119.0	167.1	F	Female breast cancer	174/C50
1.9	4.3	3.0	2.0	3.1	3.4	6.8	5.5	5.5	9.7	F	Cervix cancer	180/C53
–	0.6	1.2	5.4	7.8	9.3	16.9	16.4	23.8	30.2	F	Other uterine cancer	179, 182/C54, C55
1.9	3.1	6.0	10.8	14.0	17.0	30.4	45.0	33.0	70.0	F	Ovarian cancer	183/C56, C570–C574
–	0.7	–	2.8	11.3	27.2	71.0	104.2	201.6	528.4	M	Prostate cancer	185/C61
0.7	1.4	–	0.7	4.0	3.5	9.5	16.4	50.4	118.2	M	Bladder cancer	188/C67
0.6	1.2	–	–	1.6	2.5	2.2	4.1	12.8	30.2	F		
7.7	13.6	21.5	28.3	47.5	85.2	118.3	166.8	243.5	411.9	M	Other and ill–defined	Rest of 140–199/ rest of C00–C80, C97
5.0	9.2	14.3	16.9	32.8	52.6	92.4	104.9	146.4	324.4	F	cancer sites	
0.7	–	0.6	–	–	0.9	2.4	–	–	5.1	M	Hodgkin's disease	201/C81
–	–	0.6	–	0.8	–	–	1.4	3.7	–	F		
0.7	0.7	2.5	2.8	12.1	20.2	39.0	67.0	69.3	128.3	M	Myeloma and non–	200, 202–203/ C82–C90, C96
1.3	1.2	1.8	1.4	4.7	14.4	20.3	38.2	51.2	105.6	F	Hodgkin lymphomas	
0.7	2.0	3.2	5.0	1.6	7.9	28.4	43.2	58.8	89.5	M	Leukaemia	204–208/C91–C95
–	0.6	1.2	0.7	4.7	7.6	13.5	16.4	25.6	59.3	F		
2.1	2.0	8.2	17.0	25.8	36.0	50.9	77.4	126.0	209.3	M	Diabetes	250/E10–E14
–	2.5	3.6	9.5	12.5	19.5	32.7	68.2	84.2	201.5	F		
18.9	42.1	69.6	106.9	180.5	245.2	423.4	686.6	1358.3	4261.0	M	ALL VASCULAR	390–459/I00–I99
8.8	19.1	29.2	42.6	53.0	112.9	206.2	384.3	968.4	4222.5	F	DISEASE	
1.4	0.7	3.8	3.5	3.2	3.5	3.5	11.9	12.6	38.8	M	Rheumatic heart	390–398/I00–I09
1.3	1.2	0.6	2.7	2.3	2.5	5.6	9.5	22.0	39.9	F	disease and fever	
–	0.7	1.9	1.4	4.8	4.4	14.2	14.9	29.4	106.4	M	Hypertensive disease	401–405/I10–I15
–	0.6	–	0.7	0.8	5.1	4.5	23.2	36.6	180.0	F		
6.3	23.1	45.5	74.3	119.3	167.0	267.3	420.0	793.6	2447.9	M	Ischaemic heart	410–414/I20–I25
0.6	6.2	10.7	14.2	23.4	56.9	101.4	194.9	483.3	1986.2	F	disease	
–	–	–	–	0.8	–	1.2	3.0	6.3	25.3	M	Pulmonary embolism	415.1, 451–453/ 126, 180–182
0.6	0.6	–	1.4	2.3	1.7	3.4	5.5	5.5	10.8	F	and other venous	
2.1	6.8	8.2	12.8	26.6	34.3	63.9	125.1	310.7	903.2	M	Cerebrovascular	430–438/I60–I69
5.0	6.2	9.5	17.6	12.5	22.1	59.7	100.9	261.8	1236.2	F	disease	
9.1	10.9	10.1	14.9	25.8	36.0	73.3	111.7	205.7	739.4	M	Other vascular	Rest of 390–459/ rest of I00–I99
1.3	4.3	8.3	6.1	11.7	24.6	31.6	50.4	159.3	769.5	F	disease	
0.7	2.0	4.4	12.0	16.1	29.9	86.3	163.8	312.8	744.5	M	Chronic obstructive	490–496/ J40–J47, J67
1.3	3.7	5.4	10.8	23.4	38.2	63.1	130.8	216.0	448.3	F	pulmonary disease	
3.5	1.4	1.9	6.4	5.6	11.4	18.9	34.2	67.2	432.2	M	Other respiratory	Rest of 460–519/ rest of J00–J98
–	0.6	1.8	4.1	4.7	3.4	10.1	24.5	51.2	362.1	F	disease	
–	–	–	–	2.4	5.3	3.5	1.5	14.7	27.0	M	Peptic ulcer	531–533/K25–K27
–	–	–	0.7	0.8	0.8	–	2.7	7.3	25.9	F		
1.4	2.7	4.4	8.5	4.0	9.7	15.4	10.4	23.1	15.2	M	Liver cirrhosis	571/K70, K74
0.6	1.2	0.6	1.4	3.1	5.1	5.6	6.8	1.8	5.4	F		
–	–	1.3	–	1.6	1.8	4.7	10.4	42.0	167.1	M	Renal disease	580–590/N00–N19
0.6	–	–	1.4	2.3	0.8	3.4	5.5	14.6	120.7	F		
1.3	1.2	–	–	–	–	–	–	–	–	M	Pregnancy, birth	630–676/A34,000–099
2.8	2.7	5.1	3.5	7.2	1.8	5.9	1.5	8.4	5.1	M	Congenital and	740–779/A33, P00–P96, Q00–Q99
0.6	0.6	0.6	1.4	2.3	3.4	5.6	2.7	–	5.4	F	perinatal causes	
–	–	–	–	3.2	0.9	2.4	–	8.4	30.4	M	Ill–defined causes	780–799/R00–R99
–	–	0.6	1.4	–	–	2.2	1.4	7.3	47.4	F		
8.4	14.2	19.6	26.2	41.1	47.5	110.0	189.1	489.2	1394.5	M	Other medical causes	Rest of 001–799/ rest of A00–R99
7.6	11.7	17.3	23.0	31.2	47.5	95.8	132.2	325.8	1619.8	F		
65.6	53.6	60.7	57.4	60.4	50.1	46.1	62.5	109.2	341.0	M	ALL NON–	E800–E999/V01–Y89
15.1	16.0	22.1	24.4	19.5	23.8	29.3	49.1	62.2	314.7	F	MEDICAL CAUSES	
16.8	12.2	13.9	14.9	11.3	12.3	11.8	16.4	14.7	27.0	M	Road traffic	E810–E819, E826–E829/ part of V01–V99, Y850
3.1	3.1	4.2	4.1	3.9	5.1	11.3	12.3	5.5	16.2	F	accidents	
0.7	0.7	–	0.7	1.6	0.9	–	–	4.2	3.4	M	Fire	E890–E899/X00–X09
–	1.9	–	–	–	–	–	–	1.8	1.1	F		
28.6	27.1	27.2	21.9	20.1	16.7	11.8	19.4	12.6	23.6	M	Suicide	E950–E959/X60–X84
8.2	6.2	9.5	8.1	6.2	5.9	4.5	1.4	7.3	5.4	F		
143.2	147.4	158.1	141.2	124.1	113.8	84.6	67.1	47.6	59.2	M	POPULATION	
158.6	162.2	167.6	147.7	128.2	117.8	88.8	73.4	54.6	92.8	F	(1000s; UN, 2015 revision)	

NORWAY: 2010

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	19976	601	5292	633.5	53.8	551.3	64.9	9.2	14.2	36.0	80.5	91.5	79.8
	F	21466	313	3325	444.6	29.3	349.1	57.6	9.6	5.2	25.6	35.2	34.7	37.1
Tuberculosis	M	10	-	1	0.3	-	0.1	-	-	-	-	-	-	-
	F	17	-	3	0.3	-	0.3	-	-	-	-	-	-	-
Other infective and parasitic	M	390	6	76	11.7	0.6	7.9	1.9	0.7	-	-	1.3	-	-
	F	524	1	56	9.7	0.1	6.2	-	-	-	-	0.7	-	-
ALL CANCER	M	5815	51	1988	190.9	4.5	215.4	2.5	3.3	2.5	3.0	3.8	6.4	10.4
	F	5110	50	1794	136.8	4.6	188.9	2.0	0.7	1.3	6.4	5.2	5.2	11.5
Mouth and pharynx cancer	M	92	-	49	3.3	-	5.4	-	-	-	-	-	-	-
	F	47	1	16	1.3	0.1	1.6	-	-	-	-	-	-	0.6
Oesophagus cancer	M	165	-	81	5.7	-	8.7	-	-	-	-	-	-	-
	F	57	-	21	1.5	-	2.3	-	-	-	-	-	-	-
Stomach cancer	M	199	1	77	6.5	0.1	8.4	-	-	-	-	-	-	0.6
	F	146	-	43	3.6	-	4.3	-	-	-	-	-	-	-
Colorectal cancer	M	773	4	248	25.2	0.3	27.4	-	-	-	-	-	0.6	1.8
	F	816	1	195	19.4	0.1	21.1	-	-	-	-	-	-	0.6
Liver cancer	M	79	2	35	2.7	0.2	3.6	0.6	-	-	-	-	0.6	-
	F	38	1	11	0.9	0.1	1.2	-	-	-	-	-	-	0.6
Pancreas cancer	M	313	1	135	10.6	0.1	14.9	0.6	-	-	-	-	-	-
	F	317	1	107	8.6	0.1	11.3	-	-	-	-	-	-	0.6
Larynx cancer	M	25	-	13	0.8	-	1.5	-	-	-	-	-	-	-
	F	7	-	2	0.1	-	0.2	-	-	-	-	-	-	-
Lung cancer	M	1242	2	540	42.4	0.2	58.7	-	-	-	-	-	0.6	0.6
	F	925	3	414	27.3	0.3	44.0	-	-	-	0.6	-	-	1.3
Malignant melanoma	M	198	2	92	6.7	0.2	9.6	-	-	0.6	-	-	-	0.6
	F	140	5	72	4.3	0.5	7.4	-	-	-	-	-	0.7	2.6
Female breast cancer	F	673	4	298	19.2	0.4	30.6	-	-	-	-	-	-	2.6
Cervix cancer	F	78	-	43	2.4	-	4.3	-	-	-	-	-	-	-
Other uterine cancer	F	120	1	36	3.0	0.1	3.9	-	-	-	-	-	0.7	-
Ovarian cancer	F	323	1	157	9.6	0.1	16.5	-	-	-	-	-	0.7	-
Prostate cancer	M	1043	-	126	30.9	-	14.7	-	-	-	-	-	-	-
Bladder cancer	M	224	1	45	6.9	0.1	5.1	-	-	-	-	-	-	0.6
	F	110	-	21	2.5	-	2.2	-	-	-	-	-	-	-
Other and ill-defined cancer sites	M	977	25	375	32.8	2.2	39.0	0.6	2.6	1.2	-	3.1	3.8	4.3
	F	923	24	255	23.1	2.2	27.0	2.0	0.7	1.3	3.8	3.3	2.0	2.6
Hodgkin's disease	M	8	-	5	0.3	-	0.6	-	-	-	-	-	-	-
	F	7	2	1	0.2	0.2	0.1	-	-	-	-	0.7	0.7	-
Myeloma and non- Hodgkin lymphomas	M	311	5	115	10.5	0.4	12.2	-	-	-	1.8	0.6	-	0.6
	F	252	2	64	6.2	0.2	6.8	-	-	-	-	0.7	0.7	-
Leukaemia	M	166	8	52	5.6	0.7	5.5	0.6	0.7	0.6	1.2	-	0.6	1.2
	F	131	4	38	3.4	0.4	3.9	-	-	-	1.9	0.7	-	-
Diabetes	M	352	3	107	11.2	0.3	11.1	-	-	-	-	-	1.3	0.6
	F	350	1	30	6.4	0.1	3.2	-	-	-	-	-	-	0.6
ALL VASCULAR DISEASE	M	6105	19	1248	185.4	1.7	130.1	1.9	-	-	1.8	0.6	1.3	6.1
	F	7023	13	440	122.2	1.2	47.5	0.7	0.7	1.3	0.6	2.0	1.3	1.9
Rheumatic heart disease and fever	M	5	-	2	0.2	-	0.2	-	-	-	-	-	-	-
	F	8	1	2	0.2	0.1	0.2	-	-	-	-	-	0.7	-
Hypertensive disease	M	182	-	46	5.7	-	4.7	-	-	-	-	-	-	-
	F	288	-	16	5.0	-	1.8	-	-	-	-	-	-	-
Ischaemic heart disease	M	2782	3	693	86.1	0.3	71.3	-	-	-	-	-	-	1.8
	F	2424	1	176	42.4	0.1	18.9	-	-	-	-	-	-	0.6
Pulmonary embolism and other venous	M	66	1	12	2.0	0.1	1.2	-	-	-	-	-	-	0.6
	F	114	2	20	2.5	0.2	2.1	-	-	-	0.6	-	-	0.6
Cerebrovascular disease	M	1280	4	193	38.2	0.4	20.3	0.6	-	-	0.6	-	0.6	0.6
	F	1900	2	117	33.1	0.2	12.6	-	0.7	-	-	0.7	-	-
Other vascular disease	M	1790	11	302	53.3	1.0	32.5	1.3	-	-	1.2	0.6	0.6	3.1
	F	2289	7	109	38.9	0.7	12.0	0.7	-	1.3	-	1.3	0.7	0.6
Chronic obstructive pulmonary disease	M	1042	-	167	31.7	-	18.9	-	-	-	-	-	-	-
	F	967	1	169	21.8	0.1	18.9	-	-	-	-	0.7	-	-
Other respiratory disease	M	837	5	81	23.9	0.5	8.5	1.3	-	-	-	-	0.6	1.2
	F	1035	-	36	16.5	-	3.9	-	-	-	-	-	-	-
Peptic ulcer	M	87	-	24	2.7	-	2.4	-	-	-	-	-	-	-
	F	114	-	9	2.1	-	1.0	-	-	-	-	-	-	-
Liver cirrhosis	M	131	-	93	4.8	-	9.1	-	-	-	-	-	-	-
	F	74	-	44	2.4	-	4.5	-	-	-	-	-	-	-
Renal disease	M	280	-	28	8.0	-	3.1	-	-	-	-	-	-	-
	F	307	1	17	5.4	0.1	1.8	0.7	-	-	-	-	-	-
Pregnancy, birth	F	3	1	2	0.1	0.1	0.2	-	-	-	-	-	-	0.6
Congenital and perinatal causes	M	111	84	23	5.2	7.6	2.1	44.5	0.7	3.1	1.2	1.3	1.9	0.6
	F	98	69	24	4.7	6.6	2.3	41.5	2.1	-	0.6	0.7	0.7	0.6
Ill-defined causes	M	992	47	346	32.4	4.2	34.9	7.0	1.3	1.2	1.2	3.8	9.5	5.5
	F	1200	22	125	22.6	2.1	12.9	3.4	0.7	0.7	1.9	5.2	0.7	1.9
Other medical causes	M	2350	48	493	72.0	4.3	51.1	4.5	0.7	4.3	4.2	6.3	5.7	4.3
	F	3591	40	311	66.7	3.8	32.5	7.4	2.7	1.3	4.5	2.0	4.6	3.8
ALL NON- MEDICAL CAUSES	M	1474	338	617	53.3	30.1	56.4	1.3	2.6	3.1	24.6	63.5	64.8	51.0
	F	1053	114	265	26.8	10.6	25.2	2.0	2.7	0.7	11.5	18.9	22.2	16.0
Road traffic accidents	M	155	59	65	6.0	5.2	6.0	0.6	-	0.6	7.2	13.8	9.5	4.9
	F	52	16	23	1.9	1.5	2.1	-	-	-	3.8	3.9	2.6	-
Fire	M	32	3	15	1.1	0.3	1.4	-	-	0.6	-	-	-	1.2
	F	24	-	6	0.6	-	0.6	-	-	-	-	-	-	-
Suicide	M	383	122	207	15.1	10.9	18.5	-	-	0.6	11.4	25.2	23.5	15.3
	F	164	37	112	6.5	3.4	10.4	-	-	-	2.6	5.9	7.2	8.3
POPULATION:			M=male											
(1000s; UN, 2015 revision)			F=female											
					2444.4	1116.7	1115.2	157.2	152.2	161.8	166.4	158.9	157.3	162.8
					2446.8	1067.6	1076.9	149.2	145.9	153.4	156.4	153.4	152.8	156.5

2010: NORWAY

Annual death rates / 100,000

(zero denoted by -)

9th ICD/10th ICD categories

35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+NK			
84.7	130.7	213.1	348.8	576.0	951.3	1554.2	2468.5	4520.6	12164.6	M	ALL CAUSES	001-999/A00-Y89
49.2	83.3	136.1	248.9	374.9	605.1	946.5	1538.0	2734.4	10102.3	F		
-	-	-	-	-	-	0.9	-	-	11.4	M	Tuberculosis	010-018, 137/A15-A19, B90
-	-	-	-	0.7	0.7	0.9	2.4	-	8.4	F		
1.6	2.6	2.9	5.5	12.0	6.8	24.0	27.8	73.8	309.7	M	Other infective and parasitic	Rest of 001-139,279.5&.6/rest of A00-B99 excl A33,A34
-	1.1	-	3.8	8.2	8.3	21.6	22.3	63.9	279.2	F		
9.8	21.2	48.8	106.7	207.9	391.8	721.7	972.9	1589.9	2684.2	M	ALL CANCER	140-208/C00-C97
21.8	32.4	71.1	121.9	232.2	338.2	504.7	652.8	907.4	1422.6	F		
-	1.1	0.6	1.8	7.3	6.8	20.3	19.9	25.8	16.5	M	Mouth and pharynx cancer	140-149/C00-C14
-	-	1.2	2.5	3.4	0.7	3.6	5.9	4.1	15.3	F		
-	-	1.7	6.7	10.6	14.9	26.8	29.1	32.6	54.6	M	Oesophagus cancer	150/C15
-	-	-	0.6	2.0	5.5	8.1	7.0	12.2	14.6	F		
1.6	0.5	1.7	4.9	7.3	12.2	30.5	29.1	37.8	97.7	M	Stomach cancer	151/C16
1.1	0.6	3.0	4.5	6.2	7.6	7.2	16.4	21.8	50.8	F		
2.2	2.1	4.0	11.0	22.6	47.5	102.6	123.1	247.2	360.4	M	Colorectal cancer	153, 154/C18-C21
1.1	1.1	9.1	9.6	26.6	33.2	66.6	102.1	153.7	292.5	F		
-	1.6	2.9	1.8	4.7	4.1	10.2	13.2	18.9	26.6	M	Liver cancer	155.0/C22 excl C221
-	-	1.2	-	0.7	2.8	3.6	2.4	2.7	15.3	F		
0.6	1.6	2.9	6.1	13.9	24.4	54.5	58.2	68.7	118.0	M	Pancreas cancer	157/C25
-	2.8	-	8.3	13.7	26.3	27.9	47.0	73.5	80.1	F		
-	-	-	-	2.0	2.0	6.5	4.0	5.2	7.6	M	Larynx cancer	161/C32
-	-	-	-	0.7	0.7	-	-	-	3.5	F		
-	2.1	9.2	26.4	59.8	121.5	192.2	254.1	352.0	384.6	M	Lung cancer	162/C33, C34
1.7	2.8	12.8	24.9	52.6	94.7	118.8	139.7	205.4	165.7	F		
0.6	1.1	4.0	7.4	9.3	18.3	26.8	26.5	51.5	68.5	M	Malignant melanoma	172/C43
2.9	2.2	4.9	5.7	6.8	11.1	18.0	15.3	16.3	26.5	F		
7.4	7.3	17.0	28.1	37.6	44.3	72.9	81.0	85.7	166.4	F	Female breast cancer	174/C50
2.9	2.8	1.2	3.8	5.5	4.2	9.9	7.0	15.0	12.5	F	Cervix cancer	180/C53
-	0.6	0.6	1.9	6.2	5.5	12.6	15.3	17.7	39.7	F	Other uterine cancer	179, 182/C54, C55
0.6	2.8	4.2	12.8	25.9	26.3	43.2	47.0	40.8	66.2	M	Ovarian cancer	183/C56, C570-C574
-	0.5	1.1	1.8	10.6	19.7	69.3	137.7	293.6	814.8	F	Prostate cancer	185/C61
-	-	1.1	4.3	2.0	6.1	22.2	35.7	54.9	151.0	M	Bladder cancer	188/C67
-	-	1.8	1.9	2.0	2.8	7.2	12.9	19.1	44.6	F		
3.3	9.0	13.8	23.9	35.9	83.5	103.5	165.4	242.1	394.7	M	Other and ill-defined cancer sites	Rest of 140-199/rest of C00-C80, C97
2.3	5.6	10.9	11.5	32.8	50.5	75.6	105.7	155.1	306.4	F	Hodgkin's disease	201/C81
-	-	-	-	2.0	-	1.9	1.3	-	2.5	M		
-	-	-	-	-	-	0.9	-	-	2.8	F		
0.6	0.5	3.5	8.6	13.9	21.7	37.0	42.4	118.5	114.2	M	Myeloma and non-Hodgkin lymphomas	200, 202-203/C82-C90, C96
-	2.8	1.2	3.2	6.8	13.8	19.8	32.9	54.4	82.2	F	Leukaemia	204-208/C91-C95
1.1	1.1	2.3	1.8	6.0	8.8	17.6	33.1	41.2	72.3	M		
1.7	1.1	1.8	2.5	2.7	8.3	9.0	15.3	29.9	37.6	F		
3.8	2.1	5.2	4.9	10.6	19.0	32.3	42.4	96.2	195.4	M	Diabetes	250/E10-E14
0.6	0.6	1.2	1.9	2.7	5.5	9.9	15.3	50.3	187.3	F		
14.2	30.7	54.6	75.4	136.2	236.3	363.1	721.4	1387.3	4422.9	M	ALL VASCULAR DISEASE	390-459/I00-I99
2.3	10.6	14.6	27.4	36.9	84.4	156.6	325.2	785.0	3980.2	F		
-	-	-	-	0.7	0.7	-	-	1.7	2.5	M	Rheumatic heart disease and fever	390-398/I00-I09
-	-	-	-	1.4	-	-	-	1.4	2.8	F		
0.6	0.5	2.9	3.7	3.3	10.9	11.1	33.1	41.2	110.4	M	Hypertensive disease	401-405/I10-I15
-	-	-	1.3	2.0	2.8	6.3	16.4	35.4	161.6	F		
8.2	15.9	33.3	48.4	78.4	134.4	180.2	342.8	619.8	1860.5	M	Ischaemic heart disease	410-414/I20-I25
0.6	4.5	7.3	11.5	11.6	36.6	60.3	102.1	270.7	1365.5	F		
-	1.1	0.6	0.6	1.3	2.0	2.8	7.9	10.3	52.0	M	Pulmonary embolism and other venous	415.1, 451-453/126, 180-182
-	0.6	1.2	1.9	0.7	4.8	5.4	12.9	12.2	50.1	F		
2.2	5.3	8.0	12.3	24.6	28.5	61.0	135.0	345.1	989.9	M	Cerebrovascular disease	430-438/I60-I69
-	3.4	4.2	8.3	10.9	20.1	41.4	85.7	229.9	1071.6	F		
3.3	7.9	9.8	10.4	27.9	59.8	108.1	202.5	369.1	1407.5	M	Other vascular disease	Rest of 390-459/rest of I00-I99
1.7	2.2	1.8	4.5	10.2	20.1	43.2	108.0	235.3	1328.6	F	Chronic obstructive pulmonary disease	490-496/J40-J47, J67
-	1.6	1.1	6.1	12.0	34.6	76.7	161.5	302.2	732.3	M		
1.1	0.6	1.8	3.8	13.0	40.8	71.1	143.2	193.2	371.1	F		
2.7	1.1	1.7	6.7	8.6	13.6	24.9	63.5	156.2	776.7	M	Other respiratory disease	Rest of 460-519/rest of J00-J98
-	1.7	2.4	1.3	3.4	4.8	13.5	34.0	62.6	643.4	F		
-	1.1	0.6	3.7	2.7	3.4	5.5	6.6	18.9	59.6	M	Peptic ulcer	531-533/K25-K27
-	-	0.6	0.6	1.4	1.4	2.7	5.9	15.0	62.0	F		
-	2.1	4.6	9.2	13.9	21.1	12.9	25.1	5.2	20.3	M	Liver cirrhosis	571/K70, K74
-	0.6	3.0	7.7	3.4	6.2	10.8	7.0	16.3	8.4	F		
-	-	-	1.8	4.0	5.4	10.2	22.5	51.5	260.2	M	Renal disease	580-590/N00-N19
0.6	-	1.2	1.3	2.0	2.8	4.5	21.1	28.6	174.1	F		
1.1	-	-	-	-	-	-	-	-	-	M	Pregnancy, birth	630-676/A34, O00-O99
0.6	1.1	1.7	1.8	5.3	2.7	1.9	2.6	1.7	1.3	M	Congenital and perinatal causes	740-779/A33, P00-P96, Q00-Q99
2.9	2.8	-	1.9	1.4	3.5	3.6	1.2	1.4	2.1	F	Ill-defined causes	780-799/R00-R99
6.6	8.5	17.2	32.5	39.9	60.4	79.5	108.5	140.8	552.1	M		
2.3	5.0	2.4	17.9	12.3	18.0	32.4	59.9	102.0	645.5	F		
6.0	5.8	21.3	39.8	58.5	91.7	134.9	231.6	554.6	1663.8	M	Other medical causes	Rest of 001-799/rest of A00-R99
5.2	9.5	10.3	23.6	29.4	65.7	83.7	209.0	420.4	1917.0	F		
39.3	52.9	53.4	54.6	64.4	64.5	65.6	82.1	142.5	474.7	M	ALL NON-MEDICAL CAUSES	E800-E999/V01-Y89
11.4	18.5	27.3	35.7	28.0	24.9	30.6	38.7	88.4	401.1	F	Road traffic accidents	E810-E819, E826-E829/part of V01-V99, Y850
5.5	3.7	7.5	4.3	6.0	7.5	7.4	7.9	18.9	17.8	M	Fire	E890-E899/X00-X09
1.1	1.1	3.0	2.5	4.8	1.4	0.9	3.5	4.1	4.9	F	Suicide	E950-E959/X60-X84
-	1.1	0.6	1.2	2.0	3.4	1.9	5.3	5.2	8.9	M		
-	0.6	0.6	0.6	1.4	0.7	-	2.4	4.1	9.1	F		
15.3	22.2	19.5	17.2	17.3	20.4	17.6	30.4	25.8	20.3	M		
6.9	7.3	12.2	14.7	9.6	15.2	7.2	5.9	4.1	4.9	F		
183.0	188.9	174.1	163.1	150.5	147.3	108.2	75.6	58.2	78.8	M	POPULATION	
174.7	178.8	164.6	156.7	146.4	144.6	111.2	85.2	73.5	143.6	F	(1000s; UN, 2015 revision)	

POLAND: 2010

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	199833	8207	90751	1023.9	83.8	1265.2	128.7	13.6	17.8	64.9	105.5	109.9	146.3
	F	178645	2847	39819	542.3	33.9	494.3	107.8	10.1	11.9	20.4	22.2	26.4	38.4
Tuberculosis	M	462	14	333	2.3	0.1	4.1	-	-	-	-	0.1	0.1	0.7
	F	124	3	50	0.4	0.0	0.6	-	-	-	-	0.1	-	0.1
Other infective and parasitic	M	1215	130	611	6.3	1.4	8.3	4.3	0.2	0.5	0.6	0.7	1.3	2.5
	F	1005	57	297	3.5	0.7	3.7	2.0	0.7	0.2	0.3	0.4	0.7	0.5
ALL CANCER	M	51818	521	26122	266.3	5.3	384.2	2.7	2.8	3.7	4.3	5.6	7.9	10.1
	F	40795	402	18394	145.6	4.2	224.1	2.9	2.3	1.8	3.0	2.9	5.6	11.0
Mouth and pharynx cancer	M	1763	6	1341	8.9	0.1	17.5	-	-	-	-	0.1	0.1	0.2
	F	464	4	265	1.7	0.0	3.1	-	-	-	-	0.1	0.1	0.1
Oesophagus cancer	M	1106	-	736	5.6	-	10.3	-	-	-	-	-	-	-
	F	290	1	128	1.0	0.0	1.5	-	-	-	-	-	0.1	-
Stomach cancer	M	3486	15	1689	17.9	0.1	24.6	-	-	-	-	0.1	0.4	0.4
	F	1878	12	681	6.4	0.1	8.4	-	-	-	-	0.2	0.1	0.5
Colorectal cancer	M	5959	23	2568	30.8	0.2	39.6	-	-	-	-	0.1	0.4	0.9
	F	4861	18	1605	16.1	0.2	20.2	-	-	-	-	0.1	0.4	0.7
Liver cancer	M	1020	7	515	5.3	0.1	7.6	0.2	-	-	-	0.1	0.1	0.1
	F	907	7	311	3.0	0.1	3.9	0.1	-	-	0.2	0.1	0.1	0.1
Pancreas cancer	M	2280	3	1363	11.8	0.0	19.9	-	-	-	-	-	0.1	0.1
	F	2250	5	882	7.8	0.1	11.0	-	-	-	0.1	-	-	0.3
Larynx cancer	M	1358	2	915	6.9	0.0	12.6	-	-	-	-	-	0.1	0.1
	F	169	-	108	0.7	-	1.2	-	-	-	-	-	-	-
Lung cancer	M	16204	16	9047	83.4	0.1	134.2	-	-	-	0.1	0.1	0.2	0.6
	F	6170	6	3624	23.4	0.1	44.0	-	-	-	-	0.1	-	0.3
Malignant melanoma	M	621	22	346	3.1	0.2	4.7	-	-	-	0.1	0.2	0.5	0.6
	F	569	12	258	2.1	0.1	3.1	-	-	-	-	0.1	0.1	0.6
Female breast cancer	F	5226	42	2824	19.6	0.4	33.4	-	-	-	-	-	0.3	2.4
Cervix cancer	F	1735	22	1178	7.0	0.2	13.4	-	-	-	-	0.1	0.3	1.0
Other uterine cancer	F	1330	1	568	4.7	0.0	7.2	-	-	-	-	-	0.1	-
Ovarian cancer	F	2570	19	1515	9.9	0.2	18.1	-	-	-	-	0.1	0.2	1.0
Prostate cancer	M	3940	-	926	20.3	-	15.8	-	-	-	-	-	-	-
Bladder cancer	M	2470	1	902	12.8	0.0	14.3	-	-	-	-	-	-	0.1
	F	641	-	183	2.0	-	2.3	-	-	-	-	-	-	-
Other and ill-defined cancer sites	M	8731	270	4466	44.8	2.8	64.0	1.6	2.1	2.2	2.8	2.6	4.1	4.2
	F	9104	154	3348	31.1	1.7	41.6	1.9	1.4	1.2	1.6	1.3	1.9	2.7
Hodgkin's disease	M	111	28	59	0.6	0.3	0.8	-	-	0.1	0.1	0.5	0.3	0.8
	F	78	15	41	0.3	0.1	0.5	-	-	-	0.1	0.1	0.6	0.2
Myeloma and non-Hodgkin lymphomas	M	1337	33	639	6.9	0.3	9.3	0.1	0.2	0.2	0.1	0.2	0.7	0.8
	F	1341	39	467	4.7	0.4	6.0	0.1	0.1	0.1	0.4	0.4	0.9	0.7
Leukaemia	M	1432	95	610	7.4	1.0	9.1	0.8	0.4	1.2	1.2	1.5	0.8	1.3
	F	1212	45	408	4.2	0.6	5.0	0.7	0.8	0.4	0.7	0.3	0.5	0.4
Diabetes	M	2742	24	1247	14.0	0.2	17.8	0.1	-	-	-	0.1	0.2	1.1
	F	3770	16	717	11.2	0.2	9.6	-	0.1	0.2	0.1	0.1	0.1	0.6
ALL VASCULAR DISEASE	M	81484	612	29745	416.6	5.8	429.8	2.3	0.7	0.7	3.2	4.8	9.5	19.1
	F	92519	245	10472	250.9	2.5	137.1	3.1	0.2	0.9	1.3	2.6	4.1	5.5
Rheumatic heart disease and fever	M	305	8	113	1.6	0.1	1.7	0.2	-	-	-	-	0.2	0.2
	F	507	2	119	1.6	0.0	1.6	-	-	0.1	-	-	-	0.1
Hypertensive disease	M	2614	5	1174	13.3	0.0	16.7	-	-	-	-	0.1	0.1	0.1
	F	3633	2	515	10.1	0.0	6.8	-	-	-	-	-	0.1	-
Ischaemic heart disease	M	24873	71	10630	127.2	0.6	153.2	-	-	-	0.1	0.1	0.9	3.3
	F	20959	15	2754	58.0	0.1	36.5	-	-	-	-	-	0.2	0.8
Pulmonary embolism and other venous	M	1367	25	671	7.0	0.2	9.3	-	-	-	0.2	0.1	0.4	0.9
	F	1343	11	365	4.2	0.1	4.5	-	-	-	0.1	0.1	0.3	0.3
Cerebrovascular disease	M	15334	103	5444	78.5	1.0	80.6	0.2	0.1	0.3	0.7	0.7	1.6	3.2
	F	20236	67	2934	57.0	0.7	38.2	0.1	-	0.4	0.2	0.8	1.3	1.8
Other vascular disease	M	36991	400	11713	188.9	3.8	168.3	1.9	0.6	0.4	2.3	3.8	6.3	11.4
	F	45841	148	3785	120.0	1.6	49.6	3.0	0.2	0.4	1.0	1.7	2.2	2.6
Chronic obstructive pulmonary disease	M	4826	9	1298	24.8	0.1	21.2	-	-	-	-	0.3	0.1	0.2
	F	2336	1	605	7.3	0.0	8.0	-	-	-	-	0.1	-	-
Other respiratory disease	M	6661	205	2276	34.1	2.2	31.9	4.3	1.0	1.1	1.5	2.0	2.5	3.0
	F	5510	131	827	15.8	1.5	10.2	4.1	0.5	0.9	0.7	1.5	1.3	1.8
Peptic ulcer	M	796	12	394	4.0	0.1	5.2	-	-	-	-	0.1	0.2	0.4
	F	663	5	135	1.9	0.1	1.6	-	-	-	-	-	0.1	0.2
Liver cirrhosis	M	4453	155	3716	22.5	1.4	46.4	0.1	-	-	0.2	0.7	2.5	6.3
	F	1732	47	1266	7.3	0.4	14.2	-	-	-	0.2	0.1	0.6	2.1
Renal disease	M	2380	26	670	12.1	0.3	10.0	0.2	-	0.2	0.1	0.4	0.2	0.7
	F	2586	17	404	7.4	0.2	5.2	0.2	0.1	-	0.2	0.1	0.2	0.4
Pregnancy, birth	F	9	8	1	0.0	0.1	0.0	-	-	-	0.2	-	0.1	0.3
Congenital and perinatal causes	M	1130	1090	37	8.5	14.9	0.5	99.6	1.8	0.8	1.2	0.3	0.7	0.2
	F	908	876	28	7.2	12.6	0.3	83.1	1.5	1.3	1.0	0.8	0.4	0.4
Ill-defined causes	M	13294	584	7757	67.5	5.7	99.4	5.3	0.6	0.8	2.3	6.8	8.7	15.1
	F	11202	135	1897	31.3	1.5	22.6	3.6	0.3	0.2	0.8	1.0	1.8	2.6
Other medical causes	M	10179	547	5003	52.1	5.5	67.2	4.1	2.0	2.9	4.8	4.6	7.7	12.4
	F	10051	218	2610	31.9	2.5	32.6	3.9	1.6	1.4	2.0	2.3	2.7	3.3
ALL NON-MEDICAL CAUSES	M	18393	4278	11542	92.5	40.8	139.4	5.7	4.6	7.2	46.9	79.0	68.1	74.4
	F	5435	686	2116	20.4	7.4	24.4	5.0	2.7	4.8	10.7	10.3	8.6	9.7
Road traffic accidents	M	3159	1272	1578	15.8	12.3	19.2	1.4	1.6	2.8	18.1	26.6	19.0	16.7
	F	907	286	375	4.0	3.1	4.3	1.7	1.2	2.6	5.7	4.7	3.0	3.0
Fire	M	438	47	319	2.2	0.4	3.9	-	0.1	-	0.2	0.5	1.1	1.1
	F	130	13	62	0.5	0.1	0.7	0.4	0.1	-	0.2	0.1	0.2	0.1
Suicide	M	5506	1360	3687	27.5	12.7	43.9	-	-	1.0	13.6	25.0	23.9	25.3
	F	836	132	575	3.7	1.3	6.5	-	-	0.6	1.8	1.9	1.9	2.9
POPULATION:			M=male		18671	9002	8292	1034	907	1021	1278	1494	1693	1575
(1000s; UN, 2015 revision)			F=female		19904	8639	8826	980	860	969	1222	1438	1638	1532

2010: POLAND

Annual death rates / 100,000 (zero denoted by -)										9th ICD/10th ICD categories		
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
228.7	387.9	620.5	976.8	1489.3	2127.7	3025.8	4320.8	6519.5	12487.5	M	ALL CAUSES	001-999/A00-Y89
72.4	126.8	219.7	368.1	559.7	856.9	1256.5	2007.8	3616.2	10512.6	F		
1.4	2.7	3.4	5.0	5.1	6.1	5.0	6.5	8.2	11.2	M	Tuberculosis	010-018, 137/A15-A19, B90
0.3	0.6	1.0	0.6	0.5	0.4	0.6	1.2	2.2	5.1	F		
2.3	4.2	6.3	6.2	9.1	12.5	17.3	23.8	34.7	49.2	M	Other infective and parasitic	Rest of 001-139,279.5&6/rest of A00-B99 excl A33,A34
0.9	1.5	1.4	3.0	2.8	7.0	9.7	14.6	23.9	40.3	F		
20.0	45.8	105.7	235.5	459.1	734.4	1089.0	1503.3	1892.6	2223.0	M	ALL CANCER	140-208/C00-C97
25.2	48.3	103.7	180.9	283.7	403.5	523.2	665.6	859.6	1157.3	F		
1.0	3.9	7.8	17.6	30.4	30.2	31.3	35.0	26.7	27.3	M	Mouth and pharynx cancer	140-149/C00-C14
0.3	1.0	1.4	3.1	4.6	6.0	5.0	5.4	6.2	11.8	F		
0.3	1.0	3.3	7.6	14.5	20.9	24.6	27.1	24.9	28.8	M	Oesophagus cancer	150/C15
0.1	0.2	0.4	1.6	2.2	3.2	2.8	4.2	6.5	8.9	F		
1.0	3.8	9.1	16.2	29.2	44.6	68.5	106.1	125.2	167.3	M	Stomach cancer	151/C16
1.7	2.7	4.6	6.4	8.3	14.8	20.6	31.5	46.8	66.0	F		
1.8	4.0	9.1	19.0	39.4	76.7	126.9	184.3	261.2	312.7	M	Colorectal cancer	153, 154/C18-C21
2.1	2.8	6.0	14.2	23.0	36.8	57.0	87.7	120.3	185.0	F		
0.7	1.2	2.8	4.6	8.0	14.2	21.9	30.5	38.5	41.8	M	Liver cancer	155.0/C22 excl C221
0.3	0.4	1.1	2.5	5.0	7.2	10.9	15.6	21.1	34.6	F		
1.0	3.5	6.0	14.1	24.1	33.4	57.4	59.9	62.4	80.1	M	Pancreas cancer	157/C25
0.8	1.2	4.1	7.4	13.6	20.8	29.0	43.7	53.7	69.1	F		
0.1	1.0	4.4	10.5	18.8	25.4	28.1	32.8	35.9	26.8	M	Larynx cancer	161/C32
-	0.2	0.2	1.2	2.4	2.5	2.4	3.4	2.2	1.9	F		
1.7	8.6	27.4	79.5	162.4	274.3	385.3	510.4	556.5	489.7	M	Lung cancer	162/C33, C34
1.1	3.8	14.3	35.2	61.4	88.9	103.5	101.2	105.3	105.9	F		
1.0	1.9	2.4	3.2	6.1	8.7	9.5	12.4	20.9	24.2	M	Malignant melanoma	172/C43
1.1	1.2	2.3	2.7	3.8	4.0	6.5	8.0	11.6	16.8	F		
4.8	12.2	22.5	30.9	45.7	53.4	63.9	73.4	87.1	126.4	F	Female breast cancer	174/C50
3.8	6.3	11.2	17.3	17.8	17.8	19.7	19.1	21.8	24.7	F	Cervix cancer	180/C53
0.2	0.6	2.7	3.7	8.9	14.0	20.3	25.8	29.8	37.4	F	Other uterine cancer	179, 182/C54, C55
2.0	5.5	11.5	17.0	23.3	29.5	38.3	39.2	44.2	44.1	F	Ovarian cancer	183/C56, C570-C574
0.1	0.2	1.2	3.4	12.0	29.1	64.8	115.8	215.7	369.3	M	Prostate cancer	185/C61
0.2	1.0	1.8	5.0	15.3	27.3	49.2	80.3	109.5	166.3	M	Bladder cancer	188/C67
-	0.3	0.5	1.2	3.3	4.8	5.8	10.7	14.9	29.5	F		
7.9	11.3	24.0	42.9	78.3	115.5	167.9	226.1	306.9	363.4	M	Other and ill-defined cancer sites	Rest of 140-199/rest of C00-C80, C97
5.1	8.2	17.1	29.2	47.8	78.7	105.0	144.0	220.4	317.3	F		
0.7	0.4	0.8	0.9	0.4	0.8	1.3	1.6	1.6	2.0	M	Hodgkin's disease	201/C81
0.5	0.3	0.4	0.1	0.5	0.9	1.0	1.2	0.7	0.8	F		
1.4	2.0	2.8	6.0	10.1	17.8	24.8	40.3	50.9	56.9	M	Myeloma and non-Hodgkin lymphomas	200, 202-203/C82-C90, C96
0.1	0.7	1.6	3.6	6.6	10.8	18.9	29.3	37.1	36.5	F		
1.1	1.8	2.9	5.0	10.0	15.6	27.4	40.9	56.0	66.3	M	Leukaemia	204-208/C91-C95
1.1	0.9	1.9	3.7	5.6	9.5	12.6	22.3	29.8	40.4	F		
2.4	4.1	7.6	12.7	20.5	31.3	45.6	63.8	106.2	168.8	M	Diabetes	250/E10-E14
0.8	1.0	2.0	4.6	8.6	17.1	32.7	54.8	104.3	206.2	F		
39.5	91.9	163.4	300.6	490.5	755.4	1167.5	1818.1	3106.0	7073.9	M	ALL VASCULAR DISEASE	390-459/I00-I99
10.3	21.7	39.7	75.7	129.8	242.4	440.4	887.5	1954.2	6805.0	F		
0.1	0.1	0.3	1.2	1.7	3.0	5.7	9.1	11.7	21.2	M	Rheumatic heart disease and fever	390-398/I00-I09
0.1	-	0.2	0.3	1.5	3.7	5.5	10.4	13.4	22.9	F		
0.7	2.1	6.1	12.5	21.6	31.2	42.6	61.9	87.7	182.6	M	Hypertensive disease	401-405/I10-I15
0.1	1.1	1.4	3.4	6.1	13.8	21.6	39.7	76.3	252.2	F		
9.4	26.8	55.0	108.8	182.6	278.9	411.2	597.7	930.0	1752.4	M	Ischaemic heart disease	410-414/I20-I25
1.1	3.5	7.6	19.9	34.4	65.4	123.3	230.5	469.8	1453.4	F		
1.8	3.8	4.5	6.9	10.6	15.9	21.6	31.6	51.8	69.9	M	Pulmonary embolism and other venous	415.1, 451-453/126, 180-182
0.9	1.7	1.4	2.9	5.2	8.9	10.4	18.9	37.8	60.5	F		
6.6	15.0	25.9	48.0	88.6	146.0	233.8	378.2	650.8	1250.0	M	Cerebrovascular disease	430-438/I60-I69
3.9	7.2	12.7	23.6	35.0	64.5	120.8	225.4	490.4	1333.5	F		
20.9	44.0	71.6	123.1	185.4	280.3	452.6	739.6	1374.0	3797.9	M	Other vascular disease	Rest of 390-459/rest of I00-I99
4.2	8.2	16.4	25.7	47.6	86.2	158.8	362.6	866.5	3682.6	F		
0.1	0.9	3.0	7.4	19.2	37.6	80.5	140.7	261.9	412.4	M	Chronic obstructive pulmonary disease	490-496/J40-J47, J67
0.3	0.3	0.9	3.0	8.2	17.4	25.8	42.7	64.6	102.5	F		
7.2	9.1	16.2	24.1	36.0	52.0	78.8	126.9	234.2	630.7	M	Other respiratory disease	Rest of 460-519/rest of J00-J98
2.2	2.4	4.8	8.4	11.6	16.4	25.7	49.6	99.7	385.9	F		
1.4	1.6	2.8	5.2	6.7	8.7	9.8	15.2	25.3	50.2	M	Peptic ulcer	531-533/K25-K27
0.1	0.2	0.8	1.5	1.7	3.5	3.7	7.8	13.8	40.4	F		
15.3	24.5	39.4	51.8	63.4	68.4	61.5	46.8	42.2	36.0	M	Liver cirrhosis	571/K70, K74
4.8	8.1	11.1	19.1	19.5	18.6	18.6	18.4	16.7	16.4	F		
1.1	1.4	4.2	5.0	10.3	18.8	29.1	49.7	114.9	233.9	M	Renal disease	580-590/N00-N19
1.1	0.9	1.9	3.1	5.3	8.4	15.8	32.8	62.2	162.8	F		
0.1	-	-	-	-	-	-	-	-	-	M	Pregnancy, birth	630-676/A34,000-099
0.3	0.8	0.3	0.3	0.6	0.3	0.7	0.4	0.2	-	M	Congenital and perinatal causes	740-779/A33, P00-P96, Q00-Q99
0.3	0.6	0.2	0.3	0.1	0.4	0.2	0.1	0.1	0.2	F		
27.0	48.0	76.9	101.7	132.0	152.7	157.3	168.5	226.2	777.4	M	Ill-defined causes	780-799/R00-R99
6.3	10.7	13.9	18.7	27.2	38.9	42.3	61.3	116.2	882.7	F		
18.9	30.8	44.1	59.7	79.0	97.3	140.5	206.5	314.4	544.8	M	Other medical causes	Rest of 001-799/rest of A00-R99
6.0	11.3	14.2	23.9	34.4	53.6	85.0	129.6	229.4	506.4	F		
91.9	122.1	147.0	161.4	157.7	152.1	143.3	150.6	152.6	276.0	M	ALL NON-MEDICAL CAUSES	E800-E999/V01-Y89
13.7	19.2	24.2	25.3	26.3	29.2	32.8	41.9	69.3	201.4	F		
15.2	18.1	19.9	19.9	19.9	20.8	20.6	21.1	21.8	25.0	M	Road traffic accidents	E810-E819, E826-E829/part of V01-V99, Y850
2.6	3.7	4.3	4.1	4.8	4.8	5.8	8.3	11.6	10.5	F		
1.7	2.0	3.6	5.3	5.2	4.8	4.3	3.2	6.8	6.4	M	Fire	E890-E899/X00-X09
0.5	0.3	1.2	0.6	0.5	1.1	0.8	1.4	1.8	3.4	F		
31.3	42.0	47.0	51.3	53.3	42.4	40.1	36.8	28.4	33.9	M	Suicide	E950-E959/X60-X84
3.5	4.3	6.9	7.5	7.7	7.6	8.4	4.3	6.2	5.4	F		
1361	1172	1237	1508	1383	1029	601	558	427	392	M	POPULATION	
1326	1151	1241	1574	1530	1217	787	829	725	886	F	(1000s; UN, 2015 revision)	

PORTUGAL: 2010

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	54413	1238	15830	734.6	55.1	744.8	65.5	14.8	16.8	36.4	65.5	78.0	109.0
	F	51828	682	7284	426.7	32.1	307.0	69.2	10.9	8.7	19.4	34.7	31.0	50.6
Tuberculosis	M	143	2	58	2.0	0.1	2.7	-	-	-	-	-	-	0.5
	F	62	1	8	0.6	0.0	0.3	-	-	-	-	-	-	0.2
Other infective and parasitic	M	1371	78	641	20.7	3.1	27.4	1.2	0.4	0.3	0.3	0.7	5.9	13.0
	F	1091	32	220	10.0	1.3	8.8	0.8	0.4	0.4	0.4	0.3	2.3	4.5
ALL CANCER	M	14955	123	6010	211.7	5.5	287.8	2.8	3.7	1.7	5.8	8.0	5.9	10.4
	F	10027	129	3341	104.5	5.6	140.2	3.8	3.1	1.8	3.6	6.5	7.0	13.5
Mouth and pharynx cancer	M	577	2	415	9.6	0.1	18.8	-	-	-	-	0.3	-	0.3
	F	113	3	38	1.2	0.1	1.5	-	-	-	-	0.3	-	0.5
Oesophagus cancer	M	450	-	295	7.1	-	13.7	-	-	-	-	-	-	-
	F	82	1	23	0.8	0.0	1.0	-	-	-	-	-	0.3	-
Stomach cancer	M	1378	4	571	19.6	0.2	27.3	-	-	-	0.3	-	0.3	0.5
	F	945	6	265	9.2	0.2	11.2	-	-	-	-	0.3	0.3	1.0
Colorectal cancer	M	2226	5	739	30.1	0.2	36.4	-	-	-	-	0.3	0.3	0.8
	F	1538	6	417	14.8	0.3	17.6	-	-	0.4	0.4	-	0.6	0.5
Liver cancer	M	481	3	236	7.2	0.1	11.3	0.4	-	-	-	0.3	0.3	-
	F	173	3	38	1.6	0.1	1.6	-	-	-	-	-	0.6	0.2
Pancreas cancer	M	680	2	314	9.9	0.1	15.2	-	-	-	0.3	-	-	0.3
	F	570	-	154	5.5	-	6.7	-	-	-	-	-	-	-
Larynx cancer	M	370	-	229	5.8	-	10.6	-	-	-	-	-	-	-
	F	18	-	6	0.2	-	0.2	-	-	-	-	-	-	-
Lung cancer	M	2910	4	1474	43.2	0.1	70.9	-	-	-	-	-	0.3	0.8
	F	748	2	287	8.2	0.1	12.0	-	-	-	-	-	-	0.5
Malignant melanoma	M	126	2	65	1.9	0.1	3.1	-	-	-	-	-	-	0.5
	F	118	1	41	1.2	0.0	1.6	-	-	-	-	-	-	0.2
Female breast cancer	F	1661	22	771	19.4	0.8	31.6	-	-	-	0.4	-	1.2	4.3
	F	230	5	133	2.9	0.2	5.5	-	-	-	-	-	0.6	0.8
Other uterine cancer	F	415	2	155	4.4	0.1	6.7	-	-	-	-	-	0.3	0.2
	F	362	5	159	4.2	0.2	6.8	-	-	-	-	-	0.3	1.0
Prostate cancer	M	1786	-	224	21.4	-	11.6	-	-	-	-	-	-	-
	M	604	-	146	7.7	-	7.2	-	-	-	-	-	-	-
Bladder cancer	F	207	-	25	1.6	-	1.1	-	-	-	-	-	-	-
	M	2270	61	937	32.8	2.8	44.3	2.0	2.2	1.4	2.4	4.3	2.4	4.7
Other and ill-defined cancer sites	F	1935	50	587	20.0	2.4	24.7	3.8	1.9	0.7	2.2	4.8	1.8	2.0
	M	34	8	10	0.5	0.3	0.5	-	-	-	-	0.3	1.8	0.3
Hodgkin's disease	F	26	4	9	0.3	0.2	0.4	-	-	0.4	-	-	0.6	0.2
	M	620	7	210	8.6	0.3	9.9	-	-	-	0.3	0.7	0.3	0.8
Myeloma and non- Hodgkin lymphomas	F	533	8	142	5.3	0.3	6.1	-	-	-	0.4	0.3	-	1.5
	M	443	25	145	6.3	1.2	7.0	0.4	1.5	0.3	2.4	1.7	0.3	1.6
Leukaemia	F	353	11	91	3.5	0.5	3.8	-	1.2	0.4	0.4	0.7	0.6	0.5
	M	2024	2	382	25.5	0.1	19.0	-	-	-	-	-	-	0.5
Diabetes	F	2724	3	259	21.0	0.1	11.6	-	-	0.4	0.4	-	-	0.2
	M	14962	52	2777	186.8	2.2	135.1	-	0.7	1.4	1.0	1.7	3.2	7.0
ALL VASCULAR DISEASE	F	18818	35	1205	134.6	1.5	52.5	1.7	-	-	0.7	3.1	2.3	3.0
	M	58	-	19	0.8	-	0.9	-	-	-	-	-	-	-
Rheumatic heart disease and fever	F	114	2	24	1.1	0.1	1.1	-	-	-	-	0.3	0.3	-
	M	708	-	75	8.4	-	3.7	-	-	-	-	-	-	-
Hypertensive disease	F	1175	1	49	8.0	0.0	2.2	-	-	-	-	-	-	0.2
	M	3971	12	1101	52.4	0.5	52.9	-	-	-	0.7	-	0.9	1.8
Ischaemic heart disease	F	3533	2	311	26.4	0.1	13.6	-	-	-	-	-	0.3	0.2
	M	313	4	78	4.1	0.2	3.6	-	-	0.3	-	-	0.6	0.3
Pulmonary embolism and other venous	F	420	5	66	3.5	0.2	2.8	-	-	-	-	0.3	0.3	0.8
	M	6137	15	977	75.4	0.6	48.2	-	-	0.3	-	0.7	0.9	2.3
Cerebrovascular disease	F	8259	11	528	59.0	0.4	23.0	-	-	-	-	0.7	1.2	1.2
	M	3775	21	527	45.8	0.9	25.8	-	0.7	0.7	0.3	1.0	0.9	2.6
Other vascular disease	F	5317	14	227	36.5	0.7	9.9	1.7	-	-	0.7	1.7	0.3	0.5
	M	1786	6	211	21.4	0.3	10.6	-	-	-	0.7	0.3	0.3	0.5
Chronic obstructive pulmonary disease	F	969	3	69	7.1	0.1	3.0	-	0.4	-	-	0.3	0.3	-
	M	4413	24	566	53.2	1.1	27.5	0.8	-	0.7	1.0	1.3	1.2	2.3
Other respiratory disease	F	4624	23	219	32.1	1.1	9.5	1.2	-	0.4	0.4	2.7	0.9	1.8
	M	114	-	29	1.5	-	1.4	-	-	-	-	-	-	-
Peptic ulcer	F	109	1	7	0.8	0.0	0.3	-	-	-	-	-	-	0.2
	M	1070	11	730	17.5	0.4	33.0	-	-	-	-	0.3	-	2.6
Liver cirrhosis	F	287	3	184	3.9	0.1	7.4	0.4	-	-	-	-	-	0.5
	M	932	2	94	11.1	0.1	4.6	-	-	-	-	-	-	0.5
Renal disease	F	1019	1	74	7.3	0.0	3.3	-	-	-	-	-	-	0.2
	M	8	6	2	0.2	0.3	0.1	-	-	-	0.7	0.7	-	0.5
Pregnancy, birth congenital and perinatal causes	F	136	118	16	3.9	6.5	0.7	39.9	1.8	0.7	0.7	1.0	0.9	0.8
	F	149	125	24	4.5	7.3	0.9	46.2	1.6	1.5	0.4	0.3	0.6	0.5
Ill-defined causes	M	4930	217	1794	70.1	9.5	81.0	7.6	1.5	3.5	5.8	12.3	16.5	19.2
	F	5127	80	610	40.5	3.7	25.3	6.2	1.2	0.7	2.2	5.1	3.8	6.5
Other medical causes	M	4530	111	1051	59.4	5.1	49.6	7.2	2.2	3.1	3.8	5.7	4.4	9.1
	F	5334	78	633	42.9	3.6	26.8	3.8	1.6	1.5	4.0	4.8	4.7	5.0
ALL NON- MEDICAL CAUSES	M	3047	492	1471	49.7	21.3	64.4	6.0	4.4	5.2	17.2	34.2	39.6	42.4
	F	1480	162	429	16.8	7.2	17.2	5.0	2.7	2.2	6.8	10.9	9.1	13.8
Road traffic accidents	M	710	231	327	12.7	10.0	14.1	2.4	1.5	2.1	8.9	16.6	19.5	19.0
	F	231	58	92	3.5	2.6	3.6	0.4	1.2	0.4	3.6	4.8	4.1	3.8
Fire	M	28	-	16	0.4	-	0.7	-	-	-	-	-	-	-
	F	33	3	7	0.4	0.2	0.3	-	0.8	-	-	0.3	-	-
Suicide	M	836	86	448	13.4	3.6	19.4	-	-	0.3	3.8	5.3	5.9	9.9
	F	265	40	135	3.8	1.7	5.4	-	-	0.4	1.1	3.1	2.6	4.5
POPULATION:		M=male			5065.1	2123.4	2357.9	250.4	271.1	286.6	291.2	301.0	338.5	384.6
(1000s; UN, 2015 revision)		F=female			5519.8	2084.9	2574.5	240.0	257.9	274.6	277.9	293.7	341.6	399.1

2010: PORTUGAL

Annual death rates / 100,000

(zero denoted by -)

9th ICD/10th ICD categories

35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+NK			
162.1	284.4	412.8	609.6	861.5	1156.1	1727.3	2853.3	4817.6	12177.9	M	ALL CAUSES	001-999/A00-Y89
74.8	111.5	167.6	244.2	318.8	472.9	759.5	1454.1	2730.4	9850.3	F		
1.0	1.3	1.1	2.0	4.4	2.7	6.4	6.3	12.3	25.5	M	Tuberculosis	010-018, 137/
0.5	0.2	0.5	0.3	-	-	0.7	3.6	6.0	8.3	F		A15-A19, B90
23.2	30.1	30.6	27.9	20.9	25.3	33.3	57.1	82.2	205.8	M	Other infective	Rest of 001-139, 279.5 & 6/
6.6	9.6	5.2	5.9	7.6	11.7	15.2	33.3	62.7	176.1	F	and parasitic	rest of A00-B99 excl A33, A34
24.2	67.3	132.3	230.8	357.1	502.7	700.1	999.3	1389.2	2243.0	M	ALL CANCER	140-208/C00-C97
27.6	45.5	80.4	126.9	161.4	226.5	312.8	459.8	618.9	1116.9	F		
1.2	7.5	16.7	25.3	26.6	28.0	26.1	27.2	21.8	33.1	M	Mouth and	140-149/C00-C14
0.2	1.5	1.5	1.9	1.1	1.5	3.0	4.0	5.2	14.3	F	pharynx cancer	
0.5	3.0	8.3	14.0	19.7	29.1	21.6	21.8	24.6	34.2	M	Oesophagus cancer	150/C15
-	0.2	0.2	1.1	0.8	1.8	2.7	4.0	4.0	11.0	F		
1.7	8.1	12.4	22.4	31.3	49.0	66.6	100.6	123.5	195.5	M	Stomach cancer	151/C16
3.1	4.3	5.7	8.6	10.8	17.7	28.1	42.4	64.3	118.3	F		
4.0	5.6	12.6	17.2	39.1	67.9	108.3	163.2	233.0	382.8	M	Colorectal cancer	153, 154/C18-C21
2.8	5.1	10.0	14.0	19.8	32.4	39.0	71.3	95.7	202.6	F		
0.5	1.3	5.7	12.8	13.1	18.6	26.9	40.8	38.0	45.6	M	Liver cancer	155.0/C22 excl C221
-	0.5	0.5	1.1	1.4	3.3	4.7	10.1	12.9	21.5	F		
0.2	3.5	4.8	11.6	19.7	28.0	38.5	48.0	59.2	82.5	M	Pancreas cancer	157/C25
-	0.2	2.2	5.9	6.5	11.4	20.7	32.2	35.0	71.5	F		
0.5	3.8	9.7	10.5	13.1	16.9	19.6	20.9	24.0	28.2	M	Larynx cancer	161/C32
-	-	0.5	-	0.3	0.3	0.7	0.4	0.8	2.7	F		
3.5	11.3	28.8	59.1	98.2	121.0	174.8	223.0	252.0	265.5	M	Lung cancer	162/C33, C34
0.7	2.8	9.0	15.6	11.3	19.2	25.4	40.9	53.1	63.8	F		
0.7	0.8	2.1	1.5	3.4	4.4	8.8	9.5	10.6	10.3	M	Malignant melanoma	172/C43
0.9	1.5	1.2	1.3	1.7	2.7	2.0	3.3	8.8	13.4	F		
9.0	12.4	22.5	34.9	41.1	48.8	52.9	65.5	78.0	146.9	F	Female breast cancer	174/C50
1.9	3.8	4.2	5.1	5.7	5.4	12.2	6.9	8.4	15.5	F	Cervix cancer	180/C53
0.5	1.3	2.5	3.5	7.1	13.8	18.3	23.5	23.7	39.9	F	Other uterine cancer	179, 182/C54, C55
0.2	1.3	3.5	6.7	8.2	11.1	16.3	19.9	24.5	24.4	F	Ovarian cancer	183/C56, C570-C574
-	0.3	1.6	2.9	8.8	22.3	45.3	83.4	204.5	549.5	M	Prostate cancer	185/C61
1.0	1.6	1.1	3.5	7.5	13.5	22.4	33.5	64.8	145.5	M	Bladder cancer	188/C67
-	0.2	-	1.1	1.7	3.0	1.4	6.2	13.7	39.0	F		
6.9	17.2	21.5	34.9	55.7	72.6	101.0	136.9	218.5	314.4	M	Other and ill-defined	Rest of 140-199/
6.4	7.6	13.2	17.2	32.3	36.6	60.0	79.7	125.9	228.0	F	cancer sites	rest of C00-C80, C97
0.5	-	0.3	0.6	0.3	-	1.6	3.2	2.8	2.2	M	Hodgkin's disease	201/C81
0.5	-	-	-	0.8	-	1.4	2.5	0.8	1.2	F		
0.7	2.7	4.0	8.7	14.7	20.9	17.2	50.8	73.2	86.9	M	Myeloma and non-	200, 202-203/
0.5	1.0	2.2	6.4	5.7	11.4	15.2	32.6	38.2	59.0	F	Hodgkin lymphomas	C82-C90, C96
2.2	0.8	2.7	5.8	5.9	10.5	21.2	36.7	38.6	66.8	M	Leukaemia	204-208/C91-C95
0.9	1.8	1.2	2.7	5.1	6.3	8.8	14.5	25.7	43.8	F		
0.2	2.4	7.5	7.6	19.7	34.5	61.4	148.7	234.2	484.9	M	Diabetes	250/E10-E14
0.9	0.5	2.2	6.2	9.1	16.2	45.8	105.7	191.8	504.5	F		
13.8	28.4	48.7	97.2	152.0	222.3	383.3	739.1	1455.2	4288.4	M	ALL VASCULAR	390-459/I00-I99
6.8	9.9	18.7	31.1	44.7	82.7	173.5	421.4	946.6	4189.7	F	DISEASE	
0.2	0.8	0.3	0.3	0.6	1.7	2.4	4.1	4.5	11.9	M	Rheumatic heart	390-398/I00-I09
-	-	-	0.8	0.8	2.1	3.7	5.4	8.0	15.8	F	disease and fever	
-	0.8	0.5	2.9	4.1	7.1	10.4	28.6	65.9	245.4	M	Hypertensive disease	401-405/I10-I15
-	-	0.5	1.3	2.3	3.0	8.1	19.6	50.7	281.6	F		
4.2	12.1	22.1	45.4	64.4	88.2	133.9	227.9	389.5	900.3	M	Ischaemic heart	410-414/I20-I25
1.4	2.8	5.7	8.3	9.1	20.4	47.5	99.9	211.1	720.8	F	disease	
0.7	0.8	2.1	3.5	5.3	6.4	6.4	17.7	32.4	72.8	M	Pulmonary embolism	415.1, 451-453/
1.6	2.0	1.2	1.3	2.3	3.6	7.1	11.9	32.2	70.3	F	and other venous	126, 180-182
4.7	9.4	14.0	30.9	49.4	78.0	150.8	300.0	623.1	1828.8	M	Cerebrovascular	430-438/I60-I69
2.4	3.5	9.2	14.2	20.9	35.1	75.6	187.2	419.8	1835.3	F	disease	
4.0	4.6	9.7	14.3	28.1	40.9	79.4	160.9	339.8	1229.3	M	Other vascular	Rest of 390-459/
1.4	1.5	2.0	5.1	9.3	18.6	31.5	97.4	224.8	1265.8	F	disease	rest of I00-I99
0.2	1.1	0.5	5.5	12.8	19.9	34.1	86.6	189.4	564.1	M	Chronic obstructive	490-496/
0.2	0.5	2.0	2.1	2.5	4.8	8.5	23.9	51.1	209.8	F	pulmonary disease	J40-J47, J67
4.7	5.6	12.4	20.7	29.1	34.5	85.8	162.7	391.2	1500.8	M	Other respiratory	Rest of 460-519/
2.4	1.3	4.2	4.3	8.5	15.6	30.2	77.8	203.5	1090.9	F	disease	rest of J00-J98
-	0.3	1.6	0.9	2.5	1.0	3.2	7.2	10.6	27.1	M	Peptic ulcer	531-533/K25-K27
-	-	0.5	0.3	0.6	-	0.7	2.5	6.0	23.5	F		
7.7	18.5	22.6	38.7	46.3	49.3	47.7	66.6	64.3	36.4	M	Liver cirrhosis	571/K70, K74
2.4	4.5	7.2	6.4	11.6	9.3	10.5	10.1	13.7	11.3	F		
0.5	1.3	1.9	4.1	4.4	4.7	15.2	42.6	74.3	330.7	M	Renal disease	580-590/N00-N19
-	0.2	0.2	2.7	2.0	5.7	12.2	16.3	53.9	228.0	F		
0.5	-	-	-	-	-	-	-	-	-	F	Pregnancy, birth	630-676/A34, O00-O99
0.7	0.5	-	1.5	0.9	0.7	0.4	0.5	0.6	-	M	Congenital and	740-779/A33,
0.9	2.0	2.0	0.5	0.6	-	-	-	-	-	F	perinatal causes	P00-P96, Q00-Q99
31.6	51.8	65.6	69.9	94.1	115.5	138.7	203.0	330.8	1020.2	M	Ill-defined causes	780-799/R00-R99
9.9	14.2	17.2	19.9	22.4	36.0	57.6	109.3	199.5	1084.4	F		
10.4	19.6	28.5	39.3	54.4	73.3	121.9	224.3	430.9	1141.3	M	Other medical causes	Rest of 001-799/
6.4	10.4	12.5	19.3	29.2	43.1	66.4	149.9	308.4	1025.7	F		rest of A00-R99
43.7	56.1	59.4	63.5	62.9	69.6	95.8	109.2	152.6	309.5	M	ALL NON-	E800-E999/V01-Y89
9.7	12.6	14.5	18.2	18.7	21.3	25.4	40.2	68.4	181.2	F	MEDICAL CAUSES	
13.6	13.9	13.2	14.8	11.9	10.5	20.4	22.2	25.7	30.9	M	Road traffic	E810-E819, E826-E829/
2.4	2.5	5.0	2.7	4.2	3.0	5.8	9.1	12.1	7.8	F	accidents	part of V01-V99, Y850
0.2	0.5	0.5	0.3	0.6	1.7	1.2	0.5	1.7	4.3	M	Fire	E890-E899/X00-X09
0.2	0.5	-	0.3	0.3	0.3	0.3	0.4	3.6	3.9	F		
11.9	19.3	18.6	20.1	22.5	18.9	24.9	30.4	53.1	76.0	M	Suicide	E950-E959/X60-X84
3.1	3.8	4.7	6.7	4.8	7.8	6.8	9.4	10.1	11.6	F		
404.6	372.7	371.9	343.5	319.8	296.0	249.4	220.7	178.9	184.2	M	POPULATION	
423.9	395.6	400.4	372.6	353.2	333.7	295.1	276.2	248.7	335.6	F	(1000s; UN, 2015 revision)	

ROMANIA: 2010

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	137957	5139	57164	1192.8	113.8	1477.2	262.5	30.6	30.3	67.6	113.5	122.8	169.8
	F	121766	2562	26846	692.8	62.9	627.2	210.3	22.5	21.6	35.7	41.1	48.4	60.5
Tuberculosis	M	1249	79	1003	11.7	1.5	22.8	0.6	-	-	0.2	1.8	1.8	6.4
	F	233	31	135	1.9	0.7	3.0	0.2	-	0.2	0.4	1.2	1.3	1.4
Other infective and parasitic	M	531	96	225	4.8	2.1	5.6	4.8	0.6	0.5	0.9	6.2	0.7	1.1
	F	461	87	146	3.4	2.1	3.3	6.0	1.0	0.9	0.9	3.6	0.9	1.3
ALL CANCER	M	28151	389	15643	247.9	8.2	408.8	5.9	4.8	3.9	5.0	8.9	10.6	18.4
	F	19156	332	8954	128.1	7.3	202.8	5.8	3.1	3.0	5.2	5.0	11.0	17.9
Mouth and pharynx cancer	M	1728	9	1422	16.1	0.2	34.2	-	-	-	0.2	-	-	1.0
	F	248	2	127	1.7	0.1	2.8	0.2	-	-	-	-	-	0.1
Oesophagus cancer	M	564	2	405	5.1	0.0	10.2	-	-	-	-	-	-	0.3
	F	111	-	50	0.7	-	1.1	-	-	-	-	-	-	-
Stomach cancer	M	2355	16	1205	20.5	0.3	32.5	0.2	0.4	-	-	0.3	0.5	1.0
	F	1184	11	433	7.3	0.2	10.3	-	-	-	0.2	0.1	0.5	0.8
Colorectal cancer	M	3073	26	1341	26.2	0.5	36.8	-	-	-	0.2	0.6	1.3	1.5
	F	2362	15	841	14.4	0.3	19.7	-	-	-	-	0.1	1.3	0.8
Liver cancer	M	1697	17	936	14.9	0.4	24.8	0.7	0.2	-	0.2	0.6	0.3	0.6
	F	944	11	354	5.9	0.2	8.3	0.4	-	-	-	0.1	0.6	0.5
Pancreas cancer	M	1494	8	843	13.2	0.1	22.1	-	-	-	-	-	0.1	0.9
	F	1142	2	422	7.1	0.0	10.0	-	-	-	-	-	0.2	0.1
Larynx cancer	M	912	-	696	8.4	-	17.6	-	-	-	-	-	-	-
	F	53	1	27	0.4	0.0	0.6	-	-	-	-	0.1	-	-
Lung cancer	M	7705	28	4980	68.8	0.5	129.5	0.2	-	-	0.3	0.6	0.1	2.5
	F	1951	10	993	13.1	0.2	22.6	-	-	-	-	0.3	0.3	0.8
Malignant melanoma	M	189	7	114	1.7	0.1	2.7	-	-	-	-	-	0.6	0.4
	F	174	6	95	1.2	0.1	2.0	-	-	-	-	0.1	0.6	0.1
Female breast cancer	F	3153	25	1706	21.8	0.5	37.8	-	-	-	-	0.1	0.6	2.6
Cervix cancer	F	1739	39	1166	13.3	0.8	25.1	-	-	-	-	0.3	1.4	3.6
Other uterine cancer	F	552	5	295	3.8	0.1	6.7	-	-	-	-	-	0.3	0.4
Ovarian cancer	F	995	8	565	7.0	0.1	12.9	-	-	-	-	-	0.2	0.9
Prostate cancer	M	2007	-	441	16.4	-	13.5	-	-	-	-	-	-	-
Bladder cancer	M	1114	2	399	9.3	0.0	11.4	-	-	-	-	-	-	0.3
	F	277	-	71	1.6	-	1.7	-	-	-	-	-	-	-
Other and ill-defined cancer sites	M	4044	172	2267	36.0	3.7	57.8	3.0	3.0	2.1	2.7	4.7	3.9	6.6
	F	3273	110	1390	21.7	2.6	31.6	2.5	2.3	1.9	2.9	1.9	2.7	3.8
Hodgkin's disease	M	70	13	36	0.7	0.3	0.9	-	-	-	0.2	0.4	0.6	0.6
	F	47	7	23	0.4	0.1	0.5	-	-	-	0.4	0.1	0.3	0.3
Myeloma and non-Hodgkin lymphomas	M	538	33	287	4.8	0.7	7.5	0.2	0.2	0.5	0.2	0.7	1.5	1.5
	F	472	34	212	3.2	0.7	4.9	0.2	0.2	0.2	0.4	1.0	1.1	2.0
Leukaemia	M	661	56	271	5.8	1.3	7.3	1.7	1.1	1.2	1.0	1.2	1.6	1.0
	F	479	46	184	3.4	1.1	4.2	2.5	0.6	0.9	1.4	0.4	0.9	1.0
Diabetes	M	1095	10	509	9.4	0.2	13.8	-	-	-	-	-	-	1.3
	F	1355	7	392	7.9	0.1	9.4	-	-	-	0.2	0.1	0.5	0.3
ALL VASCULAR DISEASE	M	73993	323	21763	614.3	6.4	591.0	2.4	0.4	1.4	1.4	6.3	11.5	21.6
	F	82366	157	10301	421.3	3.3	252.7	1.8	0.4	0.9	2.0	3.5	5.4	9.4
Rheumatic heart disease and fever	M	176	5	80	1.6	0.1	2.1	-	-	0.5	-	-	0.1	0.1
	F	220	2	79	1.4	0.1	1.9	-	-	-	0.4	-	-	-
Hypertensive disease	M	11312	17	2601	92.4	0.3	73.6	-	-	-	-	-	-	0.6
	F	15672	9	1682	78.9	0.2	42.0	-	-	-	-	0.4	0.2	0.7
Ischaemic heart disease	M	27021	125	9467	227.2	2.4	251.8	-	-	-	-	3.1	4.8	8.9
	F	26276	34	3635	135.6	0.7	88.5	-	-	-	0.2	1.0	0.9	2.6
Pulmonary embolism and other venous	M	434	9	217	3.8	0.2	5.7	-	-	-	-	0.4	-	0.8
	F	446	8	174	2.8	0.2	4.1	-	-	-	-	-	0.3	0.8
Cerebrovascular disease	M	22490	73	6039	185.4	1.5	169.7	1.3	-	-	0.3	1.8	3.1	3.8
	F	26815	53	3586	138.4	1.1	89.1	0.4	-	0.4	0.4	1.2	2.8	2.7
Other vascular disease	M	12560	94	3359	103.9	1.9	88.1	1.1	0.4	0.9	1.0	1.0	2.8	6.2
	F	12937	51	1145	64.2	1.1	27.1	1.4	0.4	0.6	1.1	0.9	1.1	2.6
Chronic obstructive pulmonary disease	M	3895	19	1250	32.6	0.4	34.4	0.2	-	0.5	0.5	0.3	0.6	0.8
	F	2007	11	294	10.5	0.2	7.0	0.2	0.2	0.2	-	0.1	0.3	0.7
Other respiratory disease	M	4167	614	1862	39.0	15.1	46.3	70.7	5.0	2.3	6.5	5.5	6.7	8.7
	F	2663	463	692	19.8	12.3	15.7	65.8	4.1	2.4	2.9	4.2	4.1	2.6
Peptic ulcer	M	339	9	197	3.0	0.2	5.0	-	-	-	-	0.1	0.1	0.9
	F	186	2	58	1.1	0.1	1.3	-	-	0.2	0.2	-	-	-
Liver cirrhosis	M	6905	132	5097	63.3	2.5	125.1	-	-	-	0.2	3.0	4.2	10.3
	F	4077	37	2486	29.3	0.7	56.1	-	-	-	-	0.3	1.6	3.3
Renal disease	M	1228	32	462	10.4	0.7	12.1	1.3	0.4	0.3	0.2	0.3	0.9	1.5
	F	1115	28	369	6.9	0.7	8.8	0.2	0.6	0.6	1.1	0.4	1.1	0.7
Pregnancy, birth	F	51	32	19	0.5	0.7	0.3	-	-	-	1.1	0.6	1.6	1.6
Congenital and perinatal causes	M	787	768	15	11.4	20.2	0.3	138.8	0.7	-	0.7	0.4	0.3	0.4
	F	553	544	7	8.5	15.1	0.2	101.8	1.2	0.6	0.9	0.4	0.6	-
Ill-defined causes	M	1271	239	787	11.9	4.9	17.5	3.5	0.6	0.5	1.7	5.2	10.4	12.2
	F	787	96	408	6.0	2.1	8.8	1.9	0.4	0.2	2.7	2.8	3.6	3.4
Other medical causes	M	4785	331	2307	42.6	7.5	57.3	14.0	5.0	4.2	6.2	6.0	7.3	9.6
	F	3938	194	1211	24.7	4.7	27.6	7.8	4.3	3.5	4.3	4.1	4.3	4.4
ALL NON-MEDICAL CAUSES	M	9561	2098	6044	90.5	44.0	137.3	20.3	13.3	16.5	44.2	69.6	67.7	76.7
	F	2818	541	1374	22.9	12.8	30.1	18.7	7.4	8.9	13.8	14.7	12.2	13.7
Road traffic accidents	M	1729	606	919	16.6	12.6	20.8	3.3	3.0	3.4	14.2	26.3	20.2	18.1
	F	535	155	233	4.6	3.6	5.1	2.3	2.7	2.2	4.7	5.0	4.4	3.8
Fire	M	232	35	128	2.1	0.8	3.1	0.9	0.4	0.5	0.7	0.6	0.9	1.4
	F	165	18	50	1.1	0.5	1.2	1.8	0.2	0.2	0.4	0.3	-	0.4
Suicide	M	2304	451	1579	21.7	9.1	34.9	-	-	1.9	9.9	16.3	15.6	20.2
	F	462	79	275	3.8	1.7	6.0	-	-	0.9	3.4	2.8	1.7	3.3
POPULATION:			M=male		9860	4420	4527	542	542	565	583	731	672	784
(1000s; UN, 2015 revision)			F=female		10439	4204	4791	513	515	537	552	687	634	767

2010: ROMANIA

Annual death rates / 100,000
(zero denoted by -)

9th ICD/10th ICD categories

35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
253.1	422.7	777.0	1255.7	1718.6	2367.2	3546.3	5130.3	7416.3	13963.7	M	ALL CAUSES	001-999/A00-Y89
101.5	170.3	299.1	448.7	655.5	1009.8	1705.7	2709.6	5039.5	12420.2	F		
11.0	16.7	26.8	30.1	26.8	24.3	23.9	19.8	18.0	16.2	M	Tuberculosis	010-018, 137/ A15-A19, B90
2.5	1.8	3.8	3.0	2.5	2.5	4.6	3.0	6.0	5.4	F		
2.4	2.4	3.3	4.9	7.0	7.0	11.9	19.8	25.1	25.3	M	Other infective	Rest of 001-139,279.5&6/ rest of A00-B99 excl A33,A34
2.1	0.6	2.1	2.1	2.9	6.5	7.1	9.2	15.9	24.1	F	and parasitic	
29.4	69.5	174.7	355.7	518.0	729.0	985.2	1248.7	1350.9	1415.9	M	ALL CANCER	140-208/C00-C97
37.9	66.0	120.2	181.2	247.3	325.2	442.0	562.8	704.6	817.6	F		
2.3	9.1	24.9	48.1	51.8	54.5	49.1	39.1	27.2	28.5	M	Mouth and	140-149/C00-C14
0.5	1.5	2.6	3.9	3.2	4.0	3.5	4.6	8.3	12.8	F	pharynx cancer	
0.2	1.4	4.9	12.4	14.9	17.7	19.6	20.9	14.2	15.0	M	Oesophagus cancer	150/C15
0.3	0.2	0.3	1.6	1.6	1.4	2.3	3.4	5.3	4.3	F		
1.9	5.4	12.1	25.4	32.8	60.8	89.1	112.4	138.6	125.5	M	Stomach cancer	151/C16
1.2	2.3	4.4	6.8	10.1	16.6	30.5	38.7	60.7	58.1	F		
2.3	6.8	10.5	19.6	40.0	69.0	109.0	155.3	200.2	218.8	M	Colorectal cancer	153, 154/C18-C21
2.6	4.3	7.2	13.5	21.1	34.7	54.7	75.7	110.9	134.4	F		
1.0	3.2	10.3	21.0	30.3	44.5	63.1	87.5	82.8	70.8	M	Liver cancer	155.0/C22 excl C221
0.3	1.4	3.8	5.9	8.8	15.5	22.8	32.0	45.0	45.7	F		
1.8	3.4	10.7	19.5	25.5	41.4	52.5	67.5	70.7	74.4	M	Pancreas cancer	157/C25
1.4	2.1	6.3	7.9	7.9	16.5	28.0	42.3	48.4	60.5	F		
0.8	2.4	8.1	20.8	25.8	29.6	35.8	26.7	20.2	22.9	M	Larynx cancer	161/C32
0.3	0.5	-	0.4	0.9	0.8	1.2	1.9	1.9	1.4	F		
5.6	14.9	47.1	114.5	185.5	238.8	299.9	352.6	296.7	207.8	M	Lung cancer	162/C33, C34
1.9	5.0	10.3	20.0	30.1	40.1	50.7	59.1	69.9	70.0	F		
1.4	1.1	2.1	2.7	3.4	4.2	4.2	6.6	7.4	8.7	M	Malignant melanoma	172/C43
0.5	1.1	0.9	2.5	2.2	4.6	2.5	4.2	4.2	7.0	F		
7.1	14.4	25.0	39.0	52.4	56.4	70.6	78.0	92.2	130.8	F	Female breast cancer	174/C50
9.2	15.3	26.5	27.2	32.9	33.7	30.9	37.9	36.4	36.5	F	Cervix cancer	180/C53
0.4	1.8	4.4	4.8	9.6	11.1	15.0	16.1	18.4	18.2	F	Other uterine cancer	179, 182/C54, C55
1.9	4.0	6.6	11.5	15.8	19.5	30.9	30.8	34.4	22.3	F	Ovarian cancer	183/C56, C570-C574
-	-	1.1	3.8	8.5	25.6	55.4	101.0	164.4	284.5	M	Prostate cancer	185/C61
-	1.0	1.9	5.7	11.7	20.6	38.7	63.0	80.6	97.8	M	Bladder cancer	188/C67
0.1	0.1	0.7	1.6	1.8	2.4	5.0	8.1	12.0	24.3	F		
9.6	16.7	32.9	51.9	69.1	99.0	125.2	160.8	184.6	188.0	M	Other and ill-defined	Rest of 140-199/ rest of C00-C80, C97
6.9	8.8	18.0	26.8	38.3	52.9	69.3	97.1	121.5	156.9	F	cancer sites	
-	0.1	1.1	1.3	1.0	1.1	1.9	1.6	3.5	2.0	M	Hodgkin's disease	201/C81
0.1	0.2	0.5	0.7	0.7	0.5	0.8	0.7	1.9	1.1	F		
1.6	1.9	3.1	5.5	9.8	10.1	20.4	24.3	22.6	24.5	M	Myeloma and non-	200, 202-203/ C82-C90, C96
1.7	1.5	1.4	3.1	5.0	9.2	12.3	16.3	17.8	12.8	F	Hodgkin lymphomas	
0.9	2.0	3.9	3.5	7.8	12.0	21.2	29.4	37.1	46.7	M	Leukaemia	204-208/C91-C95
1.6	1.4	1.4	3.9	4.9	5.4	10.9	15.9	15.4	20.7	F		
1.5	2.3	3.5	8.6	16.5	23.8	40.3	48.9	73.9	72.0	M	Diabetes	250/E10-E14
0.3	0.6	1.8	4.4	10.3	19.8	28.6	49.0	69.7	84.8	F		
48.4	105.5	227.9	401.5	629.2	999.7	1724.8	2883.4	4822.8	10830.3	M	ALL VASCULAR	390-459/I00-I99
14.4	36.5	67.0	128.0	210.5	420.7	891.6	1681.1	3667.9	10464.9	F	DISEASE	
0.4	0.6	1.8	2.0	1.4	3.3	5.3	7.4	8.1	15.8	M	Rheumatic heart	390-398/I00-I09
0.4	0.2	0.7	0.9	2.1	2.7	6.3	5.7	11.1	13.3	F	disease and fever	
3.2	7.7	16.8	41.2	72.9	122.2	251.4	473.5	809.8	1825.9	M	Hypertensive disease	401-405/I10-I15
1.2	3.1	8.9	18.2	35.1	65.6	162.0	314.3	725.1	2039.0	F		
23.7	50.4	112.1	188.8	286.3	431.9	669.3	1007.8	1599.5	3599.6	M	Ischaemic heart	410-414/I20-I25
5.0	13.5	24.1	46.1	77.3	154.4	299.0	536.6	1128.9	3303.4	F	disease	
1.4	1.3	3.3	4.2	5.4	10.3	13.8	17.7	21.6	31.7	M	Pulmonary embolism	415.1, 451-453/ 126, 180-182
0.8	1.4	2.6	2.4	3.4	7.6	10.4	12.7	18.4	25.2	F	and other venous	
9.8	22.6	49.2	92.0	161.5	295.1	557.7	985.5	1654.6	3155.2	M	Cerebrovascular	430-438/I60-I69
5.2	11.5	20.9	39.8	66.1	147.5	332.6	624.9	1344.1	3109.2	F	disease	
10.0	23.0	44.7	73.2	101.7	136.8	227.3	391.5	729.2	2202.2	M	Other vascular	Rest of 390-459/ rest of I00-I99
1.8	6.9	9.8	20.5	26.7	42.9	81.2	186.9	440.3	1974.9	F	disease	
2.9	4.5	11.7	25.6	35.5	52.3	108.2	175.1	265.6	480.0	M	Chronic obstructive	490-496/ J40-J47, J67
1.2	2.0	2.4	3.9	6.1	11.9	21.7	41.2	88.3	244.4	F	pulmonary disease	
15.8	20.7	30.5	41.8	50.8	70.3	94.1	120.9	179.3	287.7	M	Other respiratory	Rest of 460-519/ rest of J00-J98
5.8	6.7	10.3	13.0	15.9	23.0	35.1	54.6	90.9	181.2	F	disease	
1.3	1.2	2.5	5.4	6.3	7.4	10.9	13.2	14.8	16.2	M	Peptic ulcer	531-533/K25-K27
0.4	0.4	0.5	0.8	1.6	2.2	3.5	4.6	6.7	16.0	F		
22.9	43.6	93.0	137.5	170.9	185.6	222.2	215.6	185.3	133.4	M	Liver cirrhosis	571/K70, K74
6.9	14.7	34.4	51.9	76.6	90.9	117.5	119.0	106.8	94.1	F		
3.0	1.9	4.7	8.2	13.7	24.3	28.9	55.3	73.2	125.8	M	Renal disease	580-590/N00-N19
1.6	2.5	3.7	5.0	7.4	13.9	28.0	36.3	46.6	70.0	F		
1.7	0.7	-	-	-	-	-	-	-	-	M	Pregnancy, birth	630-676/A34, O00-O99
0.6	0.2	0.2	0.7	0.1	0.2	-	0.5	-	0.8	F	Congenital and	740-779/A33, P00-P96, Q00-Q99
0.1	0.1	0.3	-	-	0.3	0.2	0.2	0.2	-	F	perinatal causes	
13.7	17.9	21.4	20.8	15.8	14.9	18.0	20.1	21.2	43.1	M	Ill-defined causes	780-799/R00-R99
5.6	7.2	8.0	8.4	8.0	12.7	11.5	11.8	14.1	34.9	F		
16.7	22.1	42.0	57.0	66.3	82.3	114.8	156.3	230.9	357.3	M	Other medical causes	Rest of 001-799/ rest of A00-R99
5.4	9.2	18.0	21.7	32.1	46.4	60.1	86.0	163.1	301.6	F		
83.2	114.0	134.7	158.1	161.8	146.2	163.1	152.6	155.2	159.5	M	ALL NON-	E800-E999/V01-Y89
15.8	21.2	26.5	25.5	34.3	33.7	54.1	50.8	58.8	81.2	F	MEDICAL CAUSES	
16.0	17.2	19.6	24.6	21.9	21.4	24.7	20.6	23.3	23.7	M	Road traffic	E810-E819, E826-E829/ part of V01-V99, Y850
2.6	4.5	4.9	3.9	5.8	4.1	10.0	8.7	10.8	11.5	F	accidents	
1.1	1.9	2.1	3.7	3.7	3.1	5.8	3.2	9.2	12.3	M	Fire	E890-E899/X00-X09
0.7	0.6	1.2	0.7	0.9	0.5	3.8	3.7	6.9	10.3	F		
25.5	33.6	39.1	40.9	41.9	31.5	31.6	31.7	24.8	33.2	M	Suicide	E950-E959/X60-X84
4.3	5.0	6.1	5.1	5.8	6.0	9.4	8.7	6.5	7.0	F		
789	836	571	709	702	543	377	378	283	253	M	POPULATION	
772	816	573	746	773	631	479	565	434	444	F	(1000s; UN, 2015 revision)	

RUSSIAN FEDERATION: 2010

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	1050676	96270	553314	1706.5	256.1	2288.5	234.5	35.9	39.7	113.7	246.8	440.9	681.5
	F	977840	34169	250644	827.4	98.4	820.6	186.7	24.0	26.4	51.5	76.1	129.9	194.6
Tuberculosis	M	17463	3445	13089	24.9	8.7	43.1	0.4	0.0	0.0	0.6	5.5	18.0	36.6
	F	4366	1275	2611	5.2	3.2	7.2	0.2	0.0	0.1	0.3	3.1	7.2	11.5
Other infective and parasitic	M	7776	4273	3244	10.9	11.4	10.6	10.6	1.0	0.6	1.0	2.9	22.0	41.3
	F	4004	1938	1587	5.0	5.3	4.7	8.1	0.7	0.4	0.8	2.8	11.5	12.8
ALL CANCER	M	155006	2776	90098	256.1	7.7	412.4	5.8	3.4	3.3	4.9	7.1	10.9	18.2
	F	135130	2800	63712	129.7	7.7	205.4	4.2	3.4	3.0	3.5	6.0	10.8	23.1
Mouth and pharynx cancer	M	7310	61	5551	11.6	0.2	23.4	0.1	0.0	0.1	0.1	0.2	0.2	0.5
	F	1709	43	890	1.7	0.1	2.8	-	0.1	0.0	0.1	0.2	0.2	0.3
Oesophagus cancer	M	5093	12	3505	8.3	0.0	15.8	-	-	-	-	0.0	0.0	0.2
	F	1389	4	469	1.2	0.0	1.6	-	-	-	0.0	0.0	-	0.0
Stomach cancer	M	19553	166	11059	32.3	0.4	50.4	-	-	-	0.0	0.2	0.8	1.9
	F	14885	175	5644	13.5	0.5	18.9	-	-	0.0	0.1	0.2	0.8	1.9
Colorectal cancer	M	17032	134	7830	29.0	0.3	38.6	0.0	-	-	0.2	0.3	0.4	1.6
	F	21158	121	7767	18.9	0.3	26.3	-	-	0.1	0.1	0.1	0.6	1.4
Liver cancer	M	4682	76	2762	7.7	0.2	12.6	0.2	0.0	-	0.1	0.2	0.3	0.6
	F	3700	59	1533	3.4	0.2	5.2	0.2	-	0.0	0.0	0.2	0.2	0.5
Pancreas cancer	M	7783	101	4946	12.7	0.3	21.8	0.0	-	-	0.0	0.1	0.4	1.3
	F	7823	33	3168	7.2	0.1	10.8	-	0.0	-	0.1	0.0	0.1	0.4
Larynx cancer	M	4276	7	3025	6.9	0.0	13.5	-	-	-	0.0	0.0	0.0	0.1
	F	250	2	145	0.2	0.0	0.5	-	-	-	-	-	-	0.0
Lung cancer	M	42583	129	27123	69.9	0.3	124.9	-	-	-	0.1	0.3	0.5	1.4
	F	8739	60	3976	8.2	0.2	13.1	0.1	0.0	0.0	0.1	0.2	0.3	0.5
Malignant melanoma	M	1595	88	1030	2.5	0.2	4.2	-	-	-	0.0	0.1	0.5	0.9
	F	1900	83	1041	1.9	0.2	3.2	0.0	-	-	0.1	0.2	0.4	0.8
Female breast cancer	F	23282	245	13921	23.5	0.6	43.3	-	-	0.0	0.0	0.2	0.9	3.3
Cervix cancer	F	6193	420	4049	6.7	1.1	11.8	-	-	-	0.0	0.2	2.0	5.2
Other uterine cancer	F	6559	53	3330	6.4	0.1	11.0	-	0.0	-	0.1	0.1	0.1	0.7
Ovarian cancer	F	7820	127	4793	8.0	0.3	14.8	-	-	0.1	0.2	0.3	0.5	1.3
Prostate cancer	M	10251	7	3311	18.1	0.0	18.8	-	-	-	-	0.1	0.0	0.1
Bladder cancer	M	5335	10	2133	9.3	0.0	11.2	-	0.0	-	0.0	-	0.0	0.1
	F	1366	7	320	1.1	0.0	1.1	-	-	-	-	-	0.0	0.1
Other and ill-defined cancer sites	M	23055	1322	14233	37.3	3.7	61.4	3.3	2.0	1.5	2.8	3.7	5.4	7.0
	F	21756	910	9613	20.9	2.7	31.1	2.6	2.3	1.8	1.5	2.8	3.0	4.7
Hodgkin's disease	M
	F
Myeloma and non-Hodgkin lymphomas	M	2853	204	1768	4.6	0.6	7.6	0.2	0.2	0.5	0.2	0.6	0.9	1.4
	F	3001	136	1467	3.0	0.4	4.9	-	0.2	0.1	0.3	0.4	0.9	0.8
Leukaemia	M	3605	459	1822	5.9	1.4	8.2	2.1	1.1	1.2	1.3	1.4	1.3	1.3
	F	3600	322	1586	3.6	1.0	5.2	1.3	0.7	0.8	1.0	0.9	0.9	1.3
Diabetes	M	2723	199	1542	4.4	0.5	6.6	0.1	0.1	0.1	0.1	0.7	1.1	1.4
	F	6393	171	2486	6.0	0.5	8.7	0.2	0.1	0.1	0.3	0.6	0.8	1.1
ALL VASCULAR DISEASE	M	518284	10078	241774	877.2	26.0	1076.8	4.5	1.3	1.8	4.7	16.2	46.6	106.7
	F	633633	3347	108642	491.1	8.8	380.4	3.9	0.9	1.3	3.5	6.8	15.3	30.1
Rheumatic heart disease and fever	M	1383	50	1041	2.1	0.1	4.1	0.0	0.0	0.1	0.1	0.2	0.2	0.4
	F	2557	28	1395	2.5	0.1	4.6	0.0	-	0.0	0.1	0.1	0.1	0.2
Hypertensive disease	M	11507	92	5331	19.6	0.2	24.9	0.1	-	-	0.1	0.1	0.5	0.9
	F	17600	31	3758	14.2	0.1	13.3	0.0	-	-	0.0	0.1	0.1	0.3
Ischaemic heart disease	M	283058	2543	134062	480.5	6.5	605.5	-	0.0	-	0.7	3.1	10.4	31.3
	F	314863	570	50535	241.7	1.5	182.1	-	0.0	-	0.5	1.0	2.2	6.5
Pulmonary embolism and other venous	M
	F
Cerebrovascular disease	M	142587	1214	53432	248.0	3.1	259.0	0.2	0.3	0.1	1.0	2.6	5.2	12.4
	F	229662	596	33686	174.5	1.6	121.1	0.3	0.2	0.3	1.2	1.5	2.7	4.9
Other vascular disease, incl. venous	M	79749	6179	47908	127.1	16.0	183.3	4.2	0.9	1.6	2.9	10.2	30.3	61.6
	F	68951	2122	19268	58.1	5.6	59.3	3.6	0.7	1.0	1.7	4.2	10.1	18.2
Chronic obstructive pulmonary disease	M	22292	177	8102	38.7	0.5	41.9	0.1	0.0	0.1	0.3	0.4	0.6	1.8
	F	9513	84	2096	7.8	0.2	7.4	0.1	0.0	0.1	0.2	0.2	0.3	0.7
Other respiratory disease	M	30652	3643	20760	47.3	10.0	77.3	14.8	1.5	1.0	1.9	4.5	14.7	31.5
	F	12351	1725	5240	12.7	5.1	15.7	12.8	1.3	1.1	1.4	3.0	6.1	10.0
Peptic ulcer	M	5426	252	3567	8.6	0.6	14.4	-	0.0	-	0.1	0.5	1.0	2.8
	F	3058	59	1152	2.7	0.1	3.6	0.0	-	-	0.1	0.1	0.3	0.5
Liver cirrhosis & other liver disease	M	30082	3159	23485	44.9	8.1	86.0	0.3	0.1	0.1	0.4	3.6	15.4	36.6
	F	20621	1625	15440	23.2	4.1	44.9	0.3	0.1	0.2	0.3	2.2	8.7	17.2
Renal disease	M
	F
Pregnancy, birth	F	298	222	76	0.4	0.6	0.2	-	-	-	0.2	1.0	1.1	1.6
Congenital and perinatal causes	M	6381	5980	355	12.2	20.8	1.3	138.6	2.1	1.4	1.1	1.0	0.8	0.8
	F	4976	4554	362	9.8	16.7	1.0	110.0	2.0	1.5	0.8	1.0	0.7	0.6
Ill-defined causes	M	46187	5881	21636	76.6	15.5	78.7	12.6	1.6	2.2	5.0	13.0	28.9	45.3
	F	56175	1784	6042	40.9	5.1	18.4	11.0	1.2	0.7	2.4	4.0	6.8	9.8
Other medical causes	M	41344	4915	24908	65.1	13.6	96.3	16.4	5.9	4.1	5.1	9.7	20.6	33.7
	F	37515	2543	15070	36.0	7.5	47.2	12.1	3.8	3.6	4.1	5.8	8.8	14.2
ALL NON-MEDICAL CAUSES	M	167060	51492	100754	239.5	132.8	343.1	30.3	19.0	25.0	88.4	181.7	260.2	324.9
	F	49807	12042	26128	57.0	33.5	75.7	23.7	10.6	14.3	33.6	39.5	51.5	61.6
Road traffic accidents	M
	F
Fire	M	6296	1038	4371	9.5	2.9	15.6	3.4	1.4	0.8	1.1	2.4	4.1	6.9
	F	2717	419	1307	2.9	1.3	3.9	2.2	1.1	0.6	0.6	0.8	1.4	2.1
Suicide	M	27675	10573	14267	39.0	26.7	48.1	-	0.2	3.8	23.8	45.0	55.1	58.9
	F	5805	1720	2576	6.5	4.6	7.5	-	-	2.0	7.1	7.5	7.9	7.7
POPULATION:			M=male		66390	33225	28902	4077	3545	3299	4516	6351	6078	5359
(1000s; UN, 2015 revision)			F=female		76768	32280	34570	3881	3376	3140	4292	6150	5974	5467

2010: RUSSIAN FEDERATION

Annual death rates / 100,000

(zero denoted by -)

9th ICD/10th ICD categories

35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
791.6	1009.8	1274.4	1835.0	2550.0	3922.2	4636.5	6679.1	9514.8	15480.7	M	ALL CAUSES	001-999/A00-Y89
243.3	323.0	400.5	590.3	905.0	1421.6	1860.4	3223.8	5806.8	12780.7	F		
42.0	48.1	47.7	51.2	48.5	37.9	26.1	20.4	18.0	29.3	M	Tuberculosis	010-018/A15-A19
10.7	9.9	8.5	7.4	6.0	4.9	3.1	3.5	4.9	6.6	F		
25.3	13.5	8.1	6.9	6.7	7.4	6.2	5.6	6.6	6.5	M	Other infective	Rest of 001-139,279.5&.6/
8.6	5.0	3.4	3.0	4.0	4.7	3.9	4.2	5.4	5.2	F	and parasitic	rest of A00-B99 excl A33,A34
29.4	62.2	127.5	274.2	501.7	851.8	1040.2	1346.0	1548.2	1607.6	M	ALL CANCER	140-208/C00-C97
40.4	67.7	101.5	169.7	245.6	386.0	427.1	594.6	725.4	792.2	F		
1.5	4.0	9.3	20.4	35.3	48.5	44.5	42.3	39.9	34.1	M	Mouth and	140-149/C00-C14
0.7	1.1	1.5	2.5	4.0	5.0	4.5	5.6	7.8	10.7	F	pharynx cancer	
0.4	1.2	4.3	11.0	22.2	34.3	37.5	39.8	33.9	34.1	M	Oesophagus cancer	150/C15
0.2	0.3	0.5	1.2	1.9	2.7	4.3	5.9	10.2	12.9	F		
3.7	9.2	16.8	33.6	59.7	104.8	124.7	180.9	213.3	207.7	M	Stomach cancer	151/C16
3.2	5.5	8.0	13.1	20.4	35.2	46.9	74.3	103.0	104.6	F		
2.3	4.7	9.2	20.0	38.0	78.7	117.7	179.4	226.9	272.2	M	Colorectal cancer	153, 154/C18-C21
2.5	4.3	8.9	17.7	30.1	53.6	67.0	107.4	143.0	160.9	F		
1.1	1.9	4.2	8.2	15.5	25.4	32.2	40.1	43.8	49.7	M	Liver cancer	155.0, 155.1/C22
0.5	1.4	2.0	3.6	5.5	10.1	12.9	17.3	22.7	25.3	F		
2.1	3.9	8.3	16.6	27.4	44.6	49.3	61.3	64.8	70.0	M	Pancreas cancer	157/C25
1.0	1.9	3.4	6.9	11.8	23.1	27.5	40.5	48.5	53.1	F		
0.5	1.6	3.9	9.5	19.2	29.3	30.5	31.6	30.2	22.5	M	Larynx cancer	161/C32
0.0	0.1	0.1	0.4	0.9	0.9	0.8	0.9	1.2	1.1	F		
3.5	12.5	33.5	83.7	162.1	263.3	315.8	375.6	376.6	304.2	M	Lung cancer	162/C33, C34
1.6	3.5	4.9	9.7	16.1	26.8	29.3	39.5	49.8	55.9	F		
1.4	2.0	2.6	3.2	4.8	7.2	8.4	9.2	12.0	14.8	M	Malignant melanoma	172/C43
0.9	1.7	2.2	3.4	3.6	5.3	5.2	6.5	7.8	9.5	F		
7.9	16.0	26.3	42.9	55.6	79.4	75.0	86.5	85.5	103.9	F	Female breast cancer	174/C50
8.9	10.8	10.4	12.7	12.8	14.2	13.1	15.7	18.3	18.9	F	Cervix cancer	180/C53
1.7	2.4	4.5	7.9	13.2	22.8	24.2	31.4	32.4	32.6	F	Other uterine cancer	179, 182/C54, C55
2.1	5.7	9.8	15.7	19.8	25.0	25.3	31.7	30.8	24.9	F	Ovarian cancer	183.0/C56
0.0	0.3	1.1	4.7	13.8	39.7	72.2	118.8	184.5	237.3	M	Prostate cancer	185/C61
0.2	0.8	1.9	4.0	10.4	22.0	39.2	58.3	83.8	102.5	M	Bladder cancer	188/C67
0.1	0.3	0.3	0.6	1.1	2.4	3.2	5.7	10.8	16.4	F		
9.5	15.2	25.6	47.9	75.7	124.8	131.1	160.9	182.0	203.2	M	Other and ill-defined	Rest of 140-199/
6.6	9.8	14.1	24.5	37.5	60.7	64.8	94.9	118.1	133.3	F	cancer sites	rest of C00-C80, C97
...	M	Hodgkin's disease	Not given separately
...	F		
1.4	2.5	3.3	5.5	9.6	14.2	16.4	21.1	20.6	19.9	M	Myeloma and non-	200, 202-203/
1.0	1.2	2.0	3.4	5.5	9.9	11.1	14.8	16.0	11.7	F	Hodgkin lymphomas	C82-C85, C90
1.7	2.5	3.3	5.9	8.0	15.0	20.7	26.8	35.8	35.3	M	Leukaemia	204-208/C91-C95
1.5	2.0	2.6	3.7	5.7	9.2	11.8	15.9	19.5	16.6	F		
2.2	2.8	3.0	4.2	6.8	13.8	13.5	21.9	25.5	22.9	M	Diabetes	250/E10-E14
1.0	1.7	1.9	4.4	9.3	19.3	23.0	35.1	45.1	35.2	F		
171.9	289.8	459.0	763.6	1171.2	2031.3	2650.9	4182.1	6469.0	10691.8	M	ALL VASCULAR	390-459/I00-I99
48.5	83.1	122.0	204.8	375.6	709.2	1120.0	2209.6	4394.9	9882.8	F	DISEASE	
1.0	1.3	2.6	4.6	5.1	7.2	6.7	8.3	6.2	4.2	M	Rheumatic heart	390-398/I00-I09
0.5	1.0	2.0	3.2	5.7	9.5	10.6	13.2	13.4	7.6	F	disease and fever	
1.8	4.1	8.5	15.8	26.8	49.4	67.7	102.5	166.1	207.6	M	Hypertensive disease	401-404/I10-I13
0.7	1.8	3.6	6.9	13.5	26.2	40.5	74.5	136.0	225.7	F		
59.7	125.9	233.0	425.5	682.5	1197.5	1514.5	2355.6	3542.3	5763.8	M	Ischaemic heart	410-414/I20-I25
11.7	25.2	42.1	82.8	173.1	360.7	578.9	1145.3	2238.0	4948.4	F	disease	
...	M	Pulmonary embolism	Not given
...	F	and other venous	separately
22.6	43.9	76.2	140.7	251.4	503.1	775.2	1329.3	2178.5	3595.8	M	Cerebrovascular	430-438/I60-I69
10.1	18.6	32.6	60.3	110.4	224.0	391.6	806.1	1655.6	3722.0	F	disease	
86.7	114.6	138.7	177.0	205.4	274.1	286.8	386.4	575.9	1120.5	M	Other vascular	Rest of 390-459/
25.5	36.5	41.6	51.5	72.9	88.8	98.5	170.4	351.8	979.1	F	disease, incl. venous	rest of I00-I99
2.1	4.0	7.8	17.1	37.9	84.4	139.8	241.1	397.1	449.8	M	Chronic obstructive	490-494, 496/
0.7	1.3	2.0	3.8	7.6	14.4	21.7	38.9	76.0	117.8	F	pulmonary disease	J40-J47
38.7	49.6	61.0	78.4	94.6	116.2	102.8	115.0	140.3	225.3	M	Other respiratory	Rest of 460-519/
10.3	11.5	12.7	14.5	18.7	20.8	21.1	29.0	46.4	93.2	F	disease	rest of J00-J98
3.6	6.2	9.0	13.2	17.3	25.0	26.6	32.6	38.4	48.5	M	Peptic ulcer	531-533/K25-K27
1.0	1.5	2.2	3.1	4.5	6.4	6.8	9.7	17.4	31.1	F		
49.0	63.7	71.9	84.7	100.8	132.6	99.2	92.9	71.7	63.1	M	Liver cirrhosis	570-573/
24.7	31.3	33.2	45.3	70.1	65.9	43.9	40.6	36.5	29.2	F	& other liver disease	K70-K76
...	M	Renal disease	Not given separately
...	F		
1.1	0.3	0.0	0.0	-	-	-	-	-	-	F	Pregnancy, birth	630-676/O00-O99
0.8	1.1	1.0	1.4	1.4	2.0	1.2	0.9	1.5	1.0	M	Congenital and	740-779/
0.8	1.0	0.9	1.2	1.3	1.4	0.7	0.7	0.5	0.6	F	perinatal causes	P00-P96, Q00-Q99
51.5	63.0	66.7	79.3	87.5	107.5	95.6	113.3	233.9	1406.0	M	Ill-defined causes	780-799/R00-R99
11.0	12.5	13.1	16.2	21.8	25.7	29.0	46.4	149.0	1321.0	F		
46.1	57.5	67.2	88.3	110.8	151.2	153.0	213.7	275.0	393.3	M	Other medical causes	Rest of 001-799/
18.2	23.7	28.9	39.9	56.2	78.8	84.7	126.3	196.8	300.1	F		rest of A00-R99
329.1	348.3	344.5	372.4	364.8	361.1	281.4	293.6	289.7	535.5	M	ALL NON-	E800-E999/V01-Y89
66.2	72.6	70.3	77.2	84.3	84.1	75.2	85.2	108.6	165.7	F	MEDICAL CAUSES	
...	M	Road traffic	Not given
...	F	accidents	separately
10.1	12.2	13.8	17.2	18.9	20.0	16.7	16.4	17.0	35.2	M	Fire	E890-E899/X00-X09
2.5	2.8	3.0	3.7	4.9	5.3	4.9	5.6	9.6	15.9	F		
53.5	52.7	49.7	52.0	47.4	39.0	42.5	55.4	69.1	88.8	M	Suicide	E950-E959/X60-X84
7.5	7.5	7.8	7.7	6.2	7.5	8.3	10.9	15.2	20.8	F		
4955	4300	5355	5238	4435	2935	1685	2195	1100	968	M	POPULATION	
5121	4641	5972	6223	5683	4059	2870	4189	2497	3231	F	(1000s; UN, 2015 revision)	

SERBIA*: 2010

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	51990	1224	19127	1118.0	78.2	1302.1	176.1	14.8	15.7	49.4	76.0	97.3	118.1
	F	51221	618	10846	768.3	43.4	670.9	136.0	10.8	14.3	22.8	28.0	39.5	52.5
Tuberculosis	M	102	4	58	2.4	0.2	3.7	-	0.5	-	-	-	0.4	0.8
	F	51	4	17	0.9	0.2	1.0	-	-	-	-	-	0.4	1.2
Other infective and parasitic	M	150	16	72	3.5	1.0	4.6	2.2	0.5	-	-	-	2.3	1.9
	F	138	6	58	2.5	0.4	3.6	0.6	0.5	-	0.5	-	0.4	0.8
ALL CANCER	M	12120	112	6371	265.9	6.7	430.6	4.5	1.5	2.6	4.2	6.7	10.4	16.8
	F	9019	124	4370	160.9	7.8	261.4	4.8	3.8	3.9	7.3	5.7	8.4	20.8
Mouth and pharynx cancer	M	405	4	301	9.4	0.2	19.0	-	-	-	-	0.4	0.4	0.8
	F	118	3	51	2.0	0.2	2.9	-	-	-	-	0.4	-	0.8
Oesophagus cancer	M	233	1	166	5.4	0.1	11.2	-	-	-	-	-	-	0.4
	F	65	-	26	1.1	-	1.6	-	-	-	-	-	-	-
Stomach cancer	M	684	3	320	14.7	0.2	21.7	-	-	-	0.5	-	-	0.8
	F	379	3	155	6.4	0.2	9.6	-	-	-	-	-	0.4	0.8
Colorectal cancer	M	1531	9	676	32.9	0.5	47.3	-	-	-	-	-	0.4	3.1
	F	1042	4	401	17.2	0.2	24.4	-	-	-	-	-	-	1.6
Liver cancer	M	412	2	193	8.8	0.1	12.9	-	-	-	-	-	0.8	-
	F	269	-	101	4.3	-	6.2	-	-	-	-	-	-	-
Pancreas cancer	M	566	-	324	12.5	-	22.3	-	-	-	-	-	-	-
	F	522	5	204	8.7	0.3	12.7	-	-	-	-	-	-	2.0
Larynx cancer	M	336	-	199	7.4	-	13.4	-	-	-	-	-	-	-
	F	48	-	26	0.8	-	1.6	-	-	-	-	-	-	-
Lung cancer	M	3818	4	2454	85.5	0.2	164.2	-	-	-	-	-	0.4	1.1
	F	1307	3	781	24.4	0.2	46.0	-	-	-	-	-	-	1.2
Malignant melanoma	M	150	2	90	3.4	0.1	5.9	-	-	-	-	0.4	-	0.4
	F	103	9	45	1.9	0.5	2.7	-	-	-	-	-	2.4	1.2
Female breast cancer	F	1659	8	932	30.7	0.5	54.9	-	-	-	-	-	1.6	1.6
Cervix cancer	F	477	10	324	9.8	0.6	18.6	-	-	-	-	-	0.4	3.5
Other uterine cancer	F	306	2	137	5.3	0.1	8.2	-	-	-	-	-	-	0.8
Ovarian cancer	F	416	7	234	7.8	0.4	14.0	-	-	-	-	0.9	0.4	1.6
Prostate cancer	M	1071	-	216	21.5	-	16.8	-	-	-	-	-	-	-
Bladder cancer	M	428	-	146	8.9	-	10.4	-	-	-	-	-	-	-
	F	141	-	41	2.2	-	2.6	-	-	-	-	-	-	-
Other and ill-defined cancer sites	M	1805	52	967	40.4	3.1	64.4	2.2	1.0	0.5	2.3	3.3	5.8	6.5
	F	1645	43	701	28.9	3.0	42.5	3.0	2.7	3.3	5.3	0.9	2.0	3.5
Hodgkin's disease	M	32	7	16	0.8	0.4	1.0	-	-	-	-	0.8	1.2	0.8
	F	29	6	11	0.6	0.4	0.6	-	-	-	0.5	0.9	-	1.2
Myeloma and non-Hodgkin lymphomas	M	313	10	160	6.9	0.6	10.5	0.6	-	-	0.5	0.8	0.4	1.9
	F	242	2	109	4.2	0.1	6.8	-	-	-	-	0.9	-	-
Leukaemia	M	336	18	143	7.4	1.2	9.7	1.7	0.5	2.1	0.9	0.8	1.2	1.1
	F	251	19	91	4.5	1.3	5.4	1.8	1.1	0.6	1.4	1.8	1.2	1.2
Diabetes	M	1364	3	517	28.9	0.2	37.4	-	0.5	-	-	-	0.4	0.4
	F	1831	4	378	26.9	0.2	24.6	-	-	-	-	0.4	0.4	0.8
ALL VASCULAR DISEASE	M	25633	97	7066	531.4	5.7	493.8	2.2	-	1.6	5.1	5.8	8.9	16.1
	F	30815	48	3840	425.2	2.9	246.9	0.6	1.6	0.6	1.4	3.5	5.2	7.5
Rheumatic heart disease and fever	M	22	-	5	0.4	-	0.4	-	-	-	-	-	-	-
	F	37	-	13	0.6	-	0.9	-	-	-	-	-	-	-
Hypertensive disease	M	1419	3	419	29.4	0.2	29.5	-	-	-	-	-	0.4	0.8
	F	2201	2	265	30.2	0.1	16.9	-	-	-	-	-	-	0.8
Ischaemic heart disease	M	6462	22	2548	138.0	1.2	173.6	-	-	-	0.5	0.8	1.9	5.3
	F	5620	7	995	80.5	0.4	63.6	-	-	-	0.5	1.8	0.4	0.4
Pulmonary embolism and other venous	M	212	3	90	4.6	0.2	6.1	-	-	-	-	0.8	-	0.4
	F	304	2	91	4.8	0.1	5.7	-	-	-	-	0.4	0.4	-
Cerebrovascular disease	M	6941	20	1660	141.6	1.2	120.2	0.6	-	0.5	0.9	0.4	2.7	3.1
	F	9140	17	1245	127.4	1.0	80.3	0.6	1.1	-	-	-	1.6	3.9
Other vascular disease	M	10577	49	2344	217.4	2.9	164.1	1.7	-	1.1	3.7	3.8	3.9	6.5
	F	13513	20	1231	181.7	1.2	79.6	-	0.5	0.6	1.0	1.3	2.8	2.4
Chronic obstructive pulmonary disease	M	1679	7	426	34.3	0.4	31.4	-	-	1.1	-	0.8	0.8	0.4
	F	993	3	204	14.6	0.2	12.8	-	-	-	-	0.4	0.8	-
Other respiratory disease	M	775	30	296	17.1	2.0	20.1	6.7	1.0	-	0.9	0.4	2.3	2.7
	F	656	19	164	10.4	1.3	10.1	3.0	-	1.1	1.4	0.9	1.6	1.2
Peptic ulcer	M	323	-	128	6.9	-	9.2	-	-	-	-	-	-	-
	F	266	-	58	3.9	-	3.6	-	-	-	-	-	-	-
Liver cirrhosis	M	667	2	494	15.6	0.1	31.3	-	-	-	-	-	-	0.8
	F	188	3	112	3.5	0.2	6.6	0.6	-	-	0.5	-	-	0.4
Renal disease	M	1029	6	281	21.2	0.4	19.6	-	0.5	0.5	0.5	0.4	0.4	0.4
	F	887	5	211	13.4	0.3	13.4	0.6	-	-	-	0.9	0.4	0.4
Pregnancy, birth	F	12	10	2	0.3	0.6	0.1	-	-	-	-	1.3	0.8	2.0
Congenital and perinatal causes	M	253	243	10	11.0	19.2	0.6	130.2	0.5	0.5	0.9	0.4	1.2	0.8
	F	198	185	13	9.0	15.6	0.8	102.6	1.1	3.3	-	0.9	0.4	0.8
Ill-defined causes	M	2363	138	991	53.1	8.6	64.6	17.3	1.0	-	2.8	8.8	15.1	14.9
	F	2228	39	387	32.9	2.7	23.7	8.3	0.5	-	2.4	2.6	2.8	2.4
Other medical causes	M	3059	81	1103	65.8	5.1	73.9	4.5	3.0	2.6	6.5	5.8	5.4	7.7
	F	3025	59	687	46.4	4.0	42.1	8.3	0.5	5.0	1.9	2.6	5.2	4.7
ALL NON-MEDICAL CAUSES	M	2473	485	1314	60.8	28.7	81.4	8.4	5.6	6.8	28.6	46.8	49.8	54.7
	F	914	109	345	17.5	6.9	20.2	6.6	2.7	0.6	7.3	8.8	12.8	9.8
Road traffic accidents	M	466	168	235	12.3	10.0	14.6	2.2	2.0	2.6	13.4	20.1	17.0	13.0
	F	139	28	56	3.0	1.8	3.2	1.8	1.1	-	2.9	2.6	2.0	2.4
Fire	M	47	4	16	1.1	0.2	1.0	0.6	-	-	-	0.4	0.4	0.4
	F	25	2	5	0.5	0.2	0.3	1.2	-	-	-	-	-	-
Suicide	M	905	106	511	21.5	6.0	31.3	-	-	-	3.7	8.8	12.7	16.8
	F	304	24	150	5.9	1.4	8.8	-	-	-	1.0	1.8	3.2	3.9
POPULATION: (1000s; UN, 2015 revision)	M=male				3546.4	1543.5	1632.9	178.9	196.5	191.2	216.8	239.4	259.1	261.6
	F=female				3745.1	1476.1	1738.2	167.7	186.1	181.8	206.2	228.4	250.7	255.0

*Excludes Kosovo

2010: SERBIA

Annual death rates / 100,000 (zero denoted by -)										9th ICD/10th ICD categories		
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/ NK			
167.6	278.0	533.9	944.9	1534.9	2219.4	3436.2	5118.2	8372.2	14088.0	M	ALL CAUSES	001-999/A00-Y89
86.7	152.7	264.7	425.6	730.5	1086.4	1949.9	3334.5	6389.2	13830.4	F		
1.6	2.6	2.1	4.2	5.7	2.7	6.7	8.6	9.2	16.3	M	Tuberculosis	010-018, 137/ A15-A19, B90
-	1.2	0.8	0.7	1.3	1.2	1.6	4.0	5.9	7.5	F		
2.0	1.7	3.7	7.0	5.3	3.7	8.7	13.2	17.5	21.4	M	Other infective	Rest of 001-139,279.5&.6/ and parasitic rest of A00-B99 excl A33,A34
0.8	1.2	1.2	3.3	4.3	3.2	10.9	11.5	16.4	14.3	F		
30.4	67.0	153.8	306.9	567.4	790.2	1098.8	1323.5	1699.6	1617.7	M	ALL CANCER	140-208/C00-C97
39.5	73.8	129.2	217.4	339.5	432.9	597.4	711.0	893.5	985.1	F		
-	0.8	12.8	20.5	31.5	37.0	30.1	31.6	21.6	26.5	M	Mouth and	140-149/C00-C14
0.4	-	1.2	4.0	4.7	6.5	3.3	6.5	11.2	19.9	F	pharynx cancer	
1.2	2.6	5.4	7.0	14.2	20.6	27.4	21.7	20.0	9.2	M	Oesophagus cancer	150/C15
0.4	0.4	0.8	1.5	1.7	2.4	3.8	5.0	5.9	11.8	F		
1.6	3.8	8.2	15.4	25.2	43.4	54.2	95.5	113.2	81.6	M	Stomach cancer	151/C16
1.2	3.3	3.2	8.8	10.0	12.5	27.8	25.0	51.7	51.7	F		
3.2	9.4	13.6	29.7	51.4	82.3	141.3	181.7	269.8	250.9	M	Colorectal cancer	153, 154/C18-C21
3.2	4.6	8.7	18.8	28.4	42.8	64.4	87.6	126.2	153.8	F		
0.8	1.7	4.1	8.5	18.4	26.1	30.8	59.3	64.1	51.0	M	Liver cancer	155.0, 155.1/C22
-	0.8	1.2	2.6	8.7	12.5	17.5	24.0	38.2	34.2	F		
1.2	3.0	8.7	13.1	27.6	40.7	61.6	56.0	76.6	66.3	M	Pancreas cancer	157/C25
1.6	2.9	5.2	6.3	14.4	20.2	38.2	47.5	68.1	63.5	F		
-	1.7	2.9	11.2	19.9	23.3	34.8	34.2	44.1	32.6	M	Larynx cancer	161/C32
0.4	0.4	-	0.4	2.3	4.0	3.3	3.5	4.1	5.0	F		
4.1	16.2	57.3	123.5	238.5	308.1	401.7	387.8	409.7	284.6	M	Lung cancer	162/C33, C34
4.5	5.8	23.4	49.0	64.5	78.8	96.0	103.1	103.9	87.2	F		
2.8	0.8	2.9	3.9	8.2	10.5	12.1	11.2	18.3	19.4	M	Malignant melanoma	172/C43
1.6	2.1	0.8	0.7	4.3	2.8	6.5	6.5	7.6	14.3	F		
10.2	19.2	31.4	46.8	76.9	90.9	109.1	119.6	124.5	166.9	F	Female breast cancer	174/C50
5.7	10.8	17.5	21.7	23.1	27.5	24.0	29.0	28.8	22.4	F	Cervix cancer	180/C53
0.4	1.7	2.8	6.3	10.7	15.8	20.2	30.0	31.7	33.0	F	Other uterine cancer	179, 182/C54, C55
2.4	5.4	8.7	11.4	14.1	27.1	28.9	27.0	39.3	33.6	F	Ovarian cancer	183.0/C56
-	0.4	0.4	3.1	11.3	30.6	71.6	146.8	249.0	339.6	M	Prostate cancer	185/C61
0.8	0.4	3.3	3.9	10.3	21.0	33.5	50.7	79.9	111.2	M	Bladder cancer	188/C67
-	0.8	-	1.5	4.0	2.4	9.3	9.0	14.7	35.5	F		
9.7	20.0	27.6	51.3	83.3	107.9	150.7	177.8	225.7	249.9	M	Other and ill-defined	Rest of 140-199/ cancer sites rest of C00-C80, C97
5.3	12.9	18.3	28.7	54.9	67.9	109.7	140.1	171.4	204.9	F	Hodgkin's disease	201/C81
1.6	0.8	0.4	0.8	0.7	1.4	1.3	1.3	5.0	1.0	M		
0.4	0.4	0.4	0.7	1.3	0.8	-	2.5	2.4	1.9	F		
2.4	0.8	4.5	9.7	14.5	18.3	23.4	30.3	48.3	39.8	M	Myeloma and non-	200, 202-203/ Hodgkin lymphomas
1.6	0.4	1.2	6.6	6.7	8.5	22.9	24.0	28.8	21.2	F	Leukaemia	C82-C90, C96 204-208/C91-C95
0.8	4.3	1.6	5.4	12.4	19.2	24.1	37.5	54.1	54.1	M		
-	1.7	4.4	1.5	8.7	9.3	12.6	21.0	35.2	24.3	F		
1.2	3.4	6.6	26.2	28.7	69.9	125.9	180.4	236.5	291.7	M	Diabetes	250/E10-E14
2.0	2.1	4.4	7.0	19.4	45.3	91.7	166.6	269.5	409.1	F		
30.4	80.2	163.7	315.7	549.0	831.8	1485.8	2558.8	4646.6	9183.9	M	ALL VASCULAR	390-459/I00-I99
15.5	32.1	62.4	97.3	229.1	390.8	901.3	1869.9	4133.0	10056.8	F	DISEASE	
-	-	-	-	0.3	0.9	1.3	4.6	4.2	5.1	M	Rheumatic heart	390-398/I00-I09
0.4	0.4	0.4	0.4	-	1.2	3.3	1.0	4.1	9.3	F	disease and fever	
2.0	4.3	8.7	17.4	30.1	54.9	89.0	124.5	274.8	487.6	M	Hypertensive disease	401-405/I10-I15
0.4	0.8	4.4	7.0	17.4	28.3	60.0	137.1	285.9	730.4	F		
10.6	34.1	66.4	136.2	213.7	285.6	468.7	684.8	994.3	1691.1	M	Ischaemic heart	410-414/I20-I25
4.5	5.8	16.3	28.4	61.9	101.8	226.4	389.3	805.5	1536.8	F	disease	
0.8	1.7	2.9	3.9	7.4	11.0	14.7	24.4	35.0	40.8	M	Pulmonary embolism	415.1, 451-453/ and other venous
1.2	1.7	1.6	3.0	4.7	11.3	16.4	25.0	42.9	54.8	F	disease	126, 180-182
2.4	14.5	31.3	52.5	118.0	208.9	413.8	771.7	1479.8	2358.2	M	Cerebrovascular	430-438/I60-I69
3.2	11.3	23.4	30.2	77.9	114.8	301.2	633.5	1374.9	2659.0	F	disease	
14.6	25.6	54.4	105.8	179.3	270.6	498.2	948.8	1858.6	4601.1	M	Other vascular	Rest of 390-459/ disease rest of I00-I99
5.7	12.1	16.3	28.4	67.2	133.4	294.1	684.0	1619.8	5066.4	F	Chronic obstructive	490-496/ pulmonary disease
1.2	1.3	6.2	12.7	27.6	56.2	114.5	209.4	366.4	497.8	M	Other respiratory	J40-J47, J67
0.8	0.4	3.6	8.5	14.1	19.0	43.6	72.0	127.4	264.6	F	disease	Rest of 460-519/ rest of J00-J98
6.1	6.0	13.6	13.9	17.4	33.8	50.2	70.5	121.6	199.9	M	Peptic ulcer	531-533/K25-K27
2.0	4.6	4.8	7.4	9.7	14.6	27.8	40.5	85.7	153.2	F	Liver cirrhosis	571/K70, K74
-	1.7	2.9	7.7	6.7	15.5	29.5	24.4	58.3	89.8	M	Renal disease	580-590/N00-N19
0.4	0.8	1.2	1.1	2.7	8.9	10.4	17.5	28.8	77.2	F		
5.7	11.5	23.1	33.6	42.9	51.6	50.9	48.1	50.0	38.8	M		
0.4	2.1	1.6	6.6	7.7	14.9	13.1	12.5	12.9	16.2	F		
2.4	0.8	7.0	10.0	23.8	35.2	57.6	107.3	215.7	326.4	M		
1.6	2.1	3.6	7.7	10.7	24.6	43.1	78.1	132.7	180.0	F		
0.8	-	-	-	-	-	-	-	-	-	M	Pregnancy, birth	630-676/A34, O00-O99
0.4	-	0.4	0.8	1.4	0.9	-	-	-	-	F	Congenital and	740-779/A33, perinatal causes
1.6	0.4	0.4	0.7	0.3	1.2	0.6	-	-	-	F	Ill-defined causes	P00-P96, Q00-Q99 780-799/R00-R99
17.1	20.0	37.9	59.4	84.7	99.6	133.2	160.7	241.5	714.0	M		
6.1	7.1	13.5	15.5	25.1	36.4	62.2	100.6	211.9	772.2	F		
15.8	24.3	35.9	59.4	81.2	126.1	174.8	283.1	522.1	834.3	M	Other medical causes	Rest of 001-799/ rest of A00-R99
8.9	12.5	21.5	25.4	45.5	69.9	110.8	197.7	388.6	761.0	F		
53.2	57.6	77.1	87.2	93.2	101.9	99.8	130.4	187.4	256.0	M	ALL NON-	E800-E999/V01-Y89
6.1	12.1	16.7	26.9	21.1	23.4	35.5	52.5	82.8	133.3	F	MEDICAL CAUSES	
11.0	14.5	14.0	14.7	15.2	14.6	18.1	15.1	22.5	13.3	M	Road traffic	E810-E819, E826-E829/ accidents part of V01-V99, Y850
1.6	2.9	1.6	5.2	4.0	3.2	3.8	7.5	11.2	13.1	F	Fire	E890-E899/X00-X09
0.8	1.3	0.4	1.5	0.3	1.4	1.3	4.6	5.8	13.3	M	Suicide	E950-E959/X60-X84
-	-	0.4	0.7	-	-	1.1	1.5	2.9	6.2	F		
16.2	19.6	28.0	37.8	41.5	40.7	35.5	54.0	72.5	121.4	M		
0.8	5.4	6.4	12.2	10.7	9.3	16.9	21.0	23.5	29.9	F		
246.4	234.5	242.6	259.1	282.2	218.8	149.4	151.9	120.1	98.0	M	POPULATION	
245.8	239.7	251.6	271.4	299.0	247.4	183.3	199.9	170.3	160.6	F	(1000s; UN, 2015 revision)	

SLOVAKIA: 2010

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	27645	1043	12671	1134.0	77.0	1307.2	157.8	17.4	21.9	45.4	87.4	90.5	118.5
	F	25800	451	5685	623.5	38.8	509.1	133.2	15.9	15.8	19.9	25.7	25.0	36.3
Tuberculosis	M	27	-	22	1.0	-	1.9	-	-	-	-	-	-	-
	F	8	-	4	0.2	-	0.3	-	-	-	-	-	-	-
Other infective and parasitic	M	159	9	78	6.5	0.8	8.1	4.2	-	-	0.5	-	-	0.8
	F	179	4	46	4.5	0.4	4.3	2.2	-	-	-	-	0.5	-
ALL CANCER	M	7007	82	3872	285.6	5.7	415.6	2.8	3.0	2.0	4.3	7.6	7.4	12.4
	F	5067	62	2254	138.9	4.5	198.5	2.9	2.4	4.3	1.1	4.5	5.9	10.7
Mouth and pharynx cancer	M	563	1	476	21.5	0.1	45.8	-	-	-	-	-	0.4	-
	F	74	-	48	2.2	-	3.9	-	-	-	-	-	-	-
Oesophagus cancer	M	243	-	194	9.4	-	19.4	-	-	-	-	-	-	-
	F	20	-	12	0.6	-	1.1	-	-	-	-	-	-	-
Stomach cancer	M	428	1	219	17.4	0.1	22.4	-	-	-	-	-	-	0.4
	F	258	6	91	6.8	0.4	8.2	-	-	-	-	0.5	0.9	1.3
Colorectal cancer	M	1058	4	494	44.0	0.2	56.1	-	-	-	-	0.5	-	1.2
	F	701	1	254	18.1	0.1	22.8	-	-	-	-	-	-	0.4
Liver cancer	M	201	1	102	8.3	0.1	11.6	-	-	-	-	-	-	0.4
	F	120	-	44	3.2	-	4.0	-	-	-	-	-	-	-
Pancreas cancer	M	396	2	249	16.0	0.1	27.1	-	-	-	-	-	-	0.8
	F	340	-	137	9.1	-	12.9	-	-	-	-	-	-	-
Larynx cancer	M	151	-	116	5.9	-	11.8	-	-	-	-	-	-	-
	F	5	-	5	0.2	-	0.4	-	-	-	-	-	-	-
Lung cancer	M	1588	3	952	64.9	0.2	105.7	-	-	-	-	-	0.4	0.8
	F	525	2	282	14.8	0.1	24.8	-	-	-	0.6	-	-	0.4
Malignant melanoma	M	108	3	62	4.4	0.2	6.5	-	-	-	-	-	-	1.2
	F	90	1	41	2.5	0.1	3.5	-	-	-	-	-	0.5	-
Female breast cancer	F	785	5	390	21.9	0.3	33.6	-	-	-	-	-	0.5	1.7
Cervix cancer	F	206	2	143	6.3	0.1	11.5	-	-	-	-	-	0.5	0.4
Other uterine cancer	F	198	1	86	5.3	0.1	7.9	-	-	-	-	-	-	0.4
Ovarian cancer	F	279	6	157	8.1	0.4	13.5	-	-	0.7	-	-	0.9	1.3
Prostate cancer	M	533	-	144	22.8	-	17.9	-	-	-	-	-	-	-
Bladder cancer	M	219	-	73	9.3	-	8.2	-	-	-	-	-	-	-
	F	84	-	20	2.1	-	1.9	-	-	-	-	-	-	-
Other and ill-defined cancer sites	M	1125	54	597	45.5	3.8	62.6	2.1	1.5	1.4	3.2	6.7	5.7	5.8
	F	1040	21	411	28.1	1.6	36.7	0.7	0.8	2.9	0.6	1.0	1.8	3.4
Hodgkin's disease	M	20	1	12	0.8	0.1	1.0	-	-	-	0.5	-	-	-
	F	20	6	8	0.6	0.4	0.7	-	-	-	-	2.0	0.5	0.4
Myeloma and non-Hodgkin lymphomas	M	195	3	97	8.1	0.2	10.7	-	0.8	-	-	-	0.4	0.4
	F	185	2	81	5.1	0.2	7.2	0.7	-	-	-	-	-	0.4
Leukaemia	M	179	9	85	7.3	0.7	8.9	0.7	0.8	0.7	0.5	0.5	0.4	1.2
	F	137	9	44	3.8	0.8	3.9	1.5	1.6	0.7	-	1.0	0.5	0.4
Diabetes	M	269	4	133	11.1	0.2	14.8	-	-	-	-	-	0.9	0.8
	F	382	1	88	9.3	0.1	8.3	-	-	-	-	0.5	-	-
ALL VASCULAR DISEASE	M	12856	61	4498	539.8	4.0	485.9	2.1	0.8	1.4	1.6	4.3	4.4	13.6
	F	15682	35	1896	348.8	2.7	178.0	3.7	1.6	0.7	1.7	3.5	3.6	3.8
Rheumatic heart disease and fever	M	25	1	15	1.0	0.1	1.5	-	-	-	-	-	-	0.4
	F	52	-	18	1.4	-	1.8	-	-	-	-	-	-	-
Hypertensive disease	M	328	1	123	13.6	0.1	13.0	-	-	-	-	-	0.4	-
	F	521	2	72	11.6	0.2	6.5	0.7	-	-	-	0.5	-	-
Ischaemic heart disease	M	7723	18	2555	325.3	1.1	277.5	-	-	-	0.5	0.9	1.3	5.0
	F	9221	2	947	201.9	0.1	90.7	-	-	-	-	0.5	-	0.4
Pulmonary embolism and other venous	M	324	5	153	13.3	0.3	16.4	-	-	-	-	0.5	0.4	1.2
	F	433	3	104	10.5	0.2	9.4	-	-	-	0.6	-	-	0.8
Cerebrovascular disease	M	2514	8	845	106.3	0.5	95.2	-	-	0.7	-	0.5	0.4	2.1
	F	3342	12	437	75.4	0.9	41.0	-	0.8	0.7	1.1	1.0	1.8	0.8
Other vascular disease	M	1942	28	807	80.3	2.0	82.3	2.1	0.8	0.7	1.1	2.4	1.8	5.0
	F	2113	16	318	47.9	1.2	28.6	2.9	0.8	-	-	1.5	1.8	1.7
Chronic obstructive pulmonary disease	M	569	4	180	24.0	0.2	20.4	-	-	-	-	-	0.9	0.8
	F	278	3	84	7.0	0.2	7.5	0.7	-	-	-	0.5	-	0.4
Other respiratory disease	M	1270	46	455	53.0	3.7	46.8	9.8	3.8	0.7	3.2	0.5	3.1	5.0
	F	1192	33	188	28.1	2.9	16.7	8.8	1.6	3.6	1.1	1.5	1.8	2.1
Peptic ulcer	M	127	-	82	5.1	-	7.9	-	-	-	-	-	-	-
	F	101	3	21	2.5	0.2	1.9	-	-	-	-	0.5	-	0.8
Liver cirrhosis	M	996	18	864	37.7	1.1	80.5	-	-	-	-	-	2.2	5.4
	F	344	4	297	11.0	0.3	24.4	-	-	-	-	1.0	-	0.8
Renal disease	M	300	2	111	12.5	0.1	11.6	-	-	-	-	0.5	0.4	-
	F	369	3	88	9.0	0.2	8.6	0.7	-	-	-	0.5	0.5	-
Pregnancy, birth	F	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital and perinatal causes	M	169	159	9	9.2	15.8	0.8	105.5	1.5	2.0	0.5	0.5	-	0.4
	F	136	127	8	7.6	13.2	0.6	90.0	-	-	0.6	1.0	0.5	-
Ill-defined causes	M	405	83	264	15.2	5.8	22.6	11.2	-	0.7	1.1	8.6	7.9	11.6
	F	225	35	83	6.5	2.8	6.7	7.3	0.8	0.7	2.3	2.0	2.7	3.8
Other medical causes	M	1210	84	623	48.8	6.1	62.1	10.5	1.5	2.7	2.7	6.2	7.4	11.6
	F	1171	51	350	30.6	4.3	31.0	11.0	3.2	2.9	1.7	3.5	3.6	4.3
ALL NON-MEDICAL CAUSES	M	2281	491	1480	84.6	33.4	128.4	11.9	6.8	12.3	31.4	59.4	55.9	56.1
	F	666	90	278	19.3	7.0	22.4	5.9	6.3	3.6	11.3	6.9	5.9	9.4
Road traffic accidents	M	306	139	139	11.1	9.6	11.8	2.1	3.8	2.7	10.8	19.9	14.9	12.8
	F	105	32	46	3.5	2.6	3.7	-	4.0	2.2	5.7	2.5	1.4	2.6
Fire	M	27	4	17	1.1	0.3	1.5	0.7	-	-	-	0.5	-	0.8
	F	5	1	2	0.1	0.1	0.2	-	-	-	-	0.5	-	-
Suicide	M	539	122	371	19.5	7.9	31.4	-	-	2.7	4.9	15.7	15.7	16.5
	F	92	16	63	3.0	1.1	5.0	-	-	0.7	2.8	1.0	0.9	2.6
POPULATION:														
(1000s; UN, 2015 revision)			M=male		2621.2	1287.9	1176.0	143.2	132.2	146.2	184.9	210.5	228.8	242.2
			F=female		2785.7	1234.5	1258.0	136.6	126.1	139.2	176.3	202.2	220.0	234.1

2010: SLOVAKIA

Annual death rates / 100,000
(zero denoted by -)

9th ICD/10th ICD categories

35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
189.1	322.5	578.2	966.6	1439.8	2363.6	3290.7	5006.8	7761.0	15454.9	M	ALL CAUSES	001-999/A00-Y89
80.5	132.3	202.2	367.6	520.5	897.7	1363.1	2491.7	4684.9	12463.6	F		
-	0.6	2.1	2.1	4.3	3.1	1.1	3.1	4.1	2.2	M	Tuberculosis	010-018, 137/ A15-A19, B90
0.5	0.6	0.5	-	-	-	0.8	-	1.1	2.9	F		
-	0.6	6.4	4.7	9.2	16.2	19.6	20.4	41.3	86.2	M	Other infective	Rest of 001-139,279.5&.6/ rest of A00-B99 excl A33,A34
0.5	-	1.6	2.0	5.0	5.1	15.9	22.8	43.4	65.0	F	and parasitic	
20.3	47.3	118.6	283.3	469.4	789.4	1181.0	1553.1	2000.7	2425.1	M	ALL CANCER	140-208/C00-C97
31.3	54.3	73.9	163.5	225.6	374.1	466.6	705.0	921.0	1178.0	F		
0.9	7.9	24.1	52.2	75.1	74.6	85.9	62.9	66.1	30.9	M	Mouth and	140-149/C00-C14
1.0	1.7	2.6	5.0	5.5	7.1	4.8	5.0	9.1	12.4	F	pharynx cancer	
0.9	1.7	10.7	18.1	25.0	40.0	39.1	33.0	31.0	28.7	M	Oesophagus cancer	150/C15
-	-	-	1.5	0.5	1.9	4.0	3.0	2.3	2.9	F		
3.8	4.5	5.9	16.5	32.6	37.7	55.5	106.9	132.3	168.0	M	Stomach cancer	151/C16
1.0	3.4	1.6	6.4	8.5	14.8	21.5	37.7	44.5	80.2	F		
1.9	5.6	15.5	27.9	48.4	100.0	193.6	235.8	380.3	499.6	M	Colorectal cancer	153, 154/C18-C21
2.4	5.1	7.4	16.8	23.4	45.6	58.8	80.3	148.4	224.5	F		
-	1.1	2.7	6.7	10.9	19.2	40.2	51.9	64.1	75.2	M	Liver cancer	155.0, 155.1/C22
0.5	2.3	1.1	1.5	5.5	5.1	11.9	20.8	30.8	26.8	F		
0.5	1.7	5.3	19.1	34.8	41.5	87.0	78.6	107.5	95.1	M	Pancreas cancer	157/C25
1.0	2.8	1.6	5.9	8.5	31.4	39.0	53.5	77.6	77.4	F		
0.5	0.6	3.2	9.3	17.4	28.5	22.8	36.2	12.4	13.3	M	Larynx cancer	161/C32
-	-	0.5	1.0	-	1.3	-	-	-	-	F		
1.4	5.6	16.6	64.6	103.3	233.9	314.3	402.4	419.6	384.7	M	Lung cancer	162/C33, C34
2.9	2.3	8.4	21.8	32.4	46.8	58.8	69.4	76.5	99.4	F		
0.9	2.8	2.1	5.7	6.0	9.2	18.5	25.1	26.9	30.9	M	Malignant melanoma	172/C43
2.4	1.7	2.1	3.0	2.5	6.4	6.4	11.9	14.8	22.0	F		
4.8	8.5	14.2	36.2	43.8	54.5	73.1	110.1	129.0	158.6	F	Female breast cancer	174/C50
4.8	9.1	10.0	11.9	16.9	17.3	10.3	22.8	16.0	22.9	F	Cervix cancer	180/C53
1.0	-	2.1	4.0	9.0	16.0	23.1	28.8	39.9	44.9	F	Other uterine cancer	179, 182/C54, C55
2.9	2.8	5.3	11.4	18.9	26.3	27.0	45.6	38.8	34.4	F	Ovarian cancer	183.0/C56
-	0.6	-	2.6	15.2	30.8	76.1	133.6	235.6	420.0	M	Prostate cancer	185/C61
-	-	-	3.6	12.0	13.8	28.3	59.7	76.5	157.0	M	Bladder cancer	188/C67
-	-	1.1	0.5	1.5	2.6	8.0	13.9	20.5	30.6	F		
8.0	8.4	26.2	40.8	66.4	131.6	156.6	238.9	308.0	382.4	M	Other and ill-defined	Rest of 140-199/ rest of C00-C80, C97
4.3	10.2	11.6	28.2	37.9	72.5	92.2	152.7	203.2	263.7	F	cancer sites	
-	1.1	-	2.6	1.6	0.8	1.1	1.6	10.3	2.2	M	Hodgkin's disease	201/C81
0.5	0.6	-	0.5	0.5	1.9	0.8	2.0	1.1	2.9	F		
-	3.9	2.7	6.7	9.8	16.9	34.8	44.0	68.2	75.2	M	Myeloma and non-	200, 202-203/ C82-C90, C96
1.0	2.3	2.6	4.0	8.5	15.4	16.7	25.8	39.9	39.2	F	Hodgkin lymphomas	
1.4	1.7	3.7	6.7	10.9	10.8	27.2	42.4	62.0	61.9	M	Leukaemia	204-208/C91-C95
1.0	1.7	1.6	4.0	2.0	7.1	10.3	21.8	28.5	35.4	F		
2.4	2.8	2.1	6.2	16.3	24.6	48.9	70.7	90.9	95.1	M	Diabetes	250/E10-E14
0.5	0.6	2.6	5.9	6.0	12.2	30.2	48.6	98.2	150.9	F		
32.1	71.5	163.5	290.5	501.0	947.1	1395.2	2497.9	4321.8	10206.7	M	ALL VASCULAR	390-459/I00-I99
15.4	21.5	45.4	87.7	150.9	320.2	604.9	1300.9	2930.8	9430.3	F	DISEASE	
-	1.1	1.6	1.6	-	3.9	2.2	3.1	10.3	4.4	M	Rheumatic heart	390-398/I00-I09
-	0.6	0.5	1.0	1.0	1.3	8.0	16.9	8.0	9.6	F	disease and fever	
1.9	-	3.2	8.8	14.1	32.3	30.4	55.0	124.0	241.0	M	Hypertensive disease	401-405/I10-I15
0.5	1.1	1.1	3.0	9.5	10.9	19.9	36.7	77.6	326.7	F		
12.7	33.8	83.4	175.7	283.9	541.7	811.3	1488.7	2660.0	6446.3	M	Ischaemic heart	410-414/I20-I25
3.9	6.8	17.9	32.2	71.2	174.5	328.2	745.6	1667.4	5788.5	F	disease	
0.9	2.2	7.5	6.7	19.6	32.3	45.7	58.2	93.0	185.7	M	Pulmonary embolism	415.1, 451-453/ 126, 180-182
0.5	2.3	4.2	6.4	9.5	17.3	25.4	40.6	100.4	188.2	F	and other venous	
3.8	14.1	23.5	44.5	82.1	190.8	307.8	561.2	913.5	1905.6	M	Cerebrovascular	430-438/I60-I69
7.2	4.5	11.1	19.8	34.4	66.7	143.1	299.4	715.6	1876.3	F	disease	
12.7	20.3	44.4	53.2	101.2	146.2	197.9	331.7	520.8	1423.7	M	Other vascular	Rest of 390-459/ rest of I00-I99
3.4	6.2	10.6	25.3	25.4	49.4	80.3	161.6	361.8	1241.0	F	disease	
-	1.7	2.1	8.3	21.8	43.9	65.2	103.8	225.3	464.2	M	Chronic obstructive	490-496/ J40-J47, J67
1.0	0.6	3.2	5.5	7.5	16.7	18.3	31.7	47.9	111.8	F	pulmonary disease	
9.9	12.4	29.4	26.4	49.5	82.3	117.5	215.4	382.4	988.2	M	Other respiratory	Rest of 460-519/ rest of J00-J98
3.4	9.6	6.9	11.9	17.4	23.7	43.7	108.1	218.0	641.0	F	disease	
0.9	2.2	5.9	7.8	10.9	12.3	15.2	22.0	20.7	46.4	M	Peptic ulcer	531-533/K25-K27
-	0.6	1.1	1.5	1.5	2.6	6.4	18.8	13.7	44.0	F		
15.6	29.3	57.7	98.2	100.6	144.7	117.5	99.0	57.9	50.9	M	Liver cirrhosis	571/K70, K74
4.8	8.5	22.2	26.8	38.4	35.9	34.2	18.8	17.1	8.6	F		
1.9	1.7	5.9	7.8	12.0	22.3	29.4	53.5	121.9	207.8	M	Renal disease	580-590/N00-N19
-	-	1.1	3.0	7.5	13.5	35.0	48.6	84.5	148.1	F		
0.9	1.1	0.5	1.0	0.5	-	1.1	-	-	2.2	F	Pregnancy, birth	630-676/A34, O00-O99
0.5	1.1	-	1.0	1.5	-	-	-	1.1	-	M	Congenital and	740-779/A33, P00-P96, Q00-Q99
12.3	20.8	25.1	22.2	31.6	26.9	19.6	23.6	20.7	73.0	F	perinatal causes	
3.4	4.0	6.9	9.4	6.5	10.3	6.4	15.9	17.1	72.6	M	Ill-defined causes	780-799/R00-R99
12.7	25.9	35.3	49.1	67.5	106.2	138.1	202.8	312.1	493.0	M	Other medical causes	Rest of 001-799/ rest of A00-R99
6.8	15.3	16.9	20.3	27.4	55.2	75.5	126.9	214.6	433.7	F		
80.2	104.7	123.5	159.2	145.2	144.7	141.4	141.5	161.2	313.9	M	ALL NON-	E800-E999/V01-Y89
12.5	15.8	20.1	29.2	25.4	28.2	25.4	45.6	76.5	176.7	F	MEDICAL CAUSES	
8.0	12.4	12.8	12.9	13.6	13.1	9.8	15.7	12.4	26.5	M	Road traffic	E810-E819, E826-E829/ part of V01-V99, Y850
3.4	4.0	2.1	4.0	3.5	5.1	4.0	8.9	11.4	7.6	F	accidents	
0.5	0.6	1.6	2.6	0.5	3.9	1.1	3.1	2.1	6.6	M	Fire	E890-E899/X00-X09
-	-	-	0.5	-	0.6	-	-	1.1	1.0	F		
26.4	29.8	27.8	40.3	34.3	33.1	28.3	20.4	26.9	44.2	M	Suicide	E950-E959/X60-X84
2.4	4.0	7.4	6.4	4.5	6.4	4.0	2.0	6.8	4.8	F		
212.0	177.7	187.1	193.5	183.8	130.0	92.0	63.6	48.4	45.2	M	POPULATION	
207.4	176.9	189.5	201.9	200.8	155.8	125.8	100.9	87.6	104.7	F	(1000s; UN, 2015 revision)	

SLOVENIA: 2010

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	9292	239	3509	772.2	49.0	813.9	55.2	10.7	6.3	35.5	75.4	63.8	96.3
	F	9317	109	1536	435.5	27.4	348.8	90.7	13.6	6.7	15.8	12.8	12.7	39.7
Tuberculosis	M	11	-	4	0.9	-	0.8	-	-	-	-	-	-	-
	F	9	-	1	0.4	-	0.2	-	-	-	-	-	-	-
Other infective and parasitic	M	31	2	18	2.6	0.4	3.9	-	-	-	1.9	-	-	1.2
	F	33	-	5	1.5	-	1.3	-	-	-	-	-	-	-
ALL CANCER	M	3227	20	1372	265.1	4.0	325.3	1.9	2.1	-	3.7	4.3	3.8	11.9
	F	2616	28	807	144.4	6.1	182.7	10.1	4.5	-	-	1.6	4.2	22.5
Mouth and pharynx cancer	M	138	-	103	11.5	-	23.0	-	-	-	-	-	-	-
	F	31	-	15	2.0	-	3.3	-	-	-	-	-	-	-
Oesophagus cancer	M	63	1	40	5.2	0.2	9.1	-	-	-	-	-	-	1.2
	F	12	-	3	0.6	-	0.7	-	-	-	-	-	-	-
Stomach cancer	M	241	3	79	19.8	0.5	18.6	-	-	-	-	-	1.3	2.4
	F	153	-	31	7.4	-	7.1	-	-	-	-	-	-	-
Colorectal cancer	M	443	1	149	36.0	0.2	36.1	-	-	-	-	-	-	1.2
	F	343	2	85	17.7	0.4	19.7	-	-	-	-	-	1.4	1.3
Liver cancer	M	129	-	58	10.6	-	14.2	-	-	-	-	-	-	-
	F	62	-	13	3.1	-	3.2	-	-	-	-	-	-	-
Pancreas cancer	M	165	-	91	13.6	-	22.3	-	-	-	-	-	-	-
	F	198	1	51	10.3	0.2	12.1	-	-	-	-	-	-	1.3
Larynx cancer	M	58	-	31	4.8	-	6.9	-	-	-	-	-	-	-
	F	9	-	4	0.5	-	0.9	-	-	-	-	-	-	-
Lung cancer	M	805	2	422	66.1	0.3	99.6	-	-	-	-	-	1.3	1.2
	F	316	2	139	19.5	0.4	31.1	-	-	-	-	-	-	2.6
Malignant melanoma	M	70	1	41	5.9	0.2	9.2	-	-	-	-	1.4	-	-
	F	48	2	18	2.9	0.4	3.9	-	-	-	-	-	-	2.6
Female breast cancer	F	416	4	163	24.5	0.8	35.8	-	-	-	-	-	-	5.3
Cervix cancer	F	43	1	25	3.0	0.2	5.0	-	-	-	-	-	-	1.3
Other uterine cancer	F	91	-	23	4.8	-	5.3	-	-	-	-	-	-	-
Ovarian cancer	F	150	-	64	9.0	-	14.4	-	-	-	-	-	-	-
Prostate cancer	M	358	-	60	29.3	-	16.0	-	-	-	-	-	-	-
Bladder cancer	M	132	-	35	10.7	-	8.4	-	-	-	-	-	-	-
	F	52	-	10	2.5	-	2.4	-	-	-	-	-	-	-
Other and ill-defined cancer sites	M	405	9	195	33.6	1.9	45.1	1.9	2.1	-	1.9	1.4	-	6.0
	F	483	13	115	25.9	3.2	25.9	8.1	4.5	-	-	1.6	1.4	6.6
Hodgkin's disease	M	5	-	2	0.4	-	0.6	-	-	-	-	-	-	-
	F	5	-	1	0.2	-	0.2	-	-	-	-	-	-	-
Myeloma and non-Hodgkin lymphomas	M	135	-	46	11.0	-	11.1	-	-	-	-	-	-	-
	F	116	-	29	5.9	-	7.3	-	-	-	-	-	-	-
Leukaemia	M	80	3	20	6.7	0.7	4.9	-	-	-	1.9	1.4	1.3	-
	F	88	3	18	4.8	0.7	4.3	2.0	-	-	-	-	1.4	1.3
Diabetes	M	117	1	40	9.6	0.2	9.9	-	-	-	-	-	-	1.2
	F	138	1	22	6.5	0.2	5.2	-	-	-	-	-	-	1.3
ALL VASCULAR DISEASE	M	3071	11	806	253.3	1.9	193.2	-	-	-	-	2.9	-	10.7
	F	4260	4	270	169.2	1.0	63.9	-	2.3	-	2.0	1.6	1.4	-
Rheumatic heart disease and fever	M	30	-	7	2.5	-	1.9	-	-	-	-	-	-	-
	F	50	-	2	1.9	-	0.5	-	-	-	-	-	-	-
Hypertensive disease	M	173	-	32	14.3	-	8.1	-	-	-	-	-	-	-
	F	357	-	11	13.3	-	2.8	-	-	-	-	-	-	-
Ischaemic heart disease	M	1108	1	389	91.5	0.2	91.3	-	-	-	-	-	-	1.2
	F	943	-	78	39.0	-	18.9	-	-	-	-	-	-	-
Pulmonary embolism and other venous	M	59	-	17	4.8	-	4.0	-	-	-	-	-	-	-
	F	92	1	12	4.2	0.3	2.6	-	-	-	2.0	-	-	-
Cerebrovascular disease	M	829	5	180	67.9	0.8	45.2	-	-	-	-	-	-	6.0
	F	1144	3	98	47.2	0.8	22.7	-	2.3	-	-	1.6	1.4	-
Other vascular disease	M	872	5	181	72.3	0.9	42.6	-	-	-	-	2.9	-	3.6
	F	1674	-	69	63.5	-	16.3	-	-	-	-	-	-	-
Chronic obstructive pulmonary disease	M	271	-	50	22.2	-	13.1	-	-	-	-	-	-	-
	F	151	-	15	6.4	-	3.2	-	-	-	-	-	-	-
Other respiratory disease	M	290	2	32	23.9	0.3	7.9	-	-	-	-	-	1.3	1.2
	F	407	3	12	15.3	0.9	3.0	4.0	-	-	2.0	-	-	-
Peptic ulcer	M	27	-	7	2.2	-	1.6	-	-	-	-	-	-	-
	F	41	-	4	1.7	-	1.0	-	-	-	-	-	-	-
Liver cirrhosis	M	441	4	336	37.1	0.7	74.8	-	-	-	-	-	1.3	3.6
	F	175	1	106	12.3	0.2	23.3	-	-	-	-	-	-	1.3
Renal disease	M	71	-	5	5.9	-	1.3	-	-	-	-	-	-	-
	F	121	1	12	5.2	0.2	3.0	-	-	-	-	1.6	-	-
Pregnancy, birth	F	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital and perinatal causes	M	33	26	7	4.4	6.8	1.5	41.9	-	2.1	-	1.4	2.5	-
	F	40	32	6	5.7	9.3	1.2	56.4	2.3	4.4	2.0	-	-	-
Ill-defined causes	M	172	7	110	14.6	1.5	24.6	3.8	-	-	-	2.9	2.5	1.2
	F	103	5	24	5.4	1.2	5.6	4.0	-	-	-	1.6	1.4	1.3
Other medical causes	M	541	19	201	45.2	4.1	46.4	5.7	4.3	-	3.7	2.9	3.8	8.3
	F	697	13	121	33.5	3.5	27.1	10.1	2.3	2.2	4.0	1.6	1.4	2.6
ALL NON-MEDICAL CAUSES	M	989	147	521	85.2	29.0	109.4	1.9	4.3	4.2	26.2	60.9	48.5	57.1
	F	526	21	131	28.0	4.8	28.2	6.0	2.3	-	5.9	4.8	4.2	10.6
Road traffic accidents	M	111	43	51	9.9	8.4	10.2	-	2.1	-	5.6	20.3	12.8	17.8
	F	32	5	18	2.5	1.2	3.7	2.0	-	-	2.0	3.2	-	1.3
Fire	M	6	-	3	0.5	-	0.8	-	-	-	-	-	-	-
	F	3	-	-	0.1	-	-	-	-	-	-	-	-	-
Suicide	M	336	59	203	29.4	11.9	41.6	-	-	4.2	16.8	23.2	20.4	19.0
	F	78	6	51	6.1	1.3	10.8	-	-	-	2.0	-	4.2	2.6
POPULATION:														
(1000s; UN, 2015 revision)			M=male		1016.9	432.1	495.8	52.5	46.7	47.9	53.5	68.9	78.4	84.1
			F=female		1035.6	398.2	483.7	49.6	44.1	45.1	50.5	62.4	70.9	75.6

2010: SLOVENIA

Annual death rates / 100,000 (zero denoted by -)										9th ICD/10th ICD categories		
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+NK			
111.9	212.8	347.3	600.5	993.8	1502.9	1927.9	3381.2	5351.5	11907.6	M	ALL CAUSES	001-999/A00-Y89
55.2	95.4	157.0	267.1	399.9	564.4	902.3	1524.9	3008.9	9334.8	F		
-	-	-	1.3	2.5	-	2.2	2.6	7.1	17.2	M	Tuberculosis	010-018, 137/ A15-A19, B90
-	-	-	-	1.3	-	-	-	6.6	8.4	F		
1.3	2.5	3.8	-	8.9	-	10.8	2.6	10.7	30.1	M	Other infective and parasitic	Rest of 001-139,279.5&.6/ rest of A00-B99 excl A33,A34
-	-	-	-	-	1.8	7.5	8.2	8.8	33.6	F		
14.2	54.1	94.4	211.9	424.3	653.4	824.7	1464.2	2061.3	3031.7	M	ALL CANCER	140-208/C00-C97
19.8	47.7	78.5	145.4	225.8	312.0	449.2	680.0	989.1	1678.9	F		
1.3	3.8	7.5	27.8	37.0	38.1	45.3	34.4	50.0	34.4	M	Mouth and pharynx cancer	140-149/C00-C14
-	1.3	2.6	1.3	5.3	7.0	5.6	10.3	6.6	13.4	F		
1.3	-	5.0	10.1	11.5	14.5	21.6	29.1	25.0	17.2	M	Oesophagus cancer	150/C15
-	-	-	-	1.3	1.8	1.9	2.1	6.6	8.4	F		
-	6.3	6.3	12.6	21.7	38.1	45.3	111.2	167.9	301.0	M	Stomach cancer	151/C16
-	1.3	5.2	2.6	9.3	7.0	24.4	26.8	85.5	117.5	F		
1.3	2.5	8.8	22.7	39.5	87.1	90.7	251.5	368.0	408.5	M	Colorectal cancer	153, 154/C18-C21
4.2	4.0	5.2	11.9	22.6	28.0	62.0	94.8	127.2	255.2	F		
-	1.3	3.8	7.6	15.3	30.9	41.0	98.0	71.5	60.2	M	Liver cancer	155.0, 155.1/C22
1.4	-	-	1.3	1.3	1.8	16.9	20.6	26.3	45.3	F		
1.3	3.8	3.8	7.6	30.6	38.1	71.2	74.1	78.6	103.2	M	Pancreas cancer	157/C25
-	2.6	5.2	7.9	6.6	26.3	35.7	49.5	83.3	141.0	F		
-	2.5	3.8	6.3	11.5	7.3	17.3	23.8	32.1	38.7	M	Larynx cancer	161/C32
-	-	-	-	2.7	-	3.8	2.1	2.2	5.0	F		
2.6	10.1	23.9	56.8	152.9	217.8	233.2	336.3	464.4	533.2	M	Lung cancer	162/C33, C34
2.8	1.3	14.4	35.7	39.9	63.1	60.1	82.4	116.2	137.7	F		
2.6	5.0	2.5	11.3	7.6	18.1	17.3	26.5	25.0	47.3	M	Malignant melanoma	172/C43
-	2.6	-	4.0	8.0	3.5	9.4	14.4	13.2	25.2	F		
4.2	15.9	18.3	34.4	49.2	70.1	58.3	92.7	122.8	248.5	F	Female breast cancer	174/C50
1.4	5.3	3.9	7.9	9.3	1.8	5.6	8.2	17.5	8.4	F	Cervix cancer	180/C53
1.4	-	1.3	2.6	8.0	10.5	13.2	30.9	28.5	67.2	F	Other uterine cancer	179, 182/C54, C55
1.4	6.6	7.8	5.3	19.9	28.0	31.9	33.0	54.8	75.5	F	Ovarian cancer	183.0/C56
-	-	1.3	5.0	7.6	39.9	58.3	169.5	285.8	662.2	M	Prostate cancer	185/C61
-	2.5	-	5.0	12.7	12.7	25.9	53.0	125.0	180.6	M	Bladder cancer	188/C67
-	-	-	-	5.3	1.8	9.4	12.4	24.1	42.0	F		
2.6	15.1	21.4	32.8	56.1	79.9	108.0	148.3	235.8	339.7	M	Other and ill-defined cancer sites	Rest of 140-199/ rest of C00-C80, C97
2.8	6.6	9.2	25.1	33.2	38.6	65.8	136.0	175.4	350.9	F	Hodgkin's disease	201/C81
-	-	1.3	-	-	1.8	2.2	-	3.6	8.6	M		
-	-	-	-	-	-	-	2.1	-	5.0	F		
1.3	-	1.3	5.0	16.6	23.6	30.2	68.8	89.3	163.4	M	Myeloma and non- Hodgkin lymphomas	200, 202-203/ C82-C90, C96
-	-	3.9	1.3	1.3	12.3	31.9	26.8	61.4	77.2	F		
-	1.3	5.0	1.3	3.8	5.5	17.3	39.7	39.3	133.3	M	Leukaemia	204-208/C91-C95
-	-	-	4.0	2.7	10.5	13.2	35.0	37.3	55.4	F		
-	2.5	-	5.0	11.5	20.0	30.2	37.1	92.9	154.8	M	Diabetes	250/E10-E14
1.4	-	2.6	1.3	5.3	8.8	16.9	28.9	76.8	110.8	F		
14.2	29.0	70.5	124.9	212.8	370.3	531.1	1106.8	1964.8	5530.2	M	ALL VASCULAR DISEASE	390-459/I00-I99
15.6	10.6	30.1	29.1	43.8	99.9	218.1	478.1	1263.2	5335.6	F		
-	-	1.3	-	-	3.6	8.6	23.8	17.9	38.7	M	Rheumatic heart disease and fever	390-398/I00-I09
-	-	-	-	-	1.8	1.9	4.1	21.9	60.4	F		
-	-	-	6.3	7.6	12.7	30.2	68.8	100.0	374.1	M	Hypertensive disease	401-405/I10-I15
-	-	-	-	2.7	1.8	15.0	33.0	83.3	490.2	F		
7.7	12.6	39.0	68.1	112.1	170.6	228.8	444.8	635.9	1599.7	M	Ischaemic heart disease	410-414/I20-I25
1.4	1.3	6.5	11.9	8.0	26.3	77.1	150.4	320.2	1084.6	F		
-	2.5	-	3.8	3.8	7.3	10.8	21.2	64.3	68.8	M	Pulmonary embolism and other venous	415.1, 451-453/ I26, I80-I82
1.4	2.6	3.9	-	1.3	5.3	3.8	12.4	30.7	99.1	F		
1.3	2.5	12.6	21.4	39.5	92.6	146.8	293.9	653.8	1505.1	M	Cerebrovascular disease	430-438/I60-I69
9.9	2.6	13.1	5.3	25.2	35.1	67.7	133.9	396.9	1338.1	F		
5.2	11.3	17.6	25.2	49.7	83.5	105.8	254.2	493.0	1943.8	M	Other vascular disease	Rest of 390-459/ rest of I00-I99
2.8	4.0	6.5	11.9	6.6	29.8	52.6	144.2	410.1	2263.2	F	Chronic obstructive pulmonary disease	490-496/ J40-J47, J67
-	-	-	2.5	12.7	29.0	47.5	82.1	221.5	550.4	M		
-	-	-	6.6	6.6	7.0	1.9	20.6	54.8	169.6	F		
-	1.3	3.8	5.0	5.1	14.5	25.9	90.0	200.1	713.9	M	Other respiratory disease	Rest of 460-519/ rest of J00-J98
1.4	-	2.6	-	-	1.8	15.0	18.6	105.3	562.4	F		
-	1.3	-	2.5	1.3	1.8	4.3	7.9	14.3	55.9	M	Peptic ulcer	531-533/K25-K27
-	-	-	-	1.3	-	5.6	6.2	11.0	48.7	F		
9.0	29.0	37.8	71.9	103.2	132.5	140.3	119.2	100.0	120.4	M	Liver cirrhosis	571/K70, K74
2.8	5.3	10.5	23.8	38.5	35.1	47.0	59.8	41.7	33.6	F		
1.3	-	-	-	1.3	-	6.5	18.5	46.4	197.8	M	Renal disease	580-590/N00-N19
-	-	-	1.3	1.3	8.8	9.4	18.6	43.9	132.6	F		
-	-	-	-	-	-	-	-	-	-	M	Pregnancy, birth Congenital and perinatal causes	630-676/A34, O00-O99 740-779/A33, P00-P96, Q00-Q99
1.4	-	1.3	-	3.8	5.5	-	-	-	-	F	Ill-defined causes	780-799/R00-R99
3.9	6.3	8.8	26.5	35.7	41.8	49.7	50.3	53.6	90.3	M		
2.8	2.6	-	4.0	2.7	14.0	13.2	8.2	28.5	95.7	F		
7.7	16.4	22.6	39.1	48.4	76.2	114.4	172.1	325.1	709.6	M	Other medical causes	Rest of 001-799/ rest of A00-R99
4.2	5.3	15.7	25.1	33.2	38.6	67.7	109.2	250.0	664.9	F		
60.5	70.5	104.5	109.8	122.3	157.9	140.3	227.7	253.6	705.3	M	ALL NON- MEDICAL CAUSES	E800-E999/V01-Y89
5.7	23.9	17.0	29.1	35.9	35.1	50.8	88.6	125.0	460.0	F	Road traffic accidents	E810-E819, E826-E829/ part of V01-V99, Y850
6.4	12.6	12.6	10.1	10.2	9.1	10.8	18.5	7.1	34.4	M		
-	6.6	3.9	2.6	5.3	-	7.5	4.1	6.6	6.7	F		
-	-	-	-	1.3	1.8	2.2	-	3.6	8.6	M	Fire	E890-E899/X00-X09
-	-	-	-	-	-	-	-	-	5.0	F		
25.7	32.7	50.3	44.1	40.8	56.3	41.0	66.2	71.5	124.7	M	Suicide	E950-E959/X60-X84
4.2	8.0	2.6	18.5	12.0	22.8	7.5	18.6	8.8	13.4	F		
77.7	79.4	79.5	79.3	78.5	55.1	46.3	37.8	28.0	23.3	M	POPULATION	
70.6	75.5	76.4	75.6	75.3	57.1	53.2	48.5	45.6	59.6	F	(1000s; UN, 2015 revision)	

SPAIN: 2010

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	198121	4320	53964	612.8	41.8	607.1	81.1	10.1	13.3	31.2	46.2	50.0	60.9
	F	183926	2295	23590	350.7	24.5	248.9	74.8	7.2	8.5	14.2	18.2	20.3	28.2
Tuberculosis	M	262	8	80	0.8	0.1	0.8	0.1	-	-	-	-	0.1	0.2
	F	130	4	12	0.2	0.0	0.1	0.1	-	-	-	-	0.1	0.1
Other infective and parasitic	M	3208	92	1379	10.4	0.8	13.0	1.4	0.1	0.3	0.3	0.5	1.1	2.1
	F	2889	62	475	5.9	0.6	4.7	1.7	0.4	0.1	0.3	0.6	0.5	1.0
ALL CANCER	M	63959	524	23814	211.1	5.0	277.8	2.4	3.8	3.9	4.9	5.6	6.0	8.7
	F	39348	431	12848	99.2	4.2	135.0	3.1	2.2	2.8	3.1	4.1	4.8	9.4
Mouth and pharynx cancer	M	1754	13	1076	6.5	0.1	12.0	-	-	0.1	0.1	0.3	0.2	0.2
	F	523	6	193	1.4	0.1	2.0	-	-	-	0.1	-	0.1	0.1
Oesophagus cancer	M	1529	6	810	5.5	0.0	9.2	-	-	-	-	-	0.1	0.2
	F	279	2	103	0.7	0.0	1.1	-	-	-	-	-	0.1	0.1
Stomach cancer	M	3601	15	1323	11.8	0.1	15.5	-	-	-	-	0.2	0.3	0.4
	F	2250	10	578	5.2	0.1	6.1	-	-	-	-	-	0.3	0.3
Colorectal cancer	M	8816	25	2659	27.9	0.2	31.9	-	-	-	-	0.2	0.2	0.9
	F	6067	14	1506	13.8	0.1	16.2	-	-	-	-	0.3	0.1	0.4
Liver cancer	M	2451	12	1081	8.4	0.1	12.3	0.2	-	0.1	0.1	0.2	0.1	0.2
	F	987	3	179	2.2	0.0	1.9	-	-	-	-	-	-	0.1
Pancreas cancer	M	3000	5	1342	10.3	0.0	15.4	-	-	-	-	0.1	-	0.2
	F	2716	3	799	6.6	0.0	8.8	-	-	-	-	-	0.1	0.1
Larynx cancer	M	1439	1	719	5.1	0.0	8.3	-	-	-	-	-	-	0.1
	F	67	-	33	0.2	-	0.3	-	-	-	-	-	-	-
Lung cancer	M	17303	17	7961	60.0	0.1	93.6	0.1	0.1	-	0.1	0.1	0.1	0.5
	F	3452	15	1820	10.5	0.1	18.7	0.1	-	-	0.1	0.2	0.2	0.4
Malignant melanoma	M	551	14	258	1.9	0.1	2.7	0.1	-	-	0.1	-	0.2	0.4
	F	424	13	172	1.2	0.1	1.7	0.1	-	-	-	0.2	0.3	0.3
Female breast cancer	F	6295	46	2735	17.3	0.3	27.6	-	-	-	0.1	-	0.3	2.1
Cervix cancer	F	667	17	367	2.1	0.1	3.5	-	-	-	-	-	0.1	0.8
Other uterine cancer	F	1489	5	474	3.7	0.0	5.2	-	-	-	-	-	0.1	0.1
Ovarian cancer	F	1961	21	916	5.7	0.2	9.7	-	-	-	0.1	0.2	0.3	0.7
Prostate cancer	M	5875	2	692	16.3	0.0	8.8	-	-	-	0.1	-	0.1	-
Bladder cancer	M	4033	3	940	12.2	0.0	11.5	-	-	-	-	-	0.1	0.1
	F	903	2	131	1.8	0.0	1.4	-	-	-	-	-	-	0.1
Other and ill-defined cancer sites	M	9398	261	3656	31.5	2.6	41.5	1.3	2.5	1.9	2.8	3.0	3.0	3.6
	F	7717	165	2062	18.6	1.7	22.0	1.5	1.7	1.7	1.3	1.9	1.4	2.7
Hodgkin's disease	M	147	22	61	0.5	0.2	0.6	-	-	0.2	0.2	0.6	0.4	0.2
	F	131	15	35	0.3	0.1	0.3	-	-	-	0.1	0.2	0.3	0.3
Myeloma and non-Hodgkin lymphomas	M	2245	36	759	7.3	0.3	8.8	0.1	0.3	0.3	0.6	0.2	0.2	0.7
	F	1964	15	438	4.5	0.1	4.9	-	-	-	0.1	0.6	0.3	0.1
Leukaemia	M	1817	92	477	5.8	1.0	5.4	0.7	1.0	1.3	0.8	0.9	1.0	1.0
	F	1456	79	307	3.5	0.9	3.2	1.4	0.5	1.1	1.2	0.6	0.8	0.7
Diabetes	M	4108	15	676	11.9	0.1	8.2	-	-	-	-	0.3	0.1	0.4
	F	5691	9	364	9.7	0.1	4.2	-	-	-	-	-	0.3	0.2
ALL VASCULAR DISEASE	M	54406	300	11448	159.5	2.6	131.2	1.4	0.3	0.4	2.2	3.2	4.3	6.6
	F	64722	159	3709	106.7	1.6	40.7	1.9	0.5	0.5	1.3	1.6	2.4	2.9
Rheumatic heart disease and fever	M	519	3	123	1.6	0.0	1.5	-	-	0.1	0.1	-	-	0.1
	F	1297	2	200	2.6	0.0	2.3	-	-	-	-	-	-	0.1
Hypertensive disease	M	3124	3	378	8.5	0.0	4.7	-	-	-	0.1	-	0.1	0.1
	F	6350	3	165	9.7	0.0	1.9	-	-	-	-	-	0.1	0.1
Ischaemic heart disease	M	20226	84	5547	61.9	0.7	63.2	-	-	0.1	0.3	0.9	1.0	2.4
	F	15042	25	1127	25.9	0.2	12.5	0.1	-	-	0.1	0.1	0.6	0.7
Pulmonary embolism and other venous	M	914	8	255	2.8	0.1	2.8	-	-	-	-	0.2	0.1	0.1
	F	1352	15	162	2.5	0.1	1.7	-	-	0.1	-	0.2	0.3	0.4
Cerebrovascular disease	M	12632	57	1972	35.8	0.5	23.1	0.1	-	0.2	0.2	0.6	0.8	1.4
	F	17529	35	1021	29.0	0.3	11.0	0.3	0.1	-	0.4	0.2	0.8	0.6
Other vascular disease	M	16991	145	3173	48.9	1.3	36.0	1.4	0.3	-	1.5	1.4	2.3	2.4
	F	23152	79	1034	37.0	0.8	11.3	1.4	0.4	0.4	0.8	1.1	0.6	1.1
Chronic obstructive pulmonary disease	M	11647	11	1262	32.1	0.1	15.9	-	-	0.1	0.2	0.1	0.2	0.2
	F	4036	13	313	6.9	0.1	3.5	0.1	-	-	-	0.2	0.3	0.3
Other respiratory disease	M	11804	144	1592	32.7	1.3	17.9	1.5	0.3	0.2	0.4	1.4	2.4	2.7
	F	12779	73	641	20.7	0.8	6.8	1.4	0.4	0.1	0.7	0.5	1.2	1.0
Peptic ulcer	M	291	1	79	0.9	0.0	0.8	-	-	-	-	-	-	0.1
	F	224	2	24	0.4	0.0	0.3	0.1	-	-	-	-	-	0.1
Liver cirrhosis	M	3448	13	2245	12.9	0.1	24.0	-	0.1	-	-	-	0.1	0.5
	F	1348	8	552	3.8	0.1	5.7	-	0.1	0.1	0.1	-	0.1	0.2
Renal disease	M	3293	13	317	8.9	0.1	3.8	0.5	0.1	-	-	-	-	0.3
	F	3460	9	147	5.6	0.1	1.7	0.1	0.1	-	-	-	0.1	0.3
Pregnancy, birth	F	20	15	5	0.1	0.1	0.0	-	-	-	0.1	0.2	0.3	0.4
Congenital and perinatal causes	M	946	769	125	5.5	8.7	1.2	54.9	1.2	1.1	1.1	1.1	0.6	0.7
	F	856	663	122	5.0	7.9	1.1	51.2	0.6	1.0	0.6	0.6	0.5	0.9
Ill-defined causes	M	5524	336	2213	18.4	3.2	22.5	5.2	0.6	0.9	2.0	3.7	4.8	5.1
	F	5248	142	703	10.1	1.4	6.9	4.1	-	0.6	0.4	1.1	1.9	2.1
Other medical causes	M	25913	434	4313	74.1	4.3	48.6	8.2	1.9	2.9	4.0	3.5	4.3	5.5
	F	38421	282	2470	64.6	3.1	26.7	6.7	1.4	2.2	2.7	3.5	2.4	2.9
ALL NON-MEDICAL CAUSES	M	9312	1660	4421	33.6	15.3	41.4	5.6	1.7	3.5	16.1	26.9	25.9	27.8
	F	4754	423	1205	11.8	4.3	11.6	4.4	1.6	1.2	5.0	6.0	5.5	6.5
Road traffic accidents	M	1845	649	892	7.4	6.2	8.2	1.8	0.4	1.7	9.0	11.4	10.7	8.6
	F	514	157	192	1.9	1.7	1.8	1.3	0.8	0.9	3.0	2.9	1.7	1.6
Fire	M	121	20	56	0.5	0.2	0.6	0.3	0.1	-	0.1	0.4	0.2	0.3
	F	67	8	22	0.2	0.1	0.2	0.2	-	-	-	0.1	0.2	0.1
Suicide	M	2468	374	1465	9.1	3.2	13.6	-	-	0.3	1.9	6.0	5.9	8.4
	F	690	82	442	2.4	0.8	4.1	-	-	-	0.6	1.4	1.3	2.0
POPULATION:			M=male		23044	9641	11003	1260	1175	1064	1130	1282	1641	2089
(1000s; UN, 2015 revision)			F=female		23557	9100	10972	1187	1110	1007	1068	1214	1556	1957

2010: SPAIN

Annual death rates / 100,000 (zero denoted by -)										9th ICD/10th ICD categories		
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+NK			
88.3	159.0	269.4	445.4	697.6	1047.0	1542.7	2496.0	4188.1	10477.2	M	ALL CAUSES	001-999/A00-Y89
45.5	82.9	130.1	196.5	291.8	395.3	600.2	1097.8	2110.7	8483.2	F		
0.2	0.5	1.2	0.8	0.5	1.4	0.8	3.0	5.2	13.2	M	Tuberculosis	010-018, 137/A15-A19, B90
-	0.3	0.1	0.1	0.1	-	0.3	1.1	2.3	5.4	F		
5.1	12.6	17.6	14.5	10.8	13.9	16.3	29.1	54.7	129.6	M	Other infective and parasitic	Rest of 001-139,279.5&.6/rest of A00-B99 excl A33,A34
2.2	3.4	5.4	3.0	3.6	4.6	10.4	19.3	39.2	118.9	F		
14.5	32.9	88.3	189.6	341.3	536.1	741.8	1065.9	1502.0	2344.6	M	ALL CANCER	140-208/C00-C97
19.9	42.2	69.7	121.0	174.0	223.3	294.7	424.4	596.3	1067.0	F		
0.5	1.6	5.8	11.5	18.6	21.8	24.1	21.6	32.7	29.2	M	Mouth and pharynx cancer	140-149/C00-C14
0.1	0.7	1.2	2.1	2.7	3.4	3.9	5.4	6.1	14.1	F		
0.2	1.2	3.4	8.6	15.6	15.0	20.2	29.1	25.7	33.8	M	Oesophagus cancer	150/C15
-	0.1	0.5	1.2	1.9	2.0	2.1	3.5	3.6	7.0	F		
0.9	2.0	4.0	10.7	19.6	29.6	41.4	59.9	84.7	135.8	M	Stomach cancer	151/C16
1.2	2.0	2.8	4.4	7.3	10.6	14.6	23.0	35.9	72.2	F		
0.8	2.5	8.1	17.9	35.1	60.5	98.5	149.1	224.2	385.4	M	Colorectal cancer	153, 154/C18-C21
1.3	2.9	6.9	13.6	22.3	26.0	40.7	60.4	92.1	203.4	F		
0.6	1.7	6.3	9.9	14.1	22.3	31.2	45.6	59.6	64.4	M	Liver cancer	155.0/C22 excl C221
0.1	0.7	0.5	1.4	2.4	3.6	4.8	12.4	23.5	29.9	F		
0.8	2.2	5.6	12.1	19.2	29.0	39.0	51.8	71.5	82.9	M	Pancreas cancer	157/C25
0.6	1.4	2.5	6.5	10.6	15.1	24.9	33.5	47.5	74.2	F		
0.1	0.4	2.0	7.2	13.1	16.7	18.9	23.9	28.9	36.6	M	Larynx cancer	161/C32
-	0.1	0.1	0.6	0.7	0.3	0.5	0.6	1.2	1.1	F		
2.2	7.9	25.4	63.6	120.0	190.8	245.6	322.0	393.2	448.2	M	Lung cancer	162/C33, C34
1.4	5.6	11.6	23.4	27.7	31.0	30.2	39.8	41.3	54.2	F		
0.8	0.9	2.2	2.5	2.9	4.3	5.2	6.8	11.1	16.7	M	Malignant melanoma	172/C43
0.6	0.9	1.3	1.6	2.1	2.7	3.0	4.2	4.7	10.1	F		
6.5	13.9	18.2	29.2	37.4	40.0	48.4	57.1	77.9	145.6	F	Female breast cancer	174/C50
1.4	2.3	3.3	4.1	4.7	4.2	4.8	7.2	8.6	8.4	F	Cervix cancer	180/C53
0.1	0.9	1.7	3.2	5.9	10.9	13.8	19.9	25.4	37.5	F	Other uterine cancer	179, 182/C54, C55
1.2	2.6	5.2	8.3	11.2	17.2	22.2	21.8	30.0	34.0	F	Ovarian cancer	183/C56, C570-C574
0.1	-	0.8	2.4	6.7	17.0	35.0	73.8	152.5	408.6	M	Prostate cancer	185/C61
0.2	0.6	1.4	5.4	12.4	24.1	36.6	65.1	104.0	211.8	M	Bladder cancer	188/C67
0.1	0.2	0.7	1.1	1.5	2.3	4.3	8.1	13.8	37.0	F		
5.2	8.8	17.6	27.8	48.8	79.7	102.7	149.1	205.9	324.4	M	Other and ill-defined cancer sites	Rest of 140-199/rest of C00-C80, C97
3.4	6.1	10.4	15.2	27.4	38.4	53.0	83.2	122.5	230.9	F		
0.2	0.2	0.5	0.7	0.8	0.7	1.4	2.5	1.9	3.6	M	Hodgkin's disease	201/C81
0.3	0.1	0.3	0.2	0.1	0.7	0.6	1.4	1.6	3.4	F		
0.5	1.4	3.4	5.9	9.4	15.7	25.6	34.7	59.1	86.3	M	Myeloma and non-Hodgkin lymphomas	200, 202-203/C82-C90, C96
0.6	1.0	1.1	2.9	4.4	9.0	15.1	26.9	38.5	57.6	F	Leukaemia	204-208/C91-C95
1.4	1.5	1.8	3.4	4.9	8.7	16.4	30.8	46.9	76.8	M		
1.1	0.9	1.4	2.0	3.5	6.0	7.7	16.0	22.1	46.4	F		
0.3	0.6	1.9	3.5	8.5	15.1	27.9	58.1	113.0	249.4	M	Diabetes	250/E10-E14
0.1	0.4	0.8	1.3	4.0	6.6	16.3	33.4	76.2	284.2	F		
12.9	28.2	52.6	91.2	146.6	226.5	360.7	639.5	1150.8	3425.6	M	ALL VASCULAR DISEASE	390-459/I00-I99
4.1	8.3	16.4	24.6	41.9	66.0	123.8	299.5	682.4	3437.9	F		
0.1	0.2	0.1	0.8	1.7	3.4	4.2	6.7	13.8	28.0	M	Rheumatic heart disease and fever	390-398/I00-I09
0.1	-	0.4	0.9	1.7	3.7	9.5	14.8	24.2	47.4	F		
0.1	0.5	0.8	2.1	4.4	7.1	17.6	28.9	56.1	247.9	M	Hypertensive disease	401-405/I10-I15
0.2	0.1	0.3	1.0	1.6	3.8	6.1	19.9	52.1	368.1	F		
5.1	12.8	27.7	48.1	73.3	110.4	164.8	268.5	440.3	1083.0	M	Ischaemic heart disease	410-414/I20-I25
0.7	2.2	4.6	6.7	13.4	20.8	39.1	90.5	185.8	749.3	F		
0.5	1.4	1.5	2.4	2.5	5.0	6.0	11.5	17.4	50.8	M	Pulmonary embolism and other venous	415.1, 451-453/126, 180-182
0.5	0.8	0.7	1.1	1.6	2.3	5.0	7.5	15.9	63.4	F		
1.8	3.7	8.5	14.6	23.6	37.5	72.1	143.8	292.1	860.7	M	Cerebrovascular disease	430-438/I60-I69
1.3	2.6	5.6	7.9	12.0	16.2	31.5	80.5	196.1	923.2	F		
5.4	9.6	13.9	23.4	41.1	63.1	95.9	180.2	331.1	1155.3	M	Other vascular disease	Rest of 390-459/rest of I00-I99
1.3	2.5	4.7	7.0	11.7	19.2	32.6	86.2	208.4	1286.5	F		
0.3	0.8	2.1	5.4	12.0	30.0	60.6	143.7	296.0	830.2	M	Chronic obstructive pulmonary disease	490-496/J40-J47, J67
0.2	0.5	1.4	2.3	3.9	4.7	11.0	22.7	43.5	205.3	F		
4.2	5.5	8.6	11.8	16.7	25.2	53.3	108.2	232.7	884.0	M	Other respiratory disease	Rest of 460-519/rest of J00-J98
1.6	2.5	3.0	4.7	6.6	11.9	17.4	49.0	114.8	702.6	F		
0.1	0.2	0.4	0.9	1.1	1.7	1.4	3.3	5.9	16.6	M	Peptic ulcer	531-533/K25-K27
0.1	0.1	0.1	0.1	0.3	0.7	0.5	1.1	2.4	11.0	F		
2.2	8.4	15.8	27.2	32.2	38.0	43.9	51.4	54.7	43.3	M	Liver cirrhosis	571/K70, K74
0.7	2.4	5.0	4.7	6.3	9.2	11.3	19.4	22.4	24.9	F		
0.2	0.8	0.8	1.8	4.1	6.3	12.6	28.4	67.1	264.7	M	Renal disease	580-590/N00-N19
0.1	0.2	0.3	1.1	1.6	2.7	5.7	16.3	37.6	186.3	F		
0.2	-	-	-	-	-	-	-	-	-	M	Pregnancy, birth	630-676/A34,000-099
0.4	1.0	1.1	1.1	1.6	1.6	1.9	1.5	1.5	3.4	M	Congenital and perinatal causes	740-779/A33, P00-P96, Q00-Q99
0.7	0.9	1.1	1.4	1.4	1.5	1.1	1.3	2.1	2.5	F	Ill-defined causes	780-799/R00-R99
7.5	13.7	18.6	22.2	27.7	29.2	38.4	49.0	73.3	240.9	M		
3.1	3.9	5.6	7.0	8.5	9.4	11.0	19.5	43.2	254.4	F		
7.2	14.0	23.0	33.8	52.1	78.6	131.3	247.5	532.2	1801.2	M	Other medical causes	Rest of 001-799/rest of A00-R99
5.1	8.4	11.9	14.4	26.9	42.5	77.6	164.0	402.7	2020.9	F		
33.0	40.0	37.6	41.6	42.3	43.3	51.8	67.5	99.2	230.6	M	ALL NON-MEDICAL CAUSES	E800-E999/V01-Y89
7.3	9.5	9.5	10.9	12.7	12.1	19.1	26.7	45.5	161.9	F		
8.0	8.6	7.5	8.3	7.5	7.9	9.3	10.4	12.7	14.8	M	Road traffic accidents	E810-E819, E826-E829/part of V01-V99, Y850
1.4	1.4	1.5	1.4	2.0	2.3	2.9	4.7	4.1	5.2	F		
0.2	0.4	0.3	0.6	0.4	0.7	1.4	1.6	1.1	2.9	M	Fire	E890-E899/X00-X09
-	0.1	0.1	0.4	0.3	-	0.7	0.4	0.7	1.8	F		
10.8	13.4	13.0	15.2	13.7	14.2	14.7	17.4	23.7	36.9	M	Suicide	E950-E959/X60-X84
2.9	4.5	4.0	4.2	4.1	4.2	4.7	4.7	5.1	4.6	F		
2121	1960	1832	1600	1309	1183	998	811	746	843	M	POPULATION	
1976	1858	1791	1609	1354	1269	1115	984	1020	1482	F	(1000s; UN, 2015 revision)	

SWEDEN: 2010

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	43919	968	10286	610.0	46.3	508.4	68.7	5.0	10.0	33.2	66.5	72.8	67.9
	F	46600	502	6584	434.4	25.6	326.6	60.8	7.7	8.0	19.1	24.9	25.7	33.0
Tuberculosis	M	16	-	-	0.2	-	-	-	-	-	-	-	-	-
	F	18	1	1	0.2	0.1	0.0	-	-	-	-	-	0.4	-
Other infective and parasitic	M	919	17	148	12.1	0.8	7.2	3.1	-	0.8	0.3	0.3	0.3	1.0
	F	1011	20	88	8.8	1.0	4.4	4.5	-	-	1.3	-	0.4	1.1
ALL CANCER	M	11295	70	3525	162.8	3.4	175.9	1.8	1.1	2.0	2.7	4.1	4.4	7.5
	F	10351	79	3431	126.5	4.0	169.9	2.6	2.4	1.3	4.2	2.7	6.4	8.5
Mouth and pharynx cancer	M	175	-	92	2.8	-	4.6	-	-	-	-	-	-	-
	F	112	2	38	1.4	0.1	1.9	-	0.4	-	-	0.3	-	-
Oesophagus cancer	M	309	-	134	4.7	-	6.7	-	-	-	-	-	-	-
	F	99	-	31	1.2	-	1.5	-	-	-	-	-	-	-
Stomach cancer	M	378	1	142	5.6	0.1	7.0	-	-	-	-	-	-	0.3
	F	284	4	84	3.3	0.2	4.2	-	-	-	-	-	1.1	0.3
Colorectal cancer	M	1316	6	420	19.2	0.3	20.9	-	-	-	-	0.3	1.0	0.7
	F	1281	6	285	14.0	0.3	14.1	-	-	-	-	0.3	1.4	0.3
Liver cancer	M	345	1	154	5.2	0.1	7.6	-	-	-	-	-	-	0.3
	F	176	1	38	2.0	0.1	1.9	-	-	-	-	-	-	0.3
Pancreas cancer	M	720	-	289	10.9	-	14.5	-	-	-	-	-	-	-
	F	828	1	274	9.9	0.1	13.6	-	-	-	-	-	-	0.3
Larynx cancer	M	36	-	14	0.6	-	0.7	-	-	-	-	-	-	-
	F	3	-	2	0.0	-	0.1	-	-	-	-	-	-	-
Lung cancer	M	1922	4	739	28.6	0.2	37.1	-	-	-	-	-	-	1.4
	F	1661	-	739	22.3	-	36.9	-	-	-	-	-	-	-
Malignant melanoma	M	281	5	125	4.5	0.2	6.1	-	-	-	-	-	1.4	0.3
	F	189	2	81	2.5	0.1	4.0	-	-	-	-	0.3	0.4	-
Female breast cancer	F	1395	8	624	19.0	0.4	30.6	-	-	-	-	-	0.7	2.1
Cervix cancer	F	139	3	69	2.1	0.1	3.3	-	-	-	-	-	-	1.1
Other uterine cancer	F	358	-	96	4.1	-	4.8	-	-	-	-	-	-	-
Ovarian cancer	F	645	5	300	8.9	0.2	14.9	-	-	-	0.3	0.3	0.4	0.7
Prostate cancer	M	2398	-	320	30.8	-	16.4	-	-	-	-	-	-	-
Bladder cancer	M	476	1	113	6.6	0.1	5.7	-	-	-	-	-	-	0.3
	F	208	-	35	2.0	-	1.7	-	-	-	-	-	-	-
Other and ill-defined cancer sites	M	1927	35	687	28.7	1.7	33.9	1.1	0.8	1.2	1.5	2.9	1.7	2.7
	F	2123	27	562	24.4	1.4	27.9	1.1	2.0	0.4	1.9	0.3	1.8	2.1
Hodgkin's disease	M	23	2	11	0.4	0.1	0.5	-	-	-	-	0.3	0.3	-
	F	23	1	5	0.2	0.1	0.3	-	-	-	-	-	-	0.3
Myeloma and non-Hodgkin lymphomas	M	617	1	186	8.9	0.1	9.3	-	-	0.4	-	-	-	-
	F	515	6	107	5.6	0.3	5.3	-	-	-	0.6	0.7	0.4	0.3
Leukaemia	M	372	14	99	5.4	0.7	4.9	0.7	0.4	0.4	1.2	0.6	-	1.4
	F	312	13	61	3.5	0.7	3.0	1.5	-	0.8	1.3	0.3	0.4	0.3
Diabetes	M	1000	5	241	13.7	0.2	12.0	-	-	-	0.3	0.3	0.3	0.7
	F	936	4	90	8.2	0.2	4.5	-	-	0.8	-	0.3	0.4	-
ALL VASCULAR DISEASE	M	17054	47	2911	222.6	2.2	144.8	1.4	-	0.4	1.8	4.1	4.1	3.7
	F	18890	21	1107	148.3	1.1	55.5	1.9	-	-	1.0	1.0	1.1	2.5
Rheumatic heart disease and fever	M	23	-	5	0.3	-	0.2	-	-	-	-	-	-	-
	F	48	-	5	0.5	-	0.3	-	-	-	-	-	-	-
Hypertensive disease	M	643	-	85	8.1	-	4.3	-	-	-	-	-	-	-
	F	1165	1	37	8.6	0.1	1.8	-	-	-	-	-	-	0.3
Ischaemic heart disease	M	8204	6	1703	109.4	0.3	84.6	-	-	-	0.3	-	1.4	0.3
	F	6808	3	521	55.6	0.1	26.2	-	-	-	-	0.3	-	0.7
Pulmonary embolism and other venous	M	206	1	66	2.9	0.1	3.2	-	-	-	-	-	-	0.3
	F	242	3	41	2.4	0.1	2.1	-	-	-	0.3	-	0.7	-
Cerebrovascular disease	M	3111	3	400	39.9	0.1	20.0	-	-	-	-	0.3	0.3	0.3
	F	4491	3	262	35.5	0.1	13.1	-	-	-	0.3	-	0.4	0.3
Other vascular disease	M	4867	37	652	62.0	1.8	32.5	1.4	-	0.4	1.5	3.8	2.4	2.7
	F	6136	11	241	45.8	0.6	12.1	1.9	-	-	0.3	0.7	-	1.1
Chronic obstructive pulmonary disease	M	1281	-	191	16.8	-	9.7	-	-	-	-	-	-	-
	F	1449	-	240	14.5	-	12.1	-	-	-	-	-	-	-
Other respiratory disease	M	1270	16	189	16.5	0.8	9.4	1.8	-	0.4	0.9	0.9	0.3	1.0
	F	1057	9	85	8.8	0.5	4.3	1.5	-	-	0.3	0.3	0.4	0.7
Peptic ulcer	M	130	-	38	1.8	-	1.9	-	-	-	-	-	-	-
	F	166	1	28	1.6	0.1	1.4	-	-	-	-	-	-	0.3
Liver cirrhosis	M	415	1	289	7.2	0.1	14.1	-	-	-	-	-	0.3	-
	F	173	-	99	2.6	-	4.9	-	-	-	-	-	-	-
Renal disease	M	395	1	33	4.9	0.1	1.6	-	-	-	-	-	0.3	-
	F	340	3	25	2.9	0.2	1.2	0.4	0.4	-	-	-	-	0.3
Pregnancy, birth	F	3	1	1	0.1	0.1	0.0	-	-	-	-	-	-	0.3
Congenital and perinatal causes	M	178	122	41	4.4	6.1	1.9	39.2	-	0.8	0.6	0.6	0.3	1.0
	F	158	99	39	3.8	5.2	1.9	32.6	1.2	0.4	0.6	0.3	0.4	1.1
Ill-defined causes	M	1826	101	532	26.9	4.9	26.1	13.0	0.4	0.8	2.4	5.4	7.5	4.8
	F	2407	53	282	21.6	2.8	13.9	10.4	0.4	1.3	0.6	2.0	2.9	1.8
Other medical causes	M	5228	85	914	69.9	4.1	45.1	6.3	1.5	2.0	3.0	3.5	6.1	6.5
	F	7894	61	621	65.3	3.1	30.9	6.3	2.0	1.3	2.5	4.0	1.8	3.9
ALL NON-MEDICAL CAUSES	M	2912	503	1234	50.3	23.6	58.7	2.1	1.9	2.8	21.1	47.1	48.8	41.8
	F	1747	150	447	21.3	7.4	21.6	0.7	1.2	3.0	8.6	14.3	11.8	12.4
Road traffic accidents	M	182	73	81	3.7	3.4	3.8	0.7	1.1	0.8	5.4	6.7	5.4	3.7
	F	70	16	29	1.2	0.8	1.4	-	0.8	0.4	1.6	1.7	0.7	0.3
Fire	M	48	4	26	0.8	0.2	1.3	-	-	-	-	0.3	1.0	-
	F	32	2	5	0.4	0.1	0.2	-	-	-	-	0.3	0.4	-
Suicide	M	836	194	503	16.4	9.1	23.8	-	-	0.4	9.4	17.8	18.6	17.3
	F	302	64	187	5.9	3.1	9.0	-	-	0.8	3.8	6.3	5.0	6.0
POPULATION:			M=male		4671.7	2030.7	2139.6	285.4	260.3	249.7	331.1	314.5	295.1	294.5
(1000s; UN, 2015 revision)			F=female		4710.6	1929.3	2101.2	269.6	247.0	236.7	313.4	300.7	279.7	282.1

2010: SWEDEN

Annual death rates / 100,000 (zero denoted by -)										9th ICD/10th ICD categories		
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
70.6	113.2	196.6	330.4	543.9	882.4	1421.7	2381.2	4352.4	12240.5	M	ALL CAUSES	001-999/A00-Y89
43.0	66.3	121.7	205.5	344.2	582.0	923.2	1516.1	2734.4	10190.3	F		
-	-	-	-	-	-	-	0.6	1.5	7.1	M	Tuberculosis	010-018, 137/ A15-A19, B90
-	-	-	-	-	0.3	-	-	1.8	4.2	F		
1.6	2.1	3.1	5.1	6.3	15.2	17.2	33.9	81.2	317.8	M	Other infective	Rest of 001-139,279.5&6/ rest of A00-B99 excl A33,A34
-	-	1.3	3.1	4.9	7.5	14.0	27.1	56.6	240.8	F	and parasitic	
12.1	25.0	40.9	86.8	185.8	323.9	556.6	861.6	1392.2	2314.8	M	ALL CANCER	140-208/C00-C97
16.0	31.8	64.1	107.4	184.3	320.4	465.0	666.1	885.9	1286.5	F		
-	0.6	0.6	2.4	6.0	8.5	14.1	13.7	22.1	15.3	M	Mouth and	140-149/C00-C14
-	0.3	0.3	1.0	3.9	3.8	3.8	7.5	9.5	13.1	F	pharynx cancer	
0.3	0.3	0.3	4.0	8.1	13.9	19.8	23.5	38.4	43.7	M	Oesophagus cancer	150/C15
-	-	1.3	-	1.1	3.1	5.3	7.5	10.1	11.5	F		
0.6	1.2	4.1	4.0	7.7	11.7	19.8	26.8	45.8	67.7	M	Stomach cancer	151/C16
1.3	1.2	1.9	1.0	4.6	6.9	12.1	16.1	22.0	40.6	F		
1.9	4.1	5.7	12.2	21.7	36.0	64.8	119.2	156.5	251.2	M	Colorectal cancer	153, 154/C18-C21
1.0	2.4	5.9	9.3	11.7	27.7	40.9	74.3	129.3	199.6	F		
-	0.6	2.2	4.0	12.6	15.8	17.9	22.4	34.7	55.7	M	Liver cancer	155.0/C22 excl C221
-	-	0.3	1.0	2.8	4.4	4.5	13.6	19.7	24.6	F		
1.2	0.9	1.9	8.4	17.5	25.6	45.8	71.7	82.7	102.7	M	Pancreas cancer	157/C25
0.3	1.5	2.6	6.2	10.6	30.2	43.9	56.3	73.9	101.2	F		
-	-	-	-	2.1	1.6	1.1	3.8	3.7	5.5	M	Larynx cancer	161/C32
-	-	-	-	-	0.3	0.4	-	0.6	-	F		
0.6	1.5	5.0	14.5	34.6	76.5	126.7	182.2	259.1	270.3	M	Lung cancer	162/C33, C34
0.6	1.5	7.5	20.7	40.2	74.6	112.8	128.6	152.5	130.9	F		
1.2	2.6	2.8	7.8	8.4	7.0	13.0	18.6	36.9	36.6	M	Malignant melanoma	172/C43
1.3	0.6	2.9	3.1	3.5	7.5	8.7	10.1	11.3	21.4	F		
3.9	8.9	18.9	32.5	36.4	51.0	62.8	80.9	88.8	144.7	F	Female breast cancer	174/C50
1.3	2.4	2.9	1.7	5.3	6.0	3.4	8.5	7.7	11.8	F	Cervix cancer	180/C53
-	1.2	2.3	2.1	3.5	8.5	15.9	30.1	29.8	48.5	F	Other uterine cancer	179, 182/C54, C55
1.3	2.8	4.9	9.3	19.1	25.5	41.6	44.2	54.8	51.1	F	Ovarian cancer	183/C56, C570-C574
-	0.3	0.6	1.7	9.8	29.4	72.9	138.4	295.3	778.1	M	Prostate cancer	185/C61
0.3	-	0.3	1.7	5.6	12.0	19.8	32.8	69.4	113.6	M	Bladder cancer	188/C67
-	-	1.0	-	0.3	5.0	5.7	8.5	15.5	41.5	F		
4.7	7.7	12.3	17.9	37.5	62.6	95.0	137.8	222.2	356.0	M	Other and ill-defined	Rest of 140-199/ rest of C00-C80, C97
4.5	7.0	9.8	16.2	31.4	46.6	79.8	129.1	182.9	309.8	F	cancer sites	
0.6	0.6	-	-	0.3	1.3	0.8	1.1	1.5	3.3	M	Hodgkin's disease	201/C81
-	-	-	0.3	-	-	1.5	-	1.2	4.8	F		
-	3.2	3.8	6.8	10.8	12.3	27.9	41.0	75.3	138.2	M	Myeloma and non-	200, 202-203/ C82-C90, C96
-	0.9	0.7	2.4	7.4	12.0	13.6	31.1	47.7	83.0	F	Hodgkin lymphomas	
0.6	1.5	1.3	1.4	3.1	9.5	17.2	28.4	48.7	77.0	M	Leukaemia	204-208/C91-C95
0.6	0.9	1.0	0.3	2.5	7.2	8.3	19.6	28.6	48.2	F		
2.2	2.6	3.1	5.4	10.5	21.5	38.5	56.9	121.1	265.4	M	Diabetes	250/E10-E14
0.3	0.9	1.3	1.4	5.7	8.5	13.2	29.6	68.5	213.3	F		
5.9	20.3	41.5	85.8	158.6	266.9	434.9	826.0	1593.8	5693.8	M	ALL VASCULAR	390-459/I00-I99
3.9	7.9	13.7	29.7	58.6	93.2	181.2	390.8	889.4	4947.6	F	DISEASE	
-	0.3	-	0.3	0.3	0.3	0.4	1.1	2.2	7.1	M	Rheumatic heart	390-398/I00-I09
-	-	-	0.3	0.3	-	1.1	3.0	3.0	10.2	F	disease and fever	
-	-	1.3	1.4	5.6	6.3	15.6	23.0	65.7	233.2	M	Hypertensive disease	401-405/I10-I15
-	-	0.7	0.3	1.8	4.7	5.3	17.6	50.6	321.6	F		
1.9	7.3	22.0	48.3	97.3	170.2	245.3	428.9	829.7	2504.8	M	Ischaemic heart	410-414/I20-I25
1.9	1.8	4.9	14.8	28.2	43.8	87.8	172.8	360.4	1703.9	F	disease	
0.9	0.3	0.9	3.4	2.1	7.9	6.9	7.1	17.0	56.2	M	Pulmonary embolism	415.1, 451-453/ 126, 180-182
-	0.6	1.0	1.4	1.4	2.2	8.0	10.1	14.3	49.2	F	and other venous	
1.2	4.1	5.7	11.5	17.1	32.3	68.3	173.9	305.6	1079.0	M	Cerebrovascular	430-438/I60-I69
0.6	4.0	4.6	7.9	19.1	18.9	36.3	90.4	231.1	1168.3	F	disease	
1.9	8.2	11.6	20.9	36.0	50.0	98.4	192.0	373.5	1813.5	M	Other vascular	Rest of 390-459/ rest of I00-I99
1.3	1.5	2.6	4.8	7.8	23.6	42.8	97.0	229.9	1694.3	F	disease	
-	0.9	0.6	2.0	8.4	18.7	37.0	76.6	177.9	387.2	M	Chronic obstructive	490-496/ J40-J47, J67
-	-	0.3	5.9	7.8	23.0	48.0	85.4	144.2	254.6	F	pulmonary disease	
1.2	1.5	3.8	6.8	10.5	14.6	27.5	53.6	110.0	446.7	M	Other respiratory	Rest of 460-519/ rest of J00-J98
0.6	0.6	2.9	2.1	2.8	4.4	16.6	26.1	45.9	266.4	F	disease	
-	0.3	0.6	-	1.4	4.4	6.5	7.7	10.3	35.0	M	Peptic ulcer	531-533/K25-K27
-	-	0.7	-	0.3	3.1	5.7	9.0	9.5	32.9	F		
0.9	2.4	6.9	14.9	17.5	26.6	29.8	27.9	31.0	17.5	M	Liver cirrhosis	571/K70, K74
0.3	-	1.3	4.8	6.3	9.8	11.7	16.1	11.9	7.0	F		
0.3	-	0.3	1.0	1.4	4.4	3.8	20.2	31.0	154.0	M	Renal disease	580-590/N00-N19
-	-	0.3	0.7	0.7	3.1	3.8	7.5	26.8	80.5	F		
-	0.3	-	-	-	-	-	-	0.6	-	F	Pregnancy, birth	630-676/A34, O00-O99
1.2	0.9	1.9	2.4	3.5	1.9	1.9	2.7	4.4	2.2	M	Congenital and	740-779/A33, P00-P96, Q00-Q99
1.3	-	0.7	2.8	1.4	4.1	3.0	3.0	1.8	3.5	F	perinatal causes	
4.0	7.7	12.6	22.3	29.1	44.3	62.6	85.9	147.6	456.5	M	Ill-defined causes	780-799/R00-R99
3.2	4.6	6.2	8.3	17.6	22.4	35.2	48.7	99.5	577.5	F		
7.5	13.2	16.7	37.8	43.8	71.8	125.1	243.4	510.8	1688.4	M	Other medical causes	Rest of 001-799/ rest of A00-R99
4.5	6.7	13.0	15.9	28.9	52.2	95.0	161.8	417.0	1977.0	F		
33.6	36.5	64.5	60.1	67.2	68.3	80.5	84.2	139.5	454.3	M	ALL NON-	E800-E999/V01-Y89
12.8	13.4	15.9	23.5	24.7	29.9	30.6	44.7	75.1	298.6	F	MEDICAL CAUSES	
3.4	2.9	3.1	4.7	4.2	4.1	4.2	5.5	3.7	7.1	M	Road traffic	E810-E819, E826-E829/ part of V01-V99, Y850
0.6	0.9	1.0	1.4	1.4	3.1	1.1	1.5	6.5	3.5	F	accidents	
0.3	0.3	0.9	0.3	1.1	2.2	3.8	3.8	2.2	4.4	M	Fire	E890-E899/X00-X09
-	-	0.3	-	-	0.6	0.8	2.5	2.4	5.1	F		
13.4	17.9	25.8	31.4	25.9	25.6	26.3	20.8	20.7	39.9	M	Suicide	E950-E959/X60-X84
7.0	6.7	8.1	10.7	11.3	8.2	11.0	8.5	7.7	6.7	F		
321.5	340.0	318.0	296.1	285.7	316.2	262.1	182.8	135.5	183.1	M	POPULATION	
311.9	327.3	307.3	289.5	283.2	317.7	264.3	199.1	167.9	313.1	F	(1000s; UN, 2015 revision)	

SWITZERLAND: 2010

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	30283	669	8128	564.2	41.2	504.7	86.9	6.7	9.3	35.3	43.4	49.8	57.0
	F	32366	424	4724	379.0	28.2	283.9	92.8	6.5	6.9	18.9	16.6	24.7	30.8
Tuberculosis	M	10	-	5	0.2	-	0.3	-	-	-	-	-	-	-
	F	9	-	1	0.1	-	0.1	-	-	-	-	-	-	-
Other infective and parasitic	M	353	11	124	6.7	0.7	7.1	1.0	-	0.5	1.3	-	0.4	1.5
	F	345	6	54	4.2	0.4	3.1	-	0.5	-	0.5	-	0.8	0.8
ALL CANCER	M	9054	58	3282	175.0	3.5	209.0	2.0	2.0	1.9	3.0	2.9	4.7	7.7
	F	7223	55	2556	110.8	3.3	153.4	1.6	1.6	2.0	1.4	2.6	6.3	7.6
Mouth and pharynx cancer	M	292	-	187	6.1	-	11.6	-	-	-	-	-	-	-
	F	100	1	48	1.7	0.1	3.0	-	-	-	-	-	0.4	-
Oesophagus cancer	M	334	1	160	6.7	0.1	10.2	-	-	-	-	-	-	0.4
	F	102	-	40	1.5	-	2.5	-	-	-	-	-	-	-
Stomach cancer	M	307	1	137	6.0	0.1	8.6	-	-	-	-	-	-	0.4
	F	174	-	58	2.6	-	3.3	-	-	-	-	-	-	-
Colorectal cancer	M	991	6	352	19.1	0.3	22.8	-	-	-	-	-	0.8	1.5
	F	734	3	192	10.3	0.2	11.7	-	-	-	-	0.4	0.4	0.4
Liver cancer	M	419	2	182	8.5	0.1	11.4	-	-	-	-	-	0.4	0.4
	F	185	2	58	2.8	0.1	3.5	-	-	-	-	0.4	0.4	-
Pancreas cancer	M	557	-	265	11.2	-	16.9	-	-	-	-	-	-	-
	F	622	-	170	8.8	-	10.5	-	-	-	-	-	-	-
Larynx cancer	M	69	-	33	1.4	-	2.1	-	-	-	-	-	-	-
	F	14	-	7	0.3	-	0.5	-	-	-	-	-	-	-
Lung cancer	M	2063	1	910	41.2	0.1	58.2	-	-	-	-	-	-	0.4
	F	1086	2	530	18.7	0.1	32.1	-	-	-	-	-	-	0.8
Malignant melanoma	M	179	5	74	3.5	0.3	4.6	-	-	-	-	0.4	0.4	1.1
	F	131	1	57	2.1	0.1	3.3	-	-	-	-	-	0.4	-
Female breast cancer	F	1411	8	608	22.8	0.4	35.9	-	-	-	-	-	0.8	2.3
Cervix cancer	F	63	2	38	1.1	0.1	2.1	-	-	-	-	-	0.4	0.4
Other uterine cancer	F	216	1	60	3.1	0.1	3.7	-	-	-	-	-	0.4	-
Ovarian cancer	F	421	3	176	6.9	0.2	10.6	-	-	-	-	0.4	0.4	0.4
Prostate cancer	M	1421	-	165	24.4	-	11.3	-	-	-	-	-	-	-
Bladder cancer	M	388	1	95	7.0	0.1	6.3	-	-	-	0.4	-	-	-
	F	158	-	38	2.1	-	2.4	-	-	-	-	-	-	-
Other and ill-defined cancer sites	M	1311	34	506	26.0	2.1	31.6	2.0	2.0	1.9	1.3	2.5	2.7	2.3
	F	1192	20	345	17.4	1.2	20.4	1.1	1.1	1.0	0.5	0.8	1.6	2.7
Hodgkin's disease	M
	F
Myeloma and non-Hodgkin lymphomas	M	420	3	128	8.0	0.2	8.1	-	-	-	0.8	-	-	0.4
	F	366	3	75	5.0	0.2	4.5	-	-	-	-	-	0.8	0.4
Leukaemia	M	303	4	88	5.7	0.2	5.5	-	-	-	0.4	-	0.4	0.8
	F	248	9	56	3.5	0.6	3.4	0.5	0.5	1.0	0.9	0.4	0.4	0.4
Diabetes	M	565	3	130	10.2	0.2	8.5	-	-	-	0.4	0.4	-	0.4
	F	685	1	72	7.3	0.1	4.6	-	-	-	0.5	-	-	-
ALL VASCULAR DISEASE	M	9924	42	1859	175.3	2.4	117.6	0.5	0.5	0.5	3.0	0.8	4.7	6.9
	F	12035	20	622	117.2	1.2	38.2	1.6	0.5	-	0.9	0.8	0.8	3.8
Rheumatic heart disease and fever	M	31	-	7	0.6	-	0.4	-	-	-	-	-	-	-
	F	62	-	12	0.8	-	0.7	-	-	-	-	-	-	-
Hypertensive disease	M	870	-	109	14.7	-	7.1	-	-	-	-	-	-	-
	F	1826	-	46	16.7	-	2.9	-	-	-	-	-	-	-
Ischaemic heart disease	M	4351	9	973	78.2	0.5	61.2	-	-	-	0.4	-	1.2	1.9
	F	3963	-	211	38.8	-	13.2	-	-	-	-	-	-	-
Pulmonary embolism and other venous	M
	F
Cerebrovascular disease	M	1589	6	207	27.4	0.3	13.3	-	-	-	-	-	0.8	1.5
	F	2250	7	146	22.6	0.4	9.0	-	-	-	0.5	-	0.4	1.9
Other vascular disease, incl. venous	M	3083	27	563	54.4	1.6	35.6	0.5	0.5	0.5	2.5	0.8	2.7	3.4
	F	3934	13	207	38.3	0.8	12.5	1.6	0.5	-	0.5	0.8	0.4	1.9
Chronic obstructive pulmonary disease	M	1104	2	172	19.4	0.1	11.8	-	-	-	-	-	0.4	0.4
	F	824	-	116	9.7	-	7.5	-	-	-	-	-	-	-
Other respiratory disease	M	903	7	116	15.6	0.4	7.3	1.0	-	0.5	-	0.8	0.4	0.4
	F	895	4	60	9.0	0.3	3.7	1.1	-	-	-	-	-	0.8
Peptic ulcer	M	73	-	10	1.2	-	0.7	-	-	-	-	-	-	-
	F	75	-	7	0.8	-	0.5	-	-	-	-	-	-	-
Liver cirrhosis & other liver disease	M	481	2	323	10.2	0.1	19.7	-	-	-	-	-	-	0.8
	F	245	-	139	4.4	-	8.1	-	-	-	-	-	-	-
Renal disease	M
	F
Pregnancy, birth	F	3	2	1	0.1	0.1	0.1	-	-	-	-	-	0.8	-
Congenital and perinatal causes	M	207	149	44	7.1	10.5	2.6	66.2	1.5	-	2.5	0.8	1.2	1.5
	F	217	161	44	7.9	12.2	2.6	78.9	1.6	1.0	1.8	1.3	0.4	0.4
Ill-defined causes	M	1026	33	378	20.0	2.1	22.7	6.6	-	-	0.4	2.5	1.6	3.4
	F	1122	27	173	13.2	1.7	10.3	3.8	-	0.5	1.4	1.3	2.4	2.7
Other medical causes	M	4471	46	720	78.4	2.9	44.2	4.5	1.5	2.3	2.5	2.5	3.1	3.4
	F	7234	44	531	73.9	2.8	32.5	4.8	1.6	1.0	3.6	2.6	2.0	4.2
ALL NON-MEDICAL CAUSES	M	2112	316	965	45.0	18.4	53.0	5.0	1.0	3.7	22.1	32.5	33.5	30.6
	F	1454	104	348	20.5	6.2	19.2	1.1	0.5	2.5	9.0	8.1	11.3	10.7
Road traffic accidents	M
	F
Fire	M	12	1	4	0.2	0.1	0.2	-	-	-	-	-	-	0.4
	F	9	1	3	0.2	0.1	0.2	-	-	-	0.5	-	-	-
Suicide	M	723	122	446	16.4	7.0	24.1	-	-	0.9	6.8	12.9	15.2	13.0
	F	281	47	182	6.2	2.7	10.0	-	-	-	3.6	3.0	7.0	5.3
POPULATION:			M=male		3855.3	1599.9	1876.3	197.9	195.3	213.8	234.9	239.7	256.9	261.4
(1000s; UN, 2015 revision)			F=female		3975.2	1546.9	1873.9	186.3	183.8	201.7	222.4	234.5	255.4	262.7

2010: SWITZERLAND

Annual death rates / 100,000
(zero denoted by -)

9th ICD/10th ICD categories

35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
72.9	131.9	199.1	325.8	556.4	853.1	1393.6	2132.3	3854.2	10963.5	M	ALL CAUSES	001-999/A00-Y89
47.9	71.8	124.8	205.7	327.1	494.0	716.2	1218.4	2176.3	8984.4	F		
-	0.6	0.3	0.3	-	-	0.5	-	-	3.8	M	Tuberculosis	010-018/A15-A19
-	-	-	-	0.4	-	-	1.2	-	2.4	F		
1.4	4.3	6.7	6.4	6.2	10.0	14.9	18.7	34.5	118.2	M	Other infective and parasitic	Rest of 001-139,279.5&.6/ rest of A00-B99 excl A33,A34
1.4	1.9	0.9	4.0	3.3	4.3	5.9	15.9	22.0	92.5	F		
11.3	32.4	56.4	117.9	232.8	390.1	622.2	884.5	1361.1	2294.1	M	ALL CANCER	140-208/C00-C97
19.9	38.4	64.9	114.3	192.1	279.4	364.5	539.6	724.5	1089.9	F		
-	1.2	3.7	7.4	21.2	22.7	24.9	18.0	28.2	37.6	M	Mouth and pharynx cancer	140-149/C00-C14
0.3	-	0.6	2.5	4.5	5.1	7.4	8.6	6.2	11.4	F		
0.3	0.9	1.8	7.1	9.1	24.4	27.6	31.7	46.4	59.9	M	Oesophagus cancer	150/C15
0.3	-	0.6	1.5	0.8	6.4	7.9	4.3	12.3	15.1	F		
0.7	2.8	3.4	4.6	8.7	14.8	24.9	22.4	40.9	71.4	M	Stomach cancer	151/C16
0.7	1.9	2.2	3.6	2.9	6.0	5.9	15.9	15.8	27.3	F		
1.4	2.2	6.7	9.6	26.1	38.4	74.9	101.6	154.6	247.1	M	Colorectal cancer	153, 154/C18-C21
1.4	2.2	3.8	9.1	14.1	17.9	33.6	60.7	67.2	139.3	F		
0.3	1.9	3.4	7.4	14.9	24.0	27.6	62.7	67.3	56.8	M	Liver cancer	155.0, 155.1/C22
-	0.3	2.2	2.9	2.9	6.8	9.4	14.1	24.0	27.3	F		
0.7	2.2	3.7	10.6	19.9	32.7	48.3	61.3	71.8	98.2	M	Pancreas cancer	157/C25
0.3	1.9	2.8	4.7	16.1	18.8	28.7	51.5	67.2	110.0	F		
-	0.3	0.6	1.4	3.3	3.0	5.8	6.5	7.3	14.6	M	Larynx cancer	161/C32
-	0.3	-	-	0.4	0.4	2.0	3.1	0.7	0.4	F		
1.1	6.5	14.7	35.8	66.4	107.7	175.2	234.3	336.4	350.6	M	Lung cancer	162/C33, C34
1.8	4.7	10.7	22.9	42.6	68.7	73.7	93.8	105.0	101.0	F		
0.7	1.9	1.2	2.8	5.0	8.3	12.2	17.3	20.9	40.7	M	Malignant melanoma	172/C43
0.3	2.5	1.6	2.9	3.7	5.1	6.9	7.4	10.3	18.7	F		
8.2	13.4	18.2	29.9	39.8	59.7	82.1	93.8	120.1	190.2	F	Female breast cancer	174/C50
0.7	2.2	1.9	2.2	1.7	3.0	3.0	1.2	2.7	6.9	F	Cervix cancer	180/C53
-	0.3	1.6	1.5	5.4	9.0	7.9	19.6	22.6	36.7	F	Other uterine cancer	179, 182/C54, C55
1.4	2.5	2.8	7.3	14.9	23.0	22.3	32.5	48.7	48.1	F	Ovarian cancer	183.0/C56
-	0.3	0.3	3.2	8.3	20.1	46.7	98.8	210.9	680.6	M	Prostate cancer	185/C61
-	0.6	0.6	1.4	7.0	11.8	22.8	26.7	63.6	141.9	M	Bladder cancer	188/C67
0.3	0.3	0.3	1.1	4.5	2.6	7.4	8.0	18.5	32.6	F		
4.6	7.7	12.9	18.4	28.6	58.4	90.8	134.1	188.2	290.0	M	Other and ill-defined cancer sites	Rest of 140-199/ rest of C00-C80, C97
3.5	4.4	11.9	16.7	28.6	32.0	46.0	76.7	130.4	208.5	F	Hodgkin's disease	Not given separately
...	M		
...	F		
1.4	2.2	1.8	4.6	9.1	13.1	24.4	43.2	70.9	115.9	M	Myeloma and non-Hodgkin lymphomas	200, 202-203/ C82-C85, C90
-	0.9	2.2	3.3	6.6	8.5	9.9	27.0	49.4	70.0	F		
-	1.9	1.5	3.5	5.0	10.9	15.9	25.9	53.6	89.0	M	Leukaemia	204-208/C91-C95
0.3	0.6	1.6	2.2	2.5	6.4	10.4	21.5	23.3	46.4	F		
-	1.2	3.7	1.4	10.0	11.3	31.9	38.2	98.2	207.9	M	Diabetes	250/E10-E14
0.7	0.3	1.9	1.5	2.5	6.8	18.3	22.7	46.0	206.9	F		
7.0	22.5	38.6	67.3	132.8	204.9	350.4	622.8	1233.8	4451.7	M	ALL VASCULAR DISEASE	390-459/I00-I99
3.9	8.1	13.8	24.0	32.3	67.8	117.7	294.3	655.9	4055.4	F		
-	-	0.6	0.3	-	1.3	0.5	2.2	4.5	12.3	M	Rheumatic heart disease and fever	390-398/I00-I09
-	0.3	0.3	0.7	-	2.1	1.5	1.8	7.5	14.7	F		
-	0.3	3.1	2.1	7.0	12.2	24.9	31.7	99.1	466.5	M	Hypertensive disease	401-404/I10-I13
-	-	0.9	2.5	1.2	4.3	11.4	30.1	89.2	652.1	F		
3.5	10.8	21.7	35.4	73.4	111.6	172.0	305.6	554.6	1791.6	M	Ischaemic heart disease	410-414/I20-I25
0.7	2.2	2.8	9.1	9.5	25.2	42.5	109.8	230.5	1318.4	F		
...	M	Pulmonary embolism and other venous	Not given separately
...	F		
0.3	0.9	5.2	7.8	12.4	22.7	43.5	95.9	230.9	758.8	M	Cerebrovascular disease	430-438/I60-I69
0.7	1.2	4.1	5.1	9.5	13.2	29.2	62.5	135.8	731.9	F		
3.2	10.5	8.0	21.6	39.8	57.1	109.4	187.4	344.6	1422.5	M	Other vascular disease, incl. venous	Rest of 390-459/ rest of I00-I99
2.5	4.4	5.7	6.5	12.0	23.0	33.1	90.1	192.8	1338.4	F	Chronic obstructive pulmonary disease	490-494, 496/ J40-J47
-	-	1.2	2.5	7.5	21.4	49.9	87.2	171.8	475.7	M		
0.3	-	0.6	0.7	9.1	14.1	27.7	52.1	69.3	212.6	F		
0.3	0.6	2.8	3.5	10.0	13.5	20.7	54.8	94.6	460.4	M	Other respiratory disease	Rest of 460-519/ rest of J00-J98
0.7	0.3	1.2	3.3	1.7	5.5	13.3	20.9	54.2	292.4	F		
-	-	0.3	-	0.4	0.9	3.2	2.9	8.2	38.4	M	Peptic ulcer	531-533/K25-K27
-	-	-	-	0.8	0.4	2.0	1.8	5.5	23.2	F		
2.5	4.9	7.3	17.0	27.8	33.1	45.1	33.9	47.3	43.7	M	Liver cirrhosis & other liver disease	570-573/ K70-K76
1.4	1.2	5.3	7.3	16.6	9.8	15.3	12.3	22.0	22.0	F	Renal disease	Not given separately
...	M		
...	F		
0.3	-	-	-	-	-	-	-	-	-	F	Pregnancy, birth	630-676/O00-O99
1.1	0.6	0.9	2.1	2.1	7.4	4.2	2.9	1.8	6.1	M	Congenital and perinatal causes	740-779/ P00-P96, Q00-Q99
-	1.2	1.6	2.2	1.7	5.5	5.9	1.8	2.7	2.0	F		
7.4	9.2	10.1	17.0	29.5	31.8	54.1	64.9	95.5	322.2	M	Ill-defined causes	780-799/R00-R99
2.8	2.5	4.7	7.6	10.8	19.2	24.7	28.8	58.3	321.8	F		
9.2	11.7	24.2	31.5	44.0	62.8	126.4	247.2	554.6	2111.5	M	Other medical causes	Rest of 001-799/ rest of A00-R99
3.2	8.1	13.2	17.5	28.2	59.3	98.4	184.6	448.7	2323.2	F		
32.7	43.8	46.5	58.8	53.5	65.8	70.1	74.2	152.8	429.7	M	ALL NON-MEDICAL CAUSES	E800-E999/V01-Y89
13.1	9.7	16.6	23.3	27.7	21.8	22.3	42.3	67.2	340.1	F	Road traffic accidents	Not given separately
...	M		
...	F		
-	-	0.3	-	0.4	0.9	-	1.4	1.8	2.3	M	Fire	E890-E899/X00-X09
-	-	0.3	0.4	0.4	-	-	1.2	-	1.2	F		
15.1	21.6	22.1	29.0	29.0	26.1	26.0	29.6	40.0	53.7	M	Suicide	E950-E959/X60-X84
6.0	5.6	8.5	14.9	12.8	11.9	9.9	9.8	8.9	9.4	F		
284.1	324.6	326.5	282.4	241.0	229.4	188.4	138.7	110.0	130.3	M	POPULATION	
281.9	320.4	318.8	274.7	241.5	234.4	202.2	163.1	145.7	245.5	F	(1000s; UN, 2015 revision)	

TURKEY: 2010

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	210919	34334	83747	966.2	153.4	979.6	448.1	43.5	44.4	92.0	129.7	144.6	171.3
	F	171478	19994	45294	603.7	91.2	474.2	384.7	34.3	29.2	35.7	42.2	49.1	63.4
Tuberculosis	M	790	141	413	3.2	0.6	4.2	0.4	0.2	0.1	0.3	0.7	1.3	1.5
	F	347	68	119	1.2	0.3	1.2	0.3	0.2	0.2	0.2	0.3	0.5	0.5
Other infective and parasitic	M	94	37	55	0.3	0.2	0.4	0.1	0.0	-	-	0.1	0.3	0.6
	F	34	18	16	0.1	0.1	0.1	0.1	0.0	-	-	0.1	0.2	0.2
ALL CANCER	M	56036	3059	31526	258.1	13.9	375.3	4.3	7.2	7.3	12.5	15.4	19.9	30.9
	F	31863	2054	17081	113.9	9.5	166.1	3.8	5.6	5.3	6.5	8.5	13.0	23.4
Mouth and pharynx cancer	M	827	78	564	3.5	0.4	6.1	-	0.0	0.1	0.4	0.5	0.6	0.9
	F	376	39	217	1.3	0.2	2.0	-	0.0	0.1	0.3	0.2	0.2	0.5
Oesophagus cancer	M	565	29	312	2.6	0.1	3.6	-	-	-	0.1	0.2	0.2	0.5
	F	493	17	258	1.8	0.1	2.5	-	-	-	0.0	0.1	0.2	0.3
Stomach cancer	M	5589	184	3134	25.9	0.9	36.3	-	-	-	0.2	0.6	1.8	3.4
	F	2972	124	1387	10.7	0.6	13.8	-	-	-	0.1	0.4	1.0	2.5
Colorectal cancer	M	4222	200	2177	19.8	0.9	25.4	-	-	-	0.2	0.8	1.9	3.6
	F	3350	123	1540	12.1	0.6	15.6	-	-	-	0.2	0.5	1.1	2.2
Liver cancer	M
	F
Pancreas cancer	M	2538	27	1566	11.8	0.1	18.8	-	-	-	0.1	0.1	0.2	0.6
	F	1903	22	937	7.1	0.1	10.0	-	-	-	0.1	0.1	0.2	0.3
Larynx cancer	M	1224	18	713	5.8	0.1	8.4	-	-	-	0.1	0.1	0.1	0.3
	F	180	7	89	0.7	0.0	0.9	-	-	-	0.0	0.0	0.1	0.1
Lung cancer	M	21616	224	14076	100.3	1.1	170.5	-	-	-	0.5	1.1	1.4	4.4
	F	4068	91	2195	14.9	0.4	22.1	-	-	-	0.2	0.5	0.7	1.6
Malignant melanoma	M	242	15	122	1.1	0.1	1.4	-	-	-	0.0	0.1	0.1	0.2
	F	187	6	66	0.7	0.0	0.7	-	-	-	-	0.0	0.1	0.1
Female breast cancer	F	5096	261	3497	17.9	1.2	30.5	-	-	-	0.2	0.4	1.9	6.1
Cervix cancer	F	1051	39	685	3.8	0.2	6.3	-	-	-	0.1	0.1	0.2	0.8
Other uterine cancer	F	639	6	376	2.4	0.0	4.0	-	-	-	-	0.0	0.1	0.1
Ovarian cancer	F	1956	72	1317	7.1	0.3	12.8	-	-	-	0.3	0.4	0.6	1.1
Prostate cancer	M	3872	13	815	21.4	0.1	11.8	-	-	-	0.1	0.1	0.1	0.2
Bladder cancer	M	3070	17	1545	15.1	0.1	20.4	-	-	-	0.1	0.0	0.1	0.4
	F	622	10	240	2.3	0.1	2.6	-	-	-	0.0	0.1	0.1	0.1
Other and ill-defined cancer sites	M
	F
Hodgkin's disease	M	190	67	99	0.7	0.3	1.0	0.1	0.1	0.2	0.3	0.4	0.4	0.6
	F	117	40	53	0.4	0.2	0.5	0.0	0.0	0.2	0.2	0.3	0.3	0.3
Myeloma and non-Hodgkin lymphomas	M	2002	302	1114	8.4	1.4	12.5	0.1	0.8	0.8	1.5	1.8	2.2	2.5
	F	1527	144	739	5.4	0.7	7.4	0.1	0.3	0.5	0.6	0.9	1.2	1.0
Leukaemia	M	2536	939	942	9.4	4.2	10.1	2.6	3.5	3.6	5.0	5.2	4.4	5.0
	F	1679	491	660	5.4	2.2	6.2	2.1	2.2	2.2	2.4	2.1	2.2	2.4
Diabetes	M	5938	150	2389	29.9	0.7	30.5	0.6	0.1	0.2	0.4	0.6	1.2	1.7
	F	9083	105	2417	33.5	0.5	27.9	0.4	0.1	0.2	0.3	0.5	0.7	1.0
ALL VASCULAR DISEASE	M	67510	2581	28471	339.0	11.8	338.1	9.8	2.3	3.7	7.7	11.3	18.1	29.7
	F	70361	1250	14923	256.5	5.7	166.3	7.9	2.3	2.6	3.6	5.5	7.3	11.0
Rheumatic heart disease and fever	M	185	13	76	0.9	0.1	0.9	0.0	-	0.0	0.1	0.1	0.1	0.1
	F	577	19	106	2.1	0.1	1.0	0.0	0.0	0.1	0.1	0.1	0.1	0.2
Hypertensive disease	M	6031	159	1725	32.8	0.7	21.8	0.1	0.0	0.1	0.6	0.9	1.4	2.0
	F	10324	71	1396	37.6	0.3	16.2	0.1	0.0	0.1	0.3	0.4	0.6	0.8
Ischaemic heart disease	M	40482	1021	20216	198.2	4.7	237.9	0.7	0.1	0.2	2.4	4.0	8.8	17.0
	F	30957	303	6987	113.4	1.4	78.5	0.8	0.1	0.2	1.0	1.5	2.5	3.7
Pulmonary embolism and other venous	M
	F
Cerebrovascular disease	M	17284	718	4640	92.6	3.2	57.9	3.7	1.4	2.0	2.0	3.0	4.2	6.5
	F	25027	482	4968	91.0	2.2	55.0	2.6	1.3	1.2	1.3	2.1	2.6	4.4
Other vascular disease, incl. venous	M	2630	280	1168	12.2	1.3	13.1	1.7	0.3	0.4	0.8	1.4	1.9	2.4
	F	3842	209	1596	14.0	1.0	17.2	1.9	0.3	0.5	0.4	0.8	1.1	1.6
Chronic obstructive pulmonary disease	M	18700	291	5597	99.7	1.3	74.4	1.5	0.3	0.3	1.1	1.3	1.5	3.3
	F	11819	171	2293	43.2	0.8	26.4	0.6	0.2	0.2	0.7	1.0	1.2	1.6
Other respiratory disease	M
	F
Peptic ulcer	M	891	157	368	4.0	0.7	4.0	0.0	0.1	0.2	0.7	1.2	1.3	1.5
	F	627	57	165	2.2	0.3	1.6	0.0	0.1	0.1	0.3	0.3	0.4	0.5
Liver cirrhosis	M	2353	159	1426	10.5	0.7	15.6	0.3	0.3	0.3	0.4	0.8	1.1	1.9
	F	1586	76	665	5.8	0.3	7.1	0.2	0.2	0.2	0.3	0.4	0.5	0.7
Renal disease	M	4505	332	1679	22.3	1.5	20.3	1.7	0.6	0.6	1.2	1.5	2.0	2.9
	F	4240	218	1320	15.3	1.0	14.4	1.2	0.6	0.7	0.8	1.0	1.1	1.6
Pregnancy, birth	F
Congenital and perinatal causes	M
	F
Ill-defined causes	M
	F
Other medical causes	M
	F
ALL NON-MEDICAL CAUSES	M	18571	10767	6058	55.2	48.8	49.3	20.2	13.5	17.3	51.1	78.5	81.4	79.8
	F	5731	2557	1667	17.1	11.7	14.3	12.9	7.3	8.1	13.5	14.3	13.6	11.9
Road traffic accidents	M	6571	3753	2231	19.5	17.0	18.6	6.2	7.4	7.6	17.4	25.5	28.1	26.9
	F	1854	839	700	5.5	3.8	6.1	4.3	3.9	3.1	3.5	3.9	4.2	3.9
Fire	M	288	167	79	0.9	0.8	0.7	1.1	0.3	0.3	0.7	0.9	0.9	1.0
	F	148	55	29	0.5	0.2	0.3	0.8	0.3	0.2	0.1	0.1	0.2	0.1
Suicide	M	3291	1946	1169	9.4	8.9	9.2	-	-	2.1	10.5	16.6	16.0	17.0
	F	1043	618	306	2.8	2.8	2.4	-	-	1.9	5.4	5.1	4.2	3.2
POPULATION:			M=male		35525	22427	11687	3276	3303	3330	3189	3186	3174	2969
(1000s; UN, 2015 revision)			F=female		36786	21937	12926	3139	3173	3213	3101	3136	3165	3009

2010: TURKEY

Annual death rates / 100,000 (zero denoted by -)										9th ICD/10th ICD categories		
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+NK			
220.5	305.8	447.1	682.4	1052.8	1641.8	2507.0	3865.8	6116.2	14342.5	M	ALL CAUSES	001-999/A00-Y89
86.3	126.8	195.0	302.2	478.5	806.1	1324.6	2253.9	3927.4	11861.9	F		
2.1	2.7	3.1	3.5	4.1	5.8	7.8	11.5	17.1	29.3	M	Tuberculosis	010-018, 137/
0.4	0.5	0.6	0.8	1.2	1.9	2.7	4.2	7.2	15.2	F		A15-A19, B90
0.7	0.7	0.5	0.4	0.2	0.2	0.2	0.1	0.2	-	M	Other infective	Rest of 001-139,279.5&.6/
0.2	0.2	0.1	0.1	0.1	0.1	-	-	-	-	F	and parasitic	rest of A00-B99 excl A33,A34
51.2	88.4	162.0	287.2	450.2	678.7	909.2	1223.4	1520.1	2279.8	M	ALL CANCER	140-208/C00-C97
37.9	61.5	94.5	141.0	199.5	267.5	361.0	464.9	619.5	983.6	F		
1.3	2.6	3.5	5.9	7.9	10.9	10.6	11.4	13.4	17.1	M	Mouth and	140-149/C00-C14
0.6	1.0	1.5	1.9	2.4	3.4	3.4	4.6	6.1	8.6	F	pharynx cancer	
0.6	1.2	1.6	3.0	4.0	6.3	8.8	11.4	17.1	25.1	M	Oesophagus cancer	150/C15
0.6	1.0	1.5	2.0	3.2	3.9	5.5	7.5	11.4	16.5	F		
7.4	10.9	17.1	28.1	42.1	60.9	87.8	127.3	165.2	239.2	M	Stomach cancer	151/C16
3.5	4.9	7.0	10.4	15.1	21.8	33.6	49.4	67.3	122.7	F		
5.8	8.0	11.1	17.5	27.9	44.7	63.1	95.1	128.4	226.2	M	Colorectal cancer	153, 154/C18-C21
2.9	4.8	8.0	11.5	17.5	25.4	38.7	52.7	77.8	147.6	F		
...	M	Liver cancer	Not given separately
...	F		
2.3	4.5	8.3	14.1	21.8	32.2	48.3	59.0	66.1	89.0	M	Pancreas cancer	157/C25
0.9	1.9	3.1	6.8	12.0	18.2	27.0	36.2	47.7	68.7	F		
0.7	1.9	3.9	7.4	10.9	15.0	19.5	27.1	36.0	53.2	M	Larynx cancer	161/C32
0.1	0.3	0.4	0.8	1.2	1.4	1.8	2.6	4.3	6.8	F		
11.2	30.4	71.3	136.6	216.6	318.6	408.8	485.0	519.6	603.0	M	Lung cancer	162/C33, C34
2.8	5.8	11.0	19.4	27.0	37.8	51.0	67.0	87.8	133.8	F		
0.3	0.5	0.8	1.1	1.5	2.3	3.1	4.2	6.9	16.7	M	Malignant melanoma	172/C43
0.1	0.2	0.4	0.5	0.7	1.1	1.6	2.2	4.5	12.8	F		
11.9	18.9	26.1	33.0	38.4	40.2	45.0	48.4	60.2	109.7	F	Female breast cancer	174/C50
1.6	3.2	5.1	6.3	7.4	9.3	11.0	13.0	16.3	23.4	F	Cervix cancer	180/C53
0.3	0.6	1.4	2.8	5.1	7.1	10.8	11.5	13.5	15.8	F	Other uterine cancer	179, 182/C54, C55
2.1	4.4	7.7	11.7	16.9	20.8	25.6	26.4	28.8	34.6	F	Ovarian cancer	183/C56, C570-C574
0.2	0.5	1.1	3.8	9.1	22.9	44.9	109.3	206.4	504.2	M	Prostate cancer	185/C61
0.8	1.9	4.6	11.4	22.9	39.9	61.0	87.4	106.8	156.7	M	Bladder cancer	188/C67
0.3	0.4	0.8	1.3	2.8	4.5	8.4	12.3	17.6	31.1	F		
...	M	Other and ill-defined	
...	F	cancer sites	
0.6	0.7	1.0	0.8	0.9	1.1	1.7	1.6	1.9	1.5	M	Hodgkin's disease	201/C81
0.3	0.3	0.4	0.4	0.5	0.5	1.1	1.3	1.3	1.1	F		
3.5	4.1	6.6	9.4	15.4	21.7	26.9	34.2	43.9	55.9	M	Myeloma and non-	200, 202-203/
1.4	2.2	3.0	5.8	9.8	12.2	17.4	26.5	37.0	39.2	F	Hodgkin lymphomas	C82-C90, C96
4.7	5.1	5.8	7.1	9.7	15.8	22.5	33.5	47.7	77.2	M	Leukaemia	204-208/C91-C95
2.7	2.9	3.6	4.9	6.5	9.9	13.0	17.6	24.3	44.7	F		
3.2	5.2	9.2	17.8	30.6	54.3	93.2	151.0	237.9	475.6	M	Diabetes	250/E10-E14
1.5	2.8	6.0	12.1	26.7	53.6	92.5	169.6	275.7	653.5	F		
59.3	101.8	155.4	232.1	356.2	558.7	903.1	1394.2	2372.3	6001.3	M	ALL VASCULAR	390-459/I00-I99
17.3	29.2	50.5	86.1	147.8	296.2	536.7	1014.6	1904.7	6353.4	F	DISEASE	
0.2	0.3	0.5	0.5	0.9	1.3	2.2	3.6	6.7	15.2	M	Rheumatic heart	390-398/I00-I09
0.3	0.4	0.7	0.8	1.0	1.5	2.6	7.5	15.8	54.4	F	disease and fever	
2.8	5.5	8.1	11.7	18.5	36.6	69.1	129.9	250.1	791.6	M	Hypertensive disease	401-405/I10-I15
1.3	2.1	3.2	6.7	14.3	28.3	57.2	133.4	283.3	1115.2	F		
40.9	73.5	116.2	171.2	254.5	394.2	614.5	821.2	1285.0	2891.6	M	Ischaemic heart	410-414/I20-I25
6.6	11.7	23.1	40.5	70.4	142.4	254.5	463.7	831.6	2746.9	F	disease	
...	M	Pulmonary embolism	Not given
...	F	and other venous	separately
8.4	12.4	17.9	34.7	63.8	95.7	172.2	387.9	751.2	2181.7	M	Cerebrovascular	430-438/I60-I69
6.6	10.9	17.4	28.5	48.3	96.1	177.1	370.4	710.3	2264.8	F	disease	
4.0	5.5	7.7	8.9	12.3	21.2	32.3	49.3	82.8	173.4	M	Other vascular	Rest of 390-459/
2.5	3.8	5.7	9.9	16.6	30.9	51.3	50.3	81.3	210.9	F	disease, incl. venous	rest of I00-I99
5.5	10.1	19.8	35.9	66.6	130.9	251.9	485.6	846.6	2096.5	M	Chronic obstructive	490-496/
2.2	3.0	5.8	11.5	24.6	44.7	93.2	176.3	327.2	1097.1	F	pulmonary disease	J40-J47, J67
...	M	Other respiratory	
...	F	disease	
1.8	2.0	2.0	3.0	4.0	6.0	8.9	13.4	24.5	60.5	M	Peptic ulcer	531-533/K25-K27
0.5	0.6	0.8	1.3	1.6	2.5	4.1	6.9	13.8	48.9	F		
3.4	6.0	10.1	14.1	20.0	24.6	31.1	41.4	53.1	90.1	M	Liver cirrhosis	571/K70, K74
0.9	1.6	2.6	4.2	7.2	13.3	19.9	28.8	37.7	72.1	F		
4.1	5.9	8.0	12.0	20.1	34.2	57.8	101.8	159.9	398.5	M	Renal disease	580-590/N00-N19
2.1	2.7	4.3	7.7	15.1	25.4	43.3	67.3	110.5	276.1	F		
...	F	Pregnancy, birth	
...	M	Congenital and	
...	F	perinatal causes	
...	M	Ill-defined causes	
...	F		
...	M	Other medical causes	
...	F		
68.5	59.2	47.6	38.4	37.3	41.5	52.4	74.0	121.5	254.8	M	ALL NON-	E800-E999/V01-Y89
10.9	10.0	10.8	12.1	13.8	18.0	24.7	33.9	55.2	166.2	F	MEDICAL CAUSES	
24.2	20.6	17.6	14.2	14.4	17.4	22.0	30.3	44.1	65.8	M	Road traffic	E810-E819, E826-E829/
4.0	3.8	4.8	5.3	6.1	8.4	10.3	11.3	15.6	24.4	F	accidents	part of V01-V99, Y850
0.7	0.8	0.5	0.6	0.7	0.8	0.7	1.4	2.9	7.2	M	Fire	E890-E899/X00-X09
0.1	0.2	0.2	0.2	0.2	0.3	0.6	1.2	2.2	7.5	F		
13.3	12.2	9.4	8.1	7.0	6.9	7.2	8.7	12.1	22.8	M	Suicide	E950-E959/X60-X84
2.9	2.3	2.1	2.3	2.0	2.3	2.7	3.2	4.5	12.3	F		
2622	2265	1973	1671	1355	996	806	669	478	263	M	POPULATION	
2731	2374	2130	1917	1636	1191	948	755	621	546	F	(1000s; UN, 2015 revision)	

UKRAINE: 2010

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)							
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34	
ALL CAUSES	M	341249	21466	160135	1569.4	190.4	2048.5	260.7	32.5	32.5	83.3	178.4	281.9	463.8	
	F	356986	8559	79642	832.9	83.6	789.9	201.4	20.4	22.6	42.6	55.0	96.9	146.3	
Tuberculosis	M	6269	1092	4927	27.7	8.9	49.3	0.5	0.1	-	0.6	6.3	17.8	36.8	
	F	1352	347	863	5.1	2.8	7.5	0.3	-	-	0.5	3.3	6.2	9.6	
Other infective and parasitic	M	4767	1878	2787	20.9	15.8	26.8	9.3	0.9	1.0	0.7	5.3	26.1	67.3	
	F	2254	914	1226	9.2	7.9	10.8	7.8	0.3	0.6	0.8	5.2	15.3	25.1	
ALL CANCER	M	48556	991	29663	223.3	9.0	396.0	7.1	4.4	4.5	5.5	9.0	12.6	19.6	
	F	39255	986	21421	116.3	8.9	206.3	5.1	3.9	3.0	5.5	6.9	12.9	24.9	
Mouth and pharynx cancer	M	3133	22	2505	14.4	0.2	30.9	-	0.1	0.1	-	0.1	0.4	0.6	
	F	448	10	237	1.3	0.1	2.2	0.1	-	-	-	0.1	0.2	0.2	
Oesophagus cancer	M	1391	1	1073	6.5	0.0	13.7	-	-	-	-	-	-	0.1	
	F	199	1	81	0.5	0.0	0.8	-	-	-	-	-	-	0.1	
Stomach cancer	M	5526	60	3295	25.3	0.5	44.0	-	-	-	-	0.1	0.8	2.5	
	F	3622	52	1744	10.2	0.4	17.2	-	-	-	-	0.1	0.8	2.0	
Colorectal cancer	M	5984	43	3024	27.6	0.3	43.1	-	-	-	0.1	0.2	0.9	1.2	
	F	5870	39	2591	15.9	0.3	25.8	-	-	-	-	0.2	0.6	1.4	
Liver cancer	M	946	18	624	4.4	0.1	8.2	0.2	-	-	0.1	0.1	0.3	0.4	
	F	655	10	318	1.9	0.1	3.1	0.2	-	-	0.1	0.1	0.2	0.2	
Pancreas cancer	M	2393	31	1605	11.0	0.2	20.7	-	-	-	-	0.1	0.3	1.4	
	F	1963	11	913	5.4	0.1	9.2	-	-	-	-	0.1	0.2	0.4	
Larynx cancer	M	1449	1	1051	6.7	0.0	13.7	-	-	-	-	-	-	0.1	
	F	51	-	28	0.1	-	0.3	-	-	-	-	-	-	-	
Lung cancer	M	11862	32	7752	54.6	0.3	105.2	-	-	-	0.2	0.2	0.3	1.1	
	F	2314	25	1147	6.5	0.2	11.1	-	-	-	0.2	0.2	0.4	0.6	
Malignant melanoma	M	534	37	358	2.5	0.3	4.4	-	-	-	0.1	0.3	0.4	1.4	
	F	564	36	338	1.8	0.3	3.2	-	-	0.1	-	0.3	0.4	1.3	
Female breast cancer	F	7965	89	5056	24.5	0.7	47.7	-	-	-	-	0.2	1.1	3.8	
Cervix cancer	F	2144	139	1520	7.3	1.1	13.6	-	-	-	-	0.3	2.2	5.3	
Other uterine cancer	F	2076	14	1161	6.0	0.1	11.5	-	-	-	0.1	-	0.3	0.5	
Ovarian cancer	F	2589	50	1785	8.3	0.4	16.6	0.1	-	0.2	0.5	0.5	0.6	1.2	
Prostate cancer	M	3418	4	1267	15.7	0.0	20.1	-	-	-	-	0.1	0.2	-	
Bladder cancer	M	1966	4	873	9.0	0.0	12.9	-	-	-	-	-	0.1	0.2	
	F	377	2	105	0.9	0.0	1.1	-	-	-	-	-	-	0.1	
Other and ill-defined cancer sites	M	7677	516	4882	35.2	4.7	61.6	4.5	2.5	2.3	3.1	5.0	7.1	8.4	
	F	6437	332	3343	19.3	3.2	32.6	2.8	2.4	1.9	2.8	2.9	3.8	5.9	
Hodgkin's disease	M	
	F	
Myeloma and non-Hodgkin lymphomas	M	899	66	597	4.1	0.6	7.5	0.2	-	0.7	0.2	1.1	0.5	1.3	
	F	818	51	482	2.6	0.5	4.6	0.2	0.2	0.2	0.5	0.7	0.8	0.7	
Leukaemia	M	1378	156	757	6.4	1.6	9.9	2.2	1.8	1.4	1.7	1.7	1.4	1.0	
	F	1163	125	572	3.7	1.3	5.6	1.8	1.3	0.6	1.2	1.2	1.5	1.3	
Diabetes	M	982	78	676	4.5	0.6	8.6	-	0.1	0.1	0.1	0.9	1.4	1.9	
	F	1372	74	753	4.2	0.6	7.6	0.2	0.1	0.1	0.5	0.4	2.0	1.1	
ALL VASCULAR DISEASE	M	198510	1856	73179	916.1	15.4	1020.0	4.5	0.6	1.1	4.5	11.0	26.5	59.8	
	F	266583	605	38834	562.2	5.2	406.1	2.8	0.2	0.8	2.0	5.1	8.8	16.6	
Rheumatic heart disease and fever	M	584	18	495	2.7	0.1	5.8	-	-	-	0.1	0.1	0.2	0.8	
	F	784	12	569	2.5	0.1	5.5	-	-	-	-	0.1	0.2	0.3	
Hypertensive disease	M	385	14	272	1.8	0.1	3.2	-	-	-	-	-	0.2	0.6	
	F	275	1	138	0.8	0.0	1.3	-	-	-	-	-	-	0.1	
Ischaemic heart disease	M	136333	672	47942	629.6	5.5	689.1	-	-	-	1.0	4.2	10.1	22.9	
	F	178339	174	24445	373.6	1.4	261.1	-	-	-	0.5	1.9	2.5	5.2	
Pulmonary embolism and other venous	M	
	F	
Cerebrovascular disease	M	40274	263	14625	185.6	2.2	205.7	1.1	-	0.3	0.8	1.6	4.1	7.6	
	F	61075	123	10069	131.1	1.1	104.2	0.9	0.1	0.4	0.4	1.3	1.3	3.3	
Other vascular disease, incl. venous	M	20934	889	9845	96.5	7.5	116.1	3.4	0.6	0.8	2.6	5.2	12.0	27.9	
	F	26110	295	3613	54.1	2.5	34.0	1.9	0.1	0.4	1.2	1.8	4.7	7.7	
Chronic obstructive pulmonary disease	M	8683	43	2932	40.1	0.4	43.5	-	0.2	-	-	0.1	0.7	1.5	
	F	4069	24	701	8.9	0.2	7.1	-	0.1	0.1	0.3	0.2	0.7	0.2	
Other respiratory disease	M	5017	709	3463	22.8	6.2	37.7	9.4	0.6	0.6	1.2	3.5	10.4	17.7	
	F	1711	363	914	6.2	3.5	8.1	7.8	0.7	0.6	1.3	2.3	5.7	5.8	
Peptic ulcer	M	1146	58	780	5.2	0.5	9.0	0.1	-	-	-	0.4	1.1	1.7	
	F	568	7	221	1.5	0.1	2.1	-	0.1	-	-	-	0.1	0.2	
Liver cirrhosis & other liver disease	M	12039	989	9746	54.6	8.1	109.0	0.7	-	0.1	0.3	3.7	14.8	36.8	
	F	6264	430	4769	21.8	3.5	42.7	0.3	-	0.1	0.4	2.1	6.2	15.6	
Renal disease	M	
	F	
Pregnancy, birth	F	116	98	18	0.5	0.8	0.2	-	-	-	0.7	1.4	1.9	1.7	
Congenital and perinatal causes	M	2447	2269	164	15.5	26.5	1.8	174.0	4.6	1.6	1.7	1.1	1.2	1.2	
	F	1886	1712	158	12.4	21.2	1.4	137.2	3.8	2.3	1.9	1.0	1.1	0.9	
Ill-defined causes	M	6679	512	2521	31.4	4.6	28.4	8.4	0.2	0.5	1.6	4.1	6.6	10.7	
	F	13268	162	673	24.4	1.7	6.4	7.1	0.1	0.3	0.3	0.6	1.2	2.2	
Other medical causes	M	11692	1715	7377	53.4	15.4	84.5	18.4	6.1	4.0	7.1	11.1	23.2	38.1	
	F	8795	820	4196	26.9	7.9	39.4	13.1	3.4	3.9	5.2	6.7	9.7	13.7	
ALL NON-MEDICAL CAUSES	M	34462	9276	21920	153.8	79.1	233.9	28.4	14.4	18.9	60.0	121.8	139.5	170.7	
	F	9493	2017	4895	33.3	19.3	44.3	19.7	7.6	11.0	23.4	19.8	25.0	28.7	
Road traffic accidents	M	
	F	
Fire	M	1152	140	792	5.3	1.3	8.8	2.4	0.2	0.1	0.3	1.2	1.9	2.8	
	F	529	49	175	1.5	0.5	1.6	1.8	0.6	0.1	0.1	0.2	0.4	0.5	
Suicide	M	7512	2335	4215	32.9	19.2	45.1	-	0.2	3.0	15.0	35.1	38.5	42.9	
	F	1579	339	774	5.4	3.0	7.2	-	-	1.4	5.8	4.5	4.5	5.0	
POPULATION: (1000s; UN, 2015 revision)			M=male	21095	10063	9339	1219	949	1090	1409	1802	1885	1708		
			F=female	24553	9701	11236	1148	893	1039	1339	1718	1815	1748		

2010: UKRAINE

Annual death rates / 100,000 (zero denoted by -)										9th ICD/10th ICD categories		
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
616.4	828.1	1053.1	1625.1	1964.9	3868.0	4384.0	6479.4	9777.1	15415.3	M	ALL CAUSES	001-999/A00-Y89
208.9	289.1	353.7	538.3	695.3	1505.5	1938.7	3433.5	6194.2	13557.9	F		
48.6	61.0	63.5	67.9	47.8	38.1	18.4	16.0	15.9	11.0	M	Tuberculosis	010-018/A15-A19
12.8	11.7	9.0	6.0	5.0	5.3	3.1	3.5	5.9	3.2	F		
64.7	49.9	29.5	18.8	9.9	8.1	6.9	5.6	6.5	6.6	M	Other infective	Rest of 001-139,279.5&.6/
22.5	22.8	10.8	6.7	4.9	3.4	4.1	2.9	3.2	3.4	F	and parasitic	rest of A00-B99 excl A33,A34
34.9	73.6	141.8	302.1	446.4	862.8	910.7	1077.5	1121.2	952.1	M	ALL CANCER	140-208/C00-C97
45.0	77.7	113.5	187.5	215.5	416.3	388.8	492.1	500.8	407.4	F		
2.2	7.1	14.9	34.2	44.1	63.4	50.2	43.4	33.8	21.4	M	Mouth and	140-149/C00-C14
0.7	0.9	1.6	1.7	3.0	3.7	3.9	4.3	7.1	6.2	F	pharynx cancer	
0.3	1.7	4.8	13.9	19.7	30.6	25.0	19.7	19.6	15.8	M	Oesophagus cancer	150/C15
0.1	0.1	0.2	0.6	1.0	1.9	1.8	3.0	2.9	3.8	F		
4.1	10.1	15.1	33.7	48.6	92.8	103.8	128.9	145.2	110.2	M	Stomach cancer	151/C16
3.1	5.4	7.9	12.4	16.9	36.8	37.9	52.1	62.6	40.0	F		
2.7	6.5	11.2	24.1	37.8	99.0	120.5	159.8	189.3	182.3	M	Colorectal cancer	153, 154/C18-C21
2.5	5.5	9.2	20.2	25.3	57.5	60.7	89.5	96.4	85.0	F		
0.9	1.8	3.4	6.5	9.0	18.8	17.4	19.1	18.6	14.9	M	Liver cancer	155.0, 155.1/C22
0.6	1.1	1.3	2.5	3.4	7.3	5.5	9.3	8.2	9.3	F		
2.6	4.6	10.0	17.4	24.4	42.6	43.5	47.2	44.4	39.7	M	Pancreas cancer	157/C25
0.7	2.1	2.7	7.7	8.1	21.8	21.2	31.0	28.6	25.8	F		
0.4	2.2	5.1	12.4	17.4	30.6	27.8	27.9	18.6	18.8	M	Larynx cancer	161/C32
0.1	-	0.2	0.2	0.1	0.6	0.8	0.5	0.5	0.9	F		
3.5	11.9	31.8	75.5	124.9	240.0	248.7	273.8	242.4	168.9	M	Lung cancer	162/C33, C34
1.9	3.2	5.3	9.3	12.4	23.3	22.5	33.1	32.5	29.0	F		
1.5	1.9	3.1	4.0	4.2	8.7	7.3	7.6	8.2	9.5	M	Malignant melanoma	172/C43
1.4	1.9	2.8	2.5	3.1	5.5	5.3	4.5	7.2	4.9	F		
8.8	19.8	29.8	51.3	54.4	95.2	74.6	85.5	77.7	68.3	F	Female breast cancer	174/C50
10.0	12.6	13.2	16.5	13.1	16.5	13.3	14.5	14.4	11.3	F	Cervix cancer	180/C53
1.4	1.6	4.9	9.0	12.2	26.9	24.2	29.9	25.1	18.2	F	Other uterine cancer	179, 182/C54, C55
2.7	7.5	13.1	18.7	18.7	29.0	26.7	25.6	23.0	13.1	F	Ovarian cancer	183.0/C56
0.1	0.1	1.1	5.1	14.0	47.0	73.0	110.4	142.9	146.2	M	Prostate cancer	185/C61
0.5	1.1	2.1	5.6	11.4	28.7	40.8	57.5	67.8	75.5	M	Bladder cancer	188/C67
-	0.1	0.3	0.7	0.7	3.3	2.8	5.6	7.7	9.7	F		
11.7	17.7	31.0	54.9	74.2	126.4	115.5	138.5	146.7	114.5	M	Other and ill-defined	Rest of 140-199/
8.0	11.4	16.1	26.3	32.5	68.5	65.3	78.8	84.2	67.8	F	cancer sites	rest of C00-C80, C97
...	M	Hodgkin's disease	Not given separately
...	F		
2.2	3.6	4.0	6.5	7.1	14.5	14.9	14.8	14.1	11.9	M	Myeloma and non-	200, 202-203/
1.8	2.2	2.0	3.8	5.5	7.3	9.6	9.2	9.2	5.2	F	Hodgkin lymphomas	C82-C85, C90
2.2	3.2	4.1	8.2	9.5	19.8	22.3	28.9	29.5	22.4	M	Leukaemia	204-208/C91-C95
1.2	2.0	3.0	4.3	4.9	11.3	12.7	15.5	13.8	8.8	F		
2.7	3.1	4.5	7.1	8.8	16.9	16.7	14.7	16.6	7.8	M	Diabetes	250/E10-E14
1.5	2.2	2.0	5.4	7.1	17.9	16.8	19.0	16.2	9.2	F		
111.7	198.7	340.9	627.3	893.1	2158.4	2809.6	4619.4	7667.5	12658.7	M	ALL VASCULAR	390-459/I00-I99
32.8	52.4	93.1	180.5	307.8	841.6	1334.6	2675.8	5320.7	11694.7	F	DISEASE	
1.4	2.3	4.4	7.4	6.8	9.8	8.7	5.8	2.7	2.2	M	Rheumatic heart	390-398/I00-I09
0.4	1.3	3.0	5.2	6.4	10.8	11.2	8.1	5.9	2.2	F	disease and fever	
0.9	1.6	2.1	3.5	3.8	6.8	3.9	5.6	5.5	6.8	M	Hypertensive disease	401-404/I10-I13
0.1	0.3	0.9	1.6	1.1	2.4	2.8	3.0	3.5	5.0	F		
47.5	92.1	183.0	376.3	571.8	1516.4	2036.6	3354.3	5604.1	8683.2	M	Ischaemic heart	410-414/I20-I25
10.2	19.9	36.5	83.7	185.3	559.7	932.7	1895.1	3776.9	7681.2	F	disease	
...	M	Pulmonary embolism	Not given
...	F	and other venous	separately
17.4	35.5	62.3	122.5	183.8	437.4	580.9	974.1	1560.9	2565.5	M	Cerebrovascular	430-438/I60-I69
9.1	13.7	29.3	55.5	81.4	217.7	322.3	631.4	1200.6	2571.7	F	disease	
44.6	67.2	89.0	117.7	126.8	188.0	179.5	279.6	494.3	1401.0	M	Other vascular	Rest of 390-459/
12.9	17.3	23.3	34.5	33.5	51.0	65.6	138.2	333.8	1434.7	F	disease, incl. venous	rest of I00-I99
2.1	5.6	8.0	19.1	33.5	97.4	138.9	226.2	394.6	518.6	M	Chronic obstructive	490-494, 496/
0.7	2.2	1.7	4.4	6.1	12.7	22.1	39.3	90.3	164.0	F	pulmonary disease	J40-J47
25.3	32.9	33.8	47.7	41.3	47.6	35.2	42.6	58.6	57.0	M	Other respiratory	Rest of 460-519/
7.9	9.1	8.9	9.4	6.9	8.4	6.0	8.7	12.9	15.7	F	disease	rest of J00-J98
3.5	5.0	6.6	10.6	11.3	13.1	12.8	15.9	17.9	23.4	M	Peptic ulcer	531-533/K25-K27
1.0	1.4	1.3	1.8	1.8	4.7	3.0	7.3	9.3	12.2	F		
58.5	79.3	95.6	127.2	122.1	170.5	110.0	98.3	64.8	43.4	M	Liver cirrhosis	570-573/
25.1	35.1	38.9	47.8	51.9	62.0	38.2	35.2	28.8	22.3	F	& other liver disease	K70-K76
...	M	Renal disease	Not given separately
...	F		
0.9	0.2	-	-	-	-	-	-	-	-	F	Pregnancy, birth	630-676/O00-O99
1.7	1.1	1.9	1.7	1.9	2.8	1.6	0.8	1.2	0.5	M	Congenital and	740-779/
1.0	1.9	1.2	1.8	1.6	1.5	0.7	0.7	0.4	0.2	F	perinatal causes	P00-P96, Q00-Q99
16.4	18.1	23.4	34.0	30.5	48.2	28.6	38.5	68.7	738.4	M	Ill-defined causes	780-799/R00-R99
3.2	3.7	3.9	5.8	6.3	10.3	11.3	14.4	41.8	987.1	F		
48.9	56.0	67.3	90.0	89.6	132.2	107.3	131.4	153.4	201.3	M	Other medical causes	Rest of 001-799/
18.7	25.4	27.4	37.5	38.6	65.7	62.5	79.7	97.7	141.9	F		rest of A00-R99
197.3	243.8	236.4	271.5	228.8	272.0	187.3	192.4	190.3	196.7	M	ALL NON-	E800-E999/V01-Y89
36.0	43.4	42.0	43.9	41.8	55.6	47.4	55.1	66.2	96.5	F	MEDICAL CAUSES	
...	M	Road traffic	Not given
...	F	accidents	separately
4.8	7.4	8.8	10.0	8.2	14.0	8.7	10.8	13.4	17.3	M	Fire	E890-E899/X00-X09
0.7	1.2	1.5	1.9	1.7	1.9	2.3	3.7	7.7	15.2	F		
42.0	47.6	46.0	49.0	41.5	46.0	43.8	52.9	60.8	61.4	M	Suicide	E950-E959/X60-X84
7.0	6.7	6.5	6.7	4.6	9.0	9.7	10.3	12.3	16.6	F		
1578	1433	1672	1508	1536	864	749	880	403	410	M	POPULATION	
1644	1511	1847	1826	2004	1171	1233	1580	834	1201	F	(1000s; UN, 2015 revision)	

UNITED KINGDOM: 2010

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	270945	8015	74796	652.7	55.9	613.2	109.8	10.2	10.5	35.9	61.2	68.6	95.2
	F	290721	4639	49737	477.4	33.6	392.6	95.5	8.6	9.4	20.6	22.8	31.5	46.8
Tuberculosis	M	189	7	71	0.5	0.1	0.6	-	-	-	-	0.1	0.1	0.1
	F	175	8	32	0.3	0.1	0.3	0.1	0.1	-	0.1	0.1	0.1	0.1
Other infective and parasitic	M	2492	139	769	6.2	1.0	6.0	3.2	0.7	0.2	0.4	0.6	0.5	1.4
	F	3107	108	526	5.2	0.8	4.1	2.2	0.2	0.4	0.6	0.5	0.8	0.8
ALL CANCER	M	82641	650	27674	203.1	4.6	233.7	2.3	2.3	2.2	3.7	4.1	7.0	10.4
	F	74942	634	24684	148.9	4.6	195.6	2.4	2.1	2.4	3.4	3.3	6.3	12.1
Mouth and pharynx cancer	M	1545	11	930	4.2	0.1	7.6	-	-	0.1	0.1	0.2	0.1	0.1
	F	786	5	337	1.7	0.0	2.6	0.1	0.1	0.1	-	-	0.1	0.1
Oesophagus cancer	M	5109	11	2193	13.1	0.1	18.4	-	-	-	-	0.1	0.2	0.3
	F	2507	5	609	4.6	0.0	4.9	-	-	-	0.1	-	0.1	0.1
Stomach cancer	M	3105	14	871	7.5	0.1	7.3	-	-	-	0.1	-	0.1	0.5
	F	1862	20	427	3.4	0.1	3.4	-	-	-	0.1	0.1	0.2	0.6
Colorectal cancer	M	8726	40	2942	21.4	0.3	24.9	-	-	-	0.1	0.1	0.6	1.2
	F	7320	30	1862	13.3	0.2	14.8	-	-	-	-	0.2	0.5	0.8
Liver cancer	M	1417	18	599	3.7	0.1	5.0	-	-	-	0.1	-	0.4	0.5
	F	486	8	146	1.0	0.1	1.2	0.1	-	-	0.1	0.1	0.1	0.1
Pancreas cancer	M	3880	5	1593	9.8	0.0	13.4	-	-	-	0.1	-	0.1	0.1
	F	4037	6	1205	7.8	0.0	9.8	-	-	-	-	-	0.1	0.1
Larynx cancer	M	601	-	282	1.6	-	2.4	-	-	-	-	-	-	-
	F	160	-	66	0.3	-	0.5	-	-	-	-	-	-	-
Lung cancer	M	19447	13	7158	48.4	0.1	61.4	-	-	-	-	0.1	0.1	0.3
	F	15479	12	5467	31.7	0.1	44.5	-	-	-	0.1	0.1	0.1	0.5
Malignant melanoma	M	1266	32	577	3.3	0.2	4.6	-	-	0.1	-	0.2	0.5	0.8
	F	938	19	421	2.0	0.1	3.2	-	-	-	0.1	0.1	0.3	0.5
Female breast cancer	F	11575	57	4956	24.7	0.4	37.8	-	-	-	-	0.1	0.2	2.6
Cervix cancer	F	940	69	508	2.4	0.5	3.7	-	-	-	-	0.3	1.2	1.8
Other uterine cancer	F	1938	6	681	4.0	0.0	5.5	-	-	-	-	0.1	0.1	0.2
Ovarian cancer	F	4217	27	1788	9.1	0.2	14.3	-	-	-	0.1	0.2	0.3	0.7
Prostate cancer	M	10729	-	1515	23.8	-	13.5	-	-	-	-	-	-	-
Bladder cancer	M	3300	2	670	7.6	0.0	5.9	-	-	-	-	-	-	0.1
	F	1614	2	277	2.7	0.0	2.2	-	-	-	-	-	0.1	0.1
Other and ill-defined cancer sites	M	16962	332	6220	42.5	2.4	51.5	1.5	1.9	1.3	2.1	2.3	2.8	4.6
	F	15558	258	4546	30.0	1.9	36.1	1.7	1.5	1.7	1.9	1.5	2.2	2.8
Hodgkin's disease	M	174	20	88	0.5	0.1	0.7	-	-	0.1	0.1	0.2	0.4	0.2
	F	150	17	57	0.3	0.1	0.4	-	-	0.1	0.1	0.2	0.3	0.1
Myeloma and non-Hodgkin lymphomas	M	3842	47	1288	9.5	0.3	10.8	0.1	0.1	0.2	0.2	0.2	0.6	1.0
	F	3383	18	860	6.3	0.1	6.9	-	-	0.1	0.1	0.1	0.3	0.3
Leukaemia	M	2538	105	748	6.3	0.7	6.3	0.6	0.2	0.5	1.1	0.7	1.2	0.8
	F	1992	75	471	3.7	0.6	3.8	0.6	0.5	0.5	0.8	0.5	0.2	0.8
Diabetes	M	2895	51	698	6.8	0.3	5.7	-	0.1	-	0.3	0.5	0.7	0.9
	F	3285	40	446	5.2	0.3	3.5	-	-	0.1	0.2	0.3	0.3	1.1
ALL VASCULAR DISEASE	M	87549	510	21392	204.3	3.6	177.2	2.3	0.6	0.8	1.9	3.0	5.5	10.9
	F	91560	276	8781	132.7	2.0	70.7	1.7	0.7	0.5	1.1	1.7	3.0	5.1
Rheumatic heart disease and fever	M	339	-	67	0.8	-	0.6	-	-	-	-	-	-	-
	F	721	3	121	1.2	0.0	1.0	-	-	-	-	0.1	-	0.1
Hypertensive disease	M	2150	11	645	5.1	0.1	5.3	-	-	-	-	0.1	0.1	0.3
	F	3051	-	315	4.4	-	2.5	-	-	-	-	-	-	-
Ischaemic heart disease	M	46592	104	13399	111.0	0.7	111.0	0.1	-	0.1	0.1	0.6	1.6	2.7
	F	33976	36	3767	50.7	0.2	30.7	-	-	-	0.1	0.1	0.5	1.2
Pulmonary embolism and other venous	M	2888	39	1075	7.2	0.3	8.8	-	-	-	0.1	0.4	0.6	0.9
	F	4412	36	887	7.5	0.2	6.9	-	-	0.1	0.1	0.2	0.7	0.7
Cerebrovascular disease	M	19294	90	2944	42.9	0.6	24.6	0.4	0.1	0.2	0.6	0.6	0.6	2.0
	F	30080	62	2168	41.7	0.4	17.4	0.4	0.1	-	0.2	0.5	0.5	1.3
Other vascular disease	M	16286	266	3262	37.4	1.9	26.9	1.8	0.5	0.5	1.2	1.5	2.5	5.0
	F	19320	139	1523	27.2	1.0	12.2	1.3	0.5	0.4	0.8	0.8	1.4	1.9
Chronic obstructive pulmonary disease	M	14767	29	2844	33.7	0.2	24.9	0.1	0.2	0.2	0.1	0.3	0.4	0.1
	F	14823	34	2597	25.1	0.2	21.5	0.1	0.2	0.3	0.2	0.1	0.2	0.6
Other respiratory disease	M	20730	189	2838	45.6	1.3	23.8	3.0	0.5	0.5	0.6	1.1	1.3	2.3
	F	25745	159	1785	35.3	1.2	14.2	2.9	0.9	0.6	0.8	0.4	1.2	1.5
Peptic ulcer	M	1365	8	435	3.3	0.1	3.5	-	-	-	0.1	0.1	-	0.2
	F	1422	6	224	2.3	0.0	1.8	0.1	-	-	-	0.1	0.1	0.1
Liver cirrhosis	M	4818	131	3938	14.5	0.9	29.9	-	-	-	0.1	0.2	1.6	4.6
	F	2612	91	1949	7.2	0.7	14.3	-	-	-	-	0.1	0.9	3.5
Renal disease	M	1904	16	268	4.2	0.1	2.2	0.2	0.1	0.1	-	0.1	0.1	0.3
	F	2466	13	225	3.5	0.1	1.8	0.3	-	-	-	0.1	0.2	0.1
Pregnancy, birth	F	40	33	7	0.1	0.2	0.0	-	-	-	0.1	0.2	0.7	0.6
Congenital and perinatal causes	M	2068	1666	295	7.7	11.8	2.2	75.6	0.9	0.9	1.2	1.3	1.4	1.1
	F	1798	1402	276	6.8	10.4	2.0	67.2	1.4	0.5	0.9	0.9	0.8	1.0
Ill-defined causes	M	2753	333	605	6.7	2.3	4.5	9.6	0.2	0.2	0.9	1.7	1.8	2.0
	F	7738	193	264	9.8	1.4	1.9	6.9	-	0.1	0.5	0.7	0.8	0.8
Other medical causes	M	34179	1167	7122	79.5	8.2	57.0	9.2	2.9	2.3	5.1	8.9	11.7	17.0
	F	53146	727	5660	78.8	5.2	44.5	8.8	2.0	2.8	4.7	4.3	6.2	8.0
ALL NON-MEDICAL CAUSES	M	12595	3119	5847	36.6	21.5	42.1	4.3	1.9	3.2	21.6	39.1	36.5	43.8
	F	7862	915	2281	16.2	6.5	16.4	3.0	1.1	1.7	8.1	10.2	9.8	11.4
Road traffic accidents	M	1530	701	632	4.8	4.8	4.5	0.3	0.7	1.2	8.5	9.8	7.3	5.8
	F	542	195	182	1.5	1.4	1.3	0.4	0.2	0.6	2.7	2.7	1.5	1.6
Fire	M	152	22	84	0.4	0.1	0.7	0.1	0.1	0.1	0.1	0.2	0.2	0.3
	F	140	19	55	0.3	0.1	0.4	0.3	0.1	-	0.1	0.1	0.1	0.2
Suicide	M	3223	857	2037	10.1	5.9	14.4	-	-	0.1	4.3	11.7	10.6	14.5
	F	963	242	593	2.9	1.7	4.1	-	-	0.2	1.9	3.2	3.1	3.5
POPULATION:			M=male		30813	14024	13731	2022	1767	1890	2064	2174	2123	1983
(1000s; UN, 2015 revision)			F=female		31903	13617	14126	1931	1686	1801	2002	2109	2114	1973

2010: UNITED KINGDOM

Annual death rates / 100,000
(zero denoted by -)

9th ICD/10th ICD categories

35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+NK		
130.6	183.1	258.7	414.4	680.5	996.5	1628.9	2707.2	4495.9	11409.7	M	ALL CAUSES 001-999/A00-Y89
74.2	110.1	164.7	281.6	441.3	639.9	1036.6	1761.4	3082.7	10067.9	F	
0.4	0.3	0.3	0.5	0.5	0.5	1.5	1.7	2.7	6.6	M	Tuberculosis 010-018, 137/
0.1	0.1	0.1	0.1	0.1	0.5	0.9	1.0	2.7	5.2	F	A15-A19, B90
2.0	3.4	4.0	5.4	6.7	8.6	12.1	21.0	34.0	101.4	M	Other infective Rest of 001-139,279.5&6/
1.5	1.6	2.6	2.5	4.0	5.8	10.5	16.3	30.9	107.7	F	and parasitic rest of A00-B99 excl A33,A34
18.1	31.1	62.0	133.5	260.5	421.0	709.7	1104.7	1591.6	2681.7	M	ALL CANCER 140-208/C00-C97
24.1	45.0	75.0	139.3	233.9	340.6	511.6	751.9	1033.3	1605.4	F	
0.6	0.6	3.0	7.4	11.2	14.0	16.2	16.3	19.7	23.6	M	Mouth and 140-149/C00-C14
0.2	0.8	1.0	2.4	4.1	4.7	5.2	6.1	8.8	15.1	F	pharynx cancer
0.6	2.3	5.1	13.1	24.7	32.1	50.6	70.2	89.3	127.4	M	Oesophagus cancer 150/C15
0.2	0.4	1.3	3.8	5.7	8.8	14.4	25.0	38.5	64.5	F	
0.7	1.6	2.8	4.4	7.0	12.7	21.8	42.8	67.7	110.0	M	Stomach cancer 151/C16
0.5	1.1	1.7	2.2	4.0	5.4	8.7	19.3	27.1	48.8	F	
1.5	2.5	7.3	14.2	28.1	45.2	75.1	118.8	168.6	281.2	M	Colorectal cancer 153, 154/C18-C21
1.4	2.8	6.1	10.8	16.8	24.7	41.4	61.9	102.4	196.7	F	
0.3	0.8	1.7	3.3	7.0	8.9	12.8	23.0	24.8	30.8	M	Liver cancer 155.0/C22 excl C221
0.1	0.4	0.3	0.7	1.3	2.2	3.1	5.9	7.5	9.7	F	
0.7	1.2	4.5	7.7	16.9	23.2	39.9	53.4	75.0	97.8	M	Pancreas cancer 157/C25
0.6	1.2	2.6	4.9	10.1	18.6	30.5	47.3	57.9	88.8	F	
0.1	0.2	0.3	1.2	3.1	4.1	8.0	9.0	10.4	12.1	M	Larynx cancer 161/C32
-	0.1	0.2	0.3	0.8	0.6	1.8	1.6	1.9	2.9	F	
1.8	5.3	10.2	30.9	66.1	114.1	201.7	293.9	399.7	522.4	M	Lung cancer 162/C33, C34
1.5	3.6	9.8	26.0	55.6	82.6	132.0	192.6	237.4	276.4	F	
1.5	2.2	2.1	2.9	5.0	7.6	11.2	15.7	20.6	28.7	M	Malignant melanoma 172/C43
1.4	1.4	2.0	2.6	3.8	5.2	6.0	6.7	10.1	16.9	F	
7.8	16.0	23.2	36.0	48.1	61.4	71.9	93.8	130.7	220.0	F	Female breast cancer 174/C50
2.7	2.9	3.1	4.3	3.7	3.9	5.4	6.8	7.9	10.6	F	Cervix cancer 180/C53
0.2	0.6	1.5	3.0	7.1	10.2	16.1	24.0	28.6	35.2	F	Other uterine cancer 179, 182/C54, C55
1.2	1.9	5.0	10.3	16.8	25.3	39.7	44.4	57.8	67.3	F	Ovarian cancer 183/C56, C570-C574
-	0.3	0.7	2.8	11.1	24.6	55.2	116.3	221.3	576.0	M	Prostate cancer 185/C61
0.1	0.3	0.8	2.3	5.4	9.5	22.9	38.9	64.1	157.1	M	Bladder cancer 188/C67
0.2	0.6	0.7	1.1	2.3	3.8	7.2	13.4	20.6	52.5	F	
7.5	10.6	18.3	33.4	57.9	92.0	141.1	216.9	300.5	512.1	M	Other and ill-defined Rest of 140-199/
4.6	8.5	12.9	24.1	42.4	64.8	95.2	146.1	213.9	366.1	F	cancer sites rest of C00-C80, C97
0.3	0.4	0.4	0.6	0.8	0.8	1.5	1.8	2.6	2.2	M	Hodgkin's disease 201/C81
0.2	0.3	0.1	0.3	0.5	0.7	0.9	1.4	1.6	2.2	F	
1.3	1.8	2.8	6.4	10.2	21.0	32.2	51.2	77.5	120.0	M	Myeloma and non- 200, 202-203/
0.8	1.3	1.8	4.1	7.6	12.4	20.6	38.0	53.9	80.0	F	Hodgkin lymphomas C82-C90, C96
1.1	0.9	2.0	3.1	6.2	11.3	19.5	36.5	49.7	80.3	M	Leukaemia 204-208/C91-C95
0.6	1.3	1.7	2.6	3.3	5.3	11.5	17.6	26.8	51.9	F	
1.4	2.1	2.7	4.0	6.0	8.3	15.4	30.2	49.6	132.4	M	Diabetes 250/E10-E14
1.2	1.3	1.4	2.6	4.1	4.9	8.9	19.6	36.4	120.2	F	
22.2	40.5	69.3	121.3	196.8	295.8	494.5	853.0	1508.4	4135.2	M	ALL VASCULAR 390-459/I00-I99
9.4	15.4	26.4	44.8	69.0	110.4	219.2	444.8	939.1	3719.6	F	DISEASE
0.1	0.1	0.2	0.2	0.8	0.7	1.9	5.8	7.1	13.9	M	Rheumatic heart 390-398/I00-I09
0.1	0.2	0.3	0.7	0.9	1.7	2.9	4.9	11.9	22.6	F	disease and fever
0.5	1.2	2.4	3.9	5.6	9.2	14.3	17.7	30.2	99.6	M	Hypertensive disease 401-405/I10-I15
0.2	0.4	0.8	1.5	2.6	4.3	7.9	13.0	25.5	128.0	F	
9.2	21.0	41.6	80.2	130.1	193.4	301.8	495.8	818.4	1961.0	M	Ischaemic heart 410-414/I20-I25
2.0	5.2	9.5	18.0	29.8	49.3	100.9	199.9	388.5	1306.2	F	disease
2.0	2.8	3.9	6.7	9.4	14.3	22.3	30.4	49.3	96.2	M	Pulmonary embolism 415.1, 451-453/
1.9	2.6	3.9	4.6	6.7	11.2	17.3	29.5	52.4	141.9	F	and other venous 126, 180-182
3.9	6.1	9.0	15.6	25.8	36.0	76.1	157.8	327.5	1123.4	M	Cerebrovascular 430-438/I60-I69
2.5	3.3	7.2	12.7	18.7	24.6	53.0	119.2	280.4	1300.1	F	disease
6.6	9.3	12.2	14.7	25.2	42.1	78.0	145.5	275.9	841.1	M	Other vascular Rest of 390-459/
2.7	3.6	4.7	7.2	10.3	19.3	37.2	78.3	180.3	820.8	F	disease rest of I00-I99
0.8	1.7	2.9	8.5	23.2	45.1	91.8	175.5	299.9	703.0	M	Chronic obstructive 490-496/
0.5	1.7	3.4	8.0	20.1	40.9	76.1	140.8	237.4	436.0	F	pulmonary disease J40-J47, J67
3.3	5.8	8.6	12.2	25.1	38.5	73.0	152.3	307.0	1287.6	M	Other respiratory Rest of 460-519/
2.5	4.1	4.5	9.6	14.8	23.2	41.1	90.8	196.9	1145.0	F	disease rest of J00-J98
0.3	1.3	1.4	2.8	3.9	6.8	8.3	14.5	21.2	55.2	M	Peptic ulcer 531-533/K25-K27
0.1	0.3	0.5	1.1	2.0	3.6	4.8	8.9	19.0	48.7	F	
10.4	17.8	26.7	34.6	42.9	38.6	38.0	29.3	25.4	18.4	M	Liver cirrhosis 571/K70, K74
5.8	9.2	12.1	17.3	20.9	17.6	17.0	16.2	13.2	12.3	F	
0.4	0.5	0.7	1.6	2.7	3.7	5.9	13.3	28.6	118.1	M	Renal disease 580-590/N00-N19
0.5	0.5	0.9	0.8	1.5	2.9	5.4	10.1	21.9	103.9	F	
0.2	0.1	-	-	-	-	-	-	-	-	M	Pregnancy, birth 630-676/A34,000-099
1.0	1.3	1.7	2.6	3.5	2.9	2.8	2.8	2.7	5.0	F	Congenital and 740-779/A33,
1.2	1.3	1.6	2.1	2.6	3.0	2.4	2.3	3.3	3.0	F	perinatal causes P00-P96, Q00-Q99
2.5	4.6	4.1	4.5	5.3	5.2	5.0	5.3	5.9	165.5	M	Ill-defined causes 780-799/R00-R99
1.4	1.7	1.4	2.1	2.8	2.1	1.8	2.6	5.6	401.5	F	
22.0	26.2	30.9	38.9	60.8	84.6	135.6	255.9	540.5	1767.3	M	Other medical causes Rest of 001-799/
11.5	13.9	19.6	32.9	48.4	68.0	117.6	226.6	493.9	2149.7	F	rest of A00-R99
45.8	46.4	43.5	44.1	42.7	36.9	35.3	47.7	78.4	232.2	M	ALL NON- E800-E999/V01-Y89
14.2	14.0	15.2	18.3	17.2	16.5	19.2	29.5	49.1	209.7	F	MEDICAL CAUSES
6.1	5.3	4.6	5.2	3.9	3.6	2.5	3.9	6.0	9.7	M	Road traffic E810-E819, E826-E829/
1.2	1.0	1.3	1.2	1.9	1.3	1.3	3.2	3.4	4.9	F	accidents part of V01-V99, Y850
0.5	0.3	0.3	0.8	0.9	0.8	0.9	0.8	1.2	2.5	M	Fire E890-E899/X00-X09
0.2	0.3	0.4	0.2	0.3	0.8	0.4	1.2	1.0	2.2	F	
15.9	17.6	17.0	15.6	15.3	11.5	7.8	8.9	10.0	13.4	M	Suicide E950-E959/X60-X84
4.5	4.1	4.6	4.9	4.0	3.9	3.0	3.0	3.0	3.1	F	
2088	2332	2314	1962	1727	1890	1418	1144	887	1028	M	POPULATION
2127	2389	2375	1996	1771	1961	1508	1282	1089	1790	F	(1000s; UN, 2015 revision)

UNITED STATES: 2010

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	1233052	70333	454608	727.6	94.4	783.3	157.1	12.8	16.4	70.0	125.6	134.8	144.3
	F	1236236	35841	299870	518.0	50.4	488.2	128.9	10.2	12.2	28.6	45.0	55.8	72.1
Tuberculosis	M	369	12	184	0.2	0.0	0.3	-	-	-	0.0	0.1	0.0	
	F	240	12	86	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	-	
Other infective and parasitic	M	34316	1548	17475	20.6	2.1	28.1	4.7	0.4	0.3	0.5	1.7	2.6	4.5
	F	32667	1101	10641	14.7	1.6	16.7	3.8	0.3	0.3	0.5	1.0	1.8	3.2
ALL CANCER	M	301099	3499	130120	181.4	4.7	235.8	2.2	2.3	2.3	3.2	5.7	7.2	10.0
	F	273767	3062	111964	132.1	4.3	184.2	1.8	2.0	2.3	2.3	3.5	6.2	11.8
Mouth and pharynx cancer	M	5816	48	3587	3.6	0.1	6.2	-	-	-	0.1	0.1	0.1	0.2
	F	2659	28	1096	1.3	0.0	1.8	0.0	0.0	-	0.0	0.1	0.1	0.1
Oesophagus cancer	M	11416	29	6226	7.0	0.0	11.1	-	-	-	-	0.0	0.1	0.2
	F	3074	5	1189	1.4	0.0	2.0	-	-	-	-	-	0.0	0.0
Stomach cancer	M	6705	86	3100	4.1	0.1	5.4	-	-	0.0	0.0	0.1	0.2	0.5
	F	4689	73	1808	2.2	0.1	2.9	-	-	-	0.0	0.1	0.2	0.4
Colorectal cancer	M	27289	210	12496	16.4	0.3	22.0	-	-	-	0.1	0.2	0.5	1.2
	F	25340	160	8911	11.5	0.2	14.4	-	0.0	0.0	0.0	0.2	0.5	0.8
Liver cancer	M	11267	76	7239	7.0	0.1	12.2	0.1	0.1	0.0	0.1	0.1	0.1	0.2
	F	4277	54	1663	2.0	0.1	2.7	0.1	0.0	0.1	0.1	0.1	0.1	0.1
Pancreas cancer	M	18703	46	9050	11.4	0.1	16.4	-	0.0	0.0	-	0.1	0.1	0.3
	F	18196	29	6409	8.5	0.0	10.8	-	-	-	-	0.0	0.1	0.2
Larynx cancer	M	2951	3	1618	1.8	-	2.9	-	-	-	-	0.0	0.0	0.0
	F	741	4	359	0.4	0.0	0.6	-	-	-	-	-	0.0	0.0
Lung cancer	M	87744	108	39433	53.7	0.1	73.7	-	0.0	0.0	0.0	0.1	0.2	0.7
	F	70585	92	28853	34.8	0.1	49.2	-	0.0	0.0	0.1	0.1	0.2	0.5
Malignant melanoma	M	6002	118	2972	3.6	0.2	5.1	-	-	-	0.0	0.2	0.4	0.5
	F	3152	93	1519	1.6	0.1	2.4	-	-	0.0	0.0	0.1	0.3	0.4
Female breast cancer	F	41007	329	21459	20.7	0.5	33.8	-	-	-	-	0.1	0.6	2.6
Cervix cancer	F	3939	203	2750	2.2	0.3	4.1	-	-	-	-	0.1	0.7	1.2
Other uterine cancer	F	8403	34	3948	4.2	0.1	6.7	-	-	-	0.0	0.0	0.1	0.3
Ovarian cancer	F	14806	121	6926	7.4	0.2	11.4	-	-	0.0	0.1	0.1	0.3	0.6
Prostate cancer	M	28566	3	5523	16.1	-	11.0	-	-	-	-	0.0	0.0	-
Bladder cancer	M	10429	10	2838	6.0	0.0	5.4	-	-	-	-	-	0.0	0.1
	F	4305	7	964	1.8	0.0	1.6	-	-	-	-	-	0.0	0.0
Other and ill-defined cancer sites	M	53418	1722	24815	32.4	2.3	43.8	1.4	1.6	1.3	1.7	3.0	3.3	3.9
	F	43767	1130	16761	20.9	1.6	27.5	1.0	1.4	1.5	1.3	1.4	1.8	2.7
Hodgkin's disease	M	714	109	339	0.4	0.1	0.6	-	-	0.0	0.0	0.2	0.4	0.3
	F	517	61	222	0.3	0.1	0.3	-	-	-	0.0	0.1	0.1	0.3
Myeloma and non-Hodgkin lymphomas	M	17228	243	6563	10.3	0.3	12.0	0.1	0.1	0.1	0.3	0.4	0.6	0.8
	F	14588	121	4261	6.5	0.2	7.3	0.0	0.0	0.1	0.1	0.2	0.3	0.4
Leukaemia	M	12851	688	4321	7.7	0.9	7.9	0.6	0.6	0.7	0.9	1.2	1.2	1.2
	F	9722	518	2866	4.5	0.7	4.7	0.7	0.5	0.6	0.6	0.8	0.8	1.0
Diabetes	M	35530	452	15799	21.3	0.6	27.7	0.0	-	0.1	0.2	0.6	1.2	2.1
	F	33598	353	10383	14.9	0.5	17.2	0.0	0.0	0.1	0.2	0.5	1.0	1.5
ALL VASCULAR DISEASE	M	385764	4198	130975	222.3	5.7	228.4	3.9	0.6	0.9	2.8	5.2	9.2	17.1
	F	398920	2304	65761	150.4	3.2	108.8	3.2	0.6	0.7	1.4	2.7	4.7	9.2
Rheumatic heart disease and fever	M	996	25	323	0.6	0.0	0.6	0.0	0.0	0.0	0.0	0.1	0.0	0.1
	F	1991	18	479	0.8	0.0	0.8	0.0	-	-	-	0.0	0.0	0.1
Hypertensive disease	M	28379	405	12938	16.7	0.6	21.5	0.0	0.0	0.0	0.1	0.4	1.0	2.3
	F	34754	172	7105	13.4	0.2	11.3	0.0	0.0	0.0	0.0	0.1	0.4	1.1
Ischaemic heart disease	M	207700	893	74340	120.2	1.2	130.5	0.2	0.0	0.0	0.1	0.6	2.2	5.4
	F	172009	280	28833	64.9	0.4	48.5	0.1	0.0	0.0	0.1	0.2	0.7	1.6
Pulmonary embolism and other venous	M	4722	230	2468	2.9	0.3	4.0	0.1	-	0.0	0.1	0.4	0.6	1.0
	F	5727	262	2235	2.7	0.4	3.4	0.0	-	0.1	0.2	0.5	0.5	1.3
Cerebrovascular disease	M	52384	516	14567	29.9	0.7	25.9	0.9	0.3	0.2	0.5	0.5	0.8	1.7
	F	77123	463	11487	28.9	0.7	19.0	0.9	0.2	0.2	0.3	0.5	0.8	1.7
Other vascular disease	M	91583	2129	26339	52.1	2.9	46.0	2.8	0.3	0.6	1.9	3.3	4.6	6.5
	F	107316	1109	15622	39.7	1.6	25.8	2.1	0.3	0.5	0.8	1.4	2.3	3.4
Chronic obstructive pulmonary disease	M	65466	409	16853	38.0	0.6	32.9	0.5	0.4	0.4	0.3	0.5	0.7	0.9
	F	72690	234	16260	30.9	0.3	28.6	0.4	0.2	0.3	0.2	0.3	0.4	0.6
Other respiratory disease	M	49499	1127	11091	27.9	1.5	20.2	4.5	0.4	0.3	0.6	1.2	1.6	2.1
	F	49812	853	8268	19.2	1.2	13.8	3.2	0.4	0.4	0.4	1.1	1.3	1.7
Peptic ulcer	M	1448	16	592	0.8	0.0	1.0	-	-	0.0	0.0	0.0	0.1	0.0
	F	1497	10	344	0.6	0.0	0.6	-	-	-	-	-	0.1	0.1
Liver cirrhosis	M	20765	328	16527	13.1	0.5	26.0	0.0	-	0.0	0.0	0.1	0.6	2.3
	F	11070	201	7490	6.2	0.3	11.3	0.0	-	0.0	-	0.2	0.5	1.3
Renal disease	M	25284	224	6648	14.4	0.3	12.1	0.7	0.1	0.0	0.1	0.1	0.4	0.7
	F	26204	254	5330	10.6	0.4	8.9	0.6	0.0	0.1	0.1	0.3	0.5	0.8
Pregnancy, birth	F	825	531	294	0.6	0.7	0.4	-	-	0.0	0.4	1.1	1.8	1.8
Congenital and perinatal causes	M	11765	10274	1133	8.8	14.2	11.7	93.4	0.9	0.7	1.2	1.1	1.2	1.1
	F	10039	8557	1006	7.7	12.3	1.5	81.6	0.9	0.7	0.7	0.8	0.8	0.8
Ill-defined causes	M	16063	2918	4386	9.6	4.0	7.1	18.9	0.2	0.3	1.1	1.9	2.7	2.9
	F	22304	1875	2969	8.7	2.7	4.6	13.6	0.2	0.2	0.6	1.1	1.2	1.8
Other medical causes	M	161955	4681	41930	91.2	6.3	71.9	8.2	2.0	2.5	4.4	7.0	8.7	11.3
	F	242696	3568	33010	88.9	5.0	53.9	6.8	2.0	2.4	3.1	5.0	7.0	8.7
ALL NON-MEDICAL CAUSES	M	123729	40647	60895	77.9	54.0	90.1	20.0	5.6	8.4	55.6	100.2	98.7	89.2
	F	59907	12926	26064	32.4	17.9	37.5	14.0	3.5	4.7	18.6	27.4	28.4	28.8
Road traffic accidents	M	24265	10036	11476	15.4	13.2	17.1	2.3	2.1	2.5	17.4	27.9	22.2	18.3
	F	10547	4028	4490	6.3	5.5	6.6	1.9	1.4	2.1	9.1	10.4	7.5	6.3
Fire	M	1628	338	859	1.0	0.5	1.4	0.9	0.4	0.2	0.3	0.3	0.5	0.4
	F	1158	249	493	0.6	0.3	0.8	0.7	0.4	0.2	0.2	0.3	0.3	0.3
Suicide	M	30238	8593	17951	19.2	11.4	26.5	-	0.1	1.7	11.8	22.0	22.9	21.3
	F	8074	2007	5460	5.0	2.8	7.8	-	-	0.9	3.2	4.7	5.2	5.5
POPULATION:			M=male		153292	74634	66942	10293	10373	10626	11250	11105	10735	10252
(1000s; UN, 2015 revision)			F=female		156584	71554	68764	9885	9949	10085	10589	10539	10464	10042

2010: UNITED STATES

Annual death rates / 100,000
(zero denoted by -)

9th ICD/10th ICD categories

35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+NK			
173.2	240.9	395.2	603.4	894.5	1277.1	1898.8	2733.7	4476.3	10793.2	M	ALL CAUSES	001-999/A00-Y89
103.0	154.2	251.2	377.6	524.0	782.8	1224.6	1922.9	3172.0	9464.8	F		
0.0	0.1	0.2	0.3	0.4	0.5	0.7	0.9	0.9	2.5	M	Tuberculosis	010-018, 137/
0.0	0.1	0.1	0.1	0.1	0.2	0.4	0.3	0.7	1.4	F		A15-A19, B90
7.0	12.7	21.1	29.2	39.2	40.1	47.2	62.6	101.2	225.8	M	Other infective	Rest of 001-139,279.5&.6/
4.7	7.0	10.6	15.2	21.0	24.1	34.5	54.1	86.8	205.7	F	and parasitic	rest of A00-B99 excl A33,A34
17.1	31.7	73.3	151.5	266.3	434.0	676.8	924.2	1320.3	2053.8	M	ALL CANCER	140-208/C00-C97
22.1	42.2	81.1	140.0	207.4	317.9	478.6	664.4	877.6	1253.6	F		
0.5	1.1	2.3	5.5	8.4	11.4	14.1	14.4	17.2	24.2	M	Mouth and	140-149/C00-C14
0.3	0.4	0.8	1.7	2.1	3.0	4.0	5.8	7.5	13.2	F	pharynx cancer	
0.5	1.3	3.6	7.7	13.8	22.0	28.9	35.1	45.4	52.5	M	Oesophagus cancer	150/C15
0.1	0.2	0.6	1.4	2.6	3.6	5.5	7.5	10.5	15.0	F		
0.8	1.4	2.5	3.9	5.9	9.6	13.8	19.7	28.3	42.5	M	Stomach cancer	151/C16
0.7	1.2	1.7	2.3	3.3	4.5	6.3	10.1	12.9	24.9	F		
2.4	4.8	9.2	16.1	24.9	39.7	57.1	76.7	109.2	187.3	M	Colorectal cancer	153, 154/C18-C21
1.9	3.6	7.3	12.2	17.0	24.4	34.4	50.2	75.3	149.6	F		
0.4	1.1	3.9	11.7	21.8	23.0	23.6	26.3	35.0	40.6	M	Liver cancer	155.0/C22 excl C221
0.1	0.4	1.0	2.1	4.0	4.7	6.8	10.8	15.1	19.6	F		
0.7	2.0	4.9	10.6	18.5	31.5	46.9	58.1	80.9	108.4	M	Pancreas cancer	157/C25
0.5	1.3	3.5	6.5	12.2	20.9	30.9	47.0	65.6	94.1	F		
0.1	0.2	0.8	2.2	3.5	5.5	8.2	9.0	12.1	13.3	M	Larynx cancer	161/C32
0.0	0.1	0.2	0.5	0.8	1.1	1.4	2.1	2.5	2.4	F		
1.6	4.6	16.9	42.4	77.9	135.7	236.8	320.5	425.5	497.6	M	Lung cancer	162/C33, C34
1.5	5.1	15.6	32.6	50.3	86.9	152.6	214.5	270.7	276.9	F		
0.9	1.6	2.5	3.7	6.0	9.1	12.2	16.2	23.6	35.0	M	Malignant melanoma	172/C43
0.7	1.1	1.5	2.2	2.8	3.6	4.8	6.6	7.6	12.6	F		
6.3	13.3	20.3	31.6	41.7	54.8	68.9	80.5	97.5	156.8	F	Female breast cancer	174/C50
2.2	2.9	4.0	4.8	4.5	5.2	4.8	5.8	5.2	6.8	F	Cervix cancer	180/C53
0.5	1.1	1.9	4.1	7.2	13.2	18.4	22.1	25.8	31.6	F	Other uterine cancer	179, 182/C54, C55
1.0	2.4	4.9	8.6	13.6	20.5	28.5	38.1	46.1	55.4	F	Ovarian cancer	183/C56, C570-C574
0.0	0.2	1.1	3.3	9.3	20.5	42.5	77.6	138.8	368.5	M	Prostate cancer	185/C61
0.1	0.3	1.0	2.5	5.2	10.2	18.4	28.3	49.1	115.7	M	Bladder cancer	188/C67
0.1	0.3	0.5	1.2	1.6	2.9	4.8	7.8	15.3	32.5	F		
5.9	9.0	17.8	30.4	51.0	78.9	113.5	150.2	210.1	329.0	M	Other and ill-defined	Rest of 140-199/
3.8	6.2	12.6	20.5	31.3	47.6	70.7	98.0	135.6	216.0	F	cancer sites	rest of C00-C80, C97
0.3	0.3	0.3	0.4	0.6	0.8	1.1	1.3	2.2	3.4	M	Hodgkin's disease	201/C81
0.2	0.3	0.2	0.2	0.3	0.5	0.7	1.0	1.3	1.9	F		
1.2	2.0	3.8	6.9	12.8	21.7	35.3	53.0	81.9	132.8	M	Myeloma and non-	200, 202-203/
0.6	1.3	2.2	4.2	7.3	12.7	22.5	35.9	52.1	87.9	F	Hodgkin lymphomas	C82-C90, C96
1.6	1.8	2.6	4.1	6.7	14.5	24.1	37.6	61.0	102.8	M	Leukaemia	204-208/C91-C95
1.3	1.2	2.2	3.2	4.8	7.7	12.7	20.5	31.1	56.6	F		
3.6	6.5	12.4	19.1	32.9	49.1	70.5	93.5	144.4	256.1	M	Diabetes	250/E10-E14
2.7	4.3	7.0	11.4	18.8	30.4	45.9	69.6	103.8	212.1	F		
30.6	55.9	105.5	174.1	266.6	390.9	575.2	837.4	1433.2	4075.4	M	ALL VASCULAR	390-459/I00-I99
15.5	28.1	49.9	77.5	113.1	181.7	296.0	508.8	955.2	3739.1	F	DISEASE	
0.1	0.1	0.2	0.4	0.6	1.1	1.3	2.2	3.9	10.4	M	Rheumatic heart	390-398/I00-I09
0.1	0.2	0.3	0.4	1.0	1.1	2.5	3.9	6.7	14.4	F	disease and fever	
4.1	7.6	13.4	19.7	27.9	35.0	42.9	52.5	82.7	244.7	M	Hypertensive disease	401-405/I10-I15
2.1	3.7	6.7	10.6	12.8	17.6	25.9	40.6	73.3	315.2	F		
12.3	25.9	55.8	98.6	156.1	231.3	333.6	471.6	779.3	2106.6	M	Ischaemic heart	410-414/I20-I25
3.8	8.8	18.8	31.7	50.7	85.3	140.4	233.1	419.8	1601.3	F	disease	
1.4	2.1	2.8	3.8	4.9	5.7	7.5	10.1	14.5	27.1	M	Pulmonary embolism	415.1, 451-453/
1.8	2.1	2.9	2.9	3.6	4.8	6.0	9.0	13.9	31.0	F	and other venous	126, 180-182
3.4	6.4	11.2	18.2	27.7	42.6	71.4	117.5	219.1	609.8	M	Cerebrovascular	430-438/I60-I69
2.7	5.7	8.9	14.1	18.9	30.6	51.9	99.9	198.1	731.0	F	disease	
9.4	13.8	22.2	33.4	49.4	75.3	118.4	183.6	333.8	1076.7	M	Other vascular	Rest of 390-459/
5.1	7.7	12.4	17.7	26.1	42.2	69.3	122.3	243.3	1046.3	F	disease	rest of I00-I99
1.2	2.0	5.2	13.2	28.5	58.0	121.9	209.0	347.2	677.4	M	Chronic obstructive	490-496/
1.3	2.3	6.8	14.5	25.0	49.2	101.2	176.7	281.1	502.4	F	pulmonary disease	J40-J47, J67
2.7	4.3	7.3	12.1	19.9	33.6	61.3	107.9	202.8	632.2	M	Other respiratory	Rest of 460-519/
2.4	4.0	6.2	9.1	14.0	21.7	39.1	69.5	126.5	449.7	F	disease	rest of J00-J98
0.1	0.3	0.5	0.8	1.3	1.7	2.4	3.2	5.5	12.7	M	Peptic ulcer	531-533/K25-K27
0.1	0.1	0.2	0.5	0.7	0.9	1.4	2.4	4.0	12.1	F		
5.0	10.3	20.9	31.5	40.0	38.0	36.3	33.2	35.1	32.2	M	Liver cirrhosis	571/K70, K74
2.7	5.2	10.7	13.6	14.2	15.6	17.0	20.5	21.9	20.4	F		
1.6	2.2	4.2	7.1	12.6	21.1	35.5	59.1	105.5	301.9	M	Renal disease	580-590/N00-N19
1.3	2.0	3.2	5.9	9.3	15.0	26.0	46.1	74.9	214.0	F		
1.4	0.8	0.3	0.2	0.1	-	0.0	-	-	-	M	Pregnancy, birth	630-676/A34, O00-O99
1.2	1.3	1.4	1.9	2.3	2.2	1.8	1.9	2.4	4.8	F	Congenital and	740-779/A33,
1.0	1.0	1.3	1.5	2.0	2.0	1.8	1.9	2.3	4.0	F	perinatal causes	P00-P96, Q00-Q99
3.3	3.8	5.4	6.3	8.0	9.7	13.3	20.9	36.8	161.6	M	Ill-defined causes	780-799/R00-R99
2.0	2.6	3.7	4.1	4.9	5.7	9.3	16.1	33.0	215.0	F		
15.6	23.4	38.3	57.4	81.9	113.7	173.3	283.1	598.8	2032.2	M	Other medical causes	Rest of 001-799/
12.4	17.9	27.0	40.8	55.3	85.4	138.7	248.6	531.2	2414.8	F		rest of A00-R99
84.2	86.3	99.3	99.0	94.6	84.4	82.7	97.0	142.2	324.6	M	ALL NON-	E800-E999/V01-Y89
33.3	36.7	43.4	43.1	38.2	32.9	34.8	44.1	72.9	220.7	F	MEDICAL CAUSES	
16.4	16.2	17.8	17.4	18.1	17.3	16.6	16.1	23.5	31.4	M	Road traffic	E810-E819, E826-E829/
6.3	6.3	6.4	6.4	6.6	6.4	7.9	8.6	12.1	15.4	F	accidents	part of V01-V99, Y850
0.5	0.9	1.2	1.4	1.5	1.8	2.2	2.6	3.4	5.0	M	Fire	E890-E899/X00-X09
0.4	0.4	0.6	0.8	0.9	1.1	1.1	1.6	2.2	3.5	F		
23.2	24.8	29.6	30.1	29.4	25.0	23.3	24.4	29.8	40.5	M	Suicide	E950-E959/X60-X84
7.0	7.8	8.7	9.4	8.8	7.0	5.4	4.0	4.1	3.3	F		
10188	10732	11388	11125	9707	8032	5771	4398	3196	4122	M	POPULATION	
10112	10513	11403	11281	10154	8731	6570	5045	4110	7112	F	(1000s; UN, 2015 revision)	